

CHEVROLET

This fitment guide applies to vehicles with O.E. suspension, wheel wells and brakes unless otherwise noted.

Other size and offsets are available, please call the Sales and Tech Department for more information at 800-788-9353

2016+ Camaro SS, 1LE (Brembo Brakes)

Conical Lugs Required

	Pad	Size	Vehicle Location	Offset	Back Space	S70 Black Ctr Part Number	S70 All Polished Part Number	S71 Black Ctr Part Number	S71 All Polished Part Number	S72 Black Ctr Part Number	S72 All Polished Part Number	S76 Black Ctr Part Number	S76 All Polished Part Number	S77 Black Ctr Part Number	S77 All Polished Part Number	S79 Black Ctr Part Number	S79 All Polished Part Number
15"	Med	15x10	Rear Only	51	7.50	70MB-510N75C*	70MP-510N75C*	71MB-510N75C*	71MP-510N75C*	72MB-510N75C*	72MP-510N75C*	76MB-510N75C*	76MP-510N75C*	77MB-510N75C*	77MP-510N75C*	79MB-510N75C*	79MP-510N75C*
*Must use Carlyle Racing 15" Kit Part Number 15-209-1015																	
17"	High	17x5.0	Front	-21	2.20	70HB7050N22A	70HP7050N22A	71HB7050N22A	71HP7050N22A	72HB7050N22A	72HP7050N22A	76HB7050N22A	76HP7050N22A	77HB7050N22A	77HP7050N22A	79HB7050N22A	79HP7050N22A
	High	17x7.0	Front	5	4.20	70HB7070N42A	70HP7070N42A	71HB7070N42A	71HP7070N42A	72HB7070N42A	72HP7070N42A	76HB7070N42A	76HP7070N42A	77HB7070N42A	77HP7070N42A	79HB7070N42A	79HP7070N42A
	High	17x8.0	Front	18	5.20	70HB7080N52A	70HP7080N52A	71HB7080N52A	71HP7080N52A	72HB7080N52A	72HP7080N52A	76HB7080N52A	76HP7080N52A	77HB7080N52A	77HP7080N52A	79HB7080N52A	79HP7080N52A
	High	17x9.0	Front/Rear	31	6.20	70HB7090N62A	70HP7090N62A	71HB7090N62A	71HP7090N62A	72HB7090N62A	72HP7090N62A	76HB7090N62A	76HP7090N62A	77HB7090N62A	77HP7090N62A	79HB7090N62A	79HP7090N62A
	High	17x9.5	Rear Only	37	6.70	70HB7090N67A	70HP7090N67A	71HB7090N67A	71HP7090N67A	72HB7090N67A	72HP7090N67A	76HB7090N67A	76HP7090N67A	77HB7090N67A	77HP7090N67A	79HB7090N67A	79HP7090N67A
18"	High	17x10.0	Rear Only	44	7.20	70HB7100N72A	70HP7100N72A	71HB7100N72A	71HP7100N72A	72HB7100N72A	72HP7100N72A	76HB7100N72A	76HP7100N72A	77HB7100N72A	77HP7100N72A	79HB7100N72A	79HP7100N72A
	High	18x5.0	Front	-23	2.10	70HB8050N21A	70HP8050N21A	71HB8050N21A	71HP8050N21A	72HB8050N21A	72HP8050N21A	76HB8050N21A	76HP8050N21A	77HB8050N21A	77HP8050N21A	79HB8050N21A	79HP8050N21A
	High	18x7.0	Front	3	4.10	70HB8070N41A	70HP8070N41A	71HB8070N41A	71HP8070N41A	72HB8070N41A	72HP8070N41A	76HB8070N41A	76HP8070N41A	77HB8070N41A	77HP8070N41A	79HB8070N41A	79HP8070N41A
	High	18x8.0	Front	15	5.10	70HB8080N51A	70HP8080N51A	71HB8080N51A	71HP8080N51A	72HB8080N51A	72HP8080N51A	76HB8080N51A	76HP8080N51A	77HB8080N51A	77HP8080N51A	79HB8080N51A	79HP8080N51A
	High	18x9.0	Front/Rear	28	6.10	81HB8090N61A	81HP8090N61A	71HB8090N61A	71HP8090N61A	72HB8090N61A	72HP8090N61A	76HB8090N61A	76HP8090N61A	77HB8090N61A	77HP8090N61A	79HB8090N61A	79HP8090N61A
20"	High	18x10.0	Rear Only	41	7.10	70HB8100N71A	70HP8100N71A	71HB8100N71A	71HP8100N71A	72HB8100N71A	72HP8100N71A	76HB8100N71A	76HP8100N71A	77HB8100N71A	77HP8100N71A	79HB8100N71A	79HP8100N71A
	High	18x10.5	Rear Only	47	7.60	70HB8105N76A	70HP8105N76A	71HB8105N76A	71HP8105N76A	72HB8105N76A	72HP8105N76A	76HB8105N76A	76HP8105N76A	77HB8105N76A	77HP8105N76A	79HB8105N76A	79HP8105N76A
	High	20x7.0	Front	8	4.30	70HB0070N43A	70HP0070N43A	71HB0070N43A	71HP0070N43A	72HB0070N43A	72HP0070N43A	76HB0070N43A	76HP0070N43A	77HB0070N43A	77HP0070N43A	79HB0070N43A	79HP0070N43A
	High	20x8.0	Front/Rear	20	5.30	70HB0080N53A	70HP0080N53A	71HB0080N53A	71HP0080N53A	72HB0080N53A	72HP0080N53A	76HB0080N53A	76HP0080N53A	77HB0080N53A	77HP0080N53A	79HB0080N53A	79HP0080N53A
	High	20x9.0	Front/Rear	31	6.30	70HB0090N63A	70HP0090N63A	71HB0090N63A	71HP0090N63A	72HB0090N63A	72HP0090N63A	76HB0090N63A	76HP0090N63A	77HB0090N63A	77HP0090N63A	79HB0090N63A	79HP0090N63A
20"	High	20x10.0	Rear Only	46	7.30	70HB0100N73A	70HP0100N73A	71HB0100N73A	71HP0100N73A	72HB0100N73A	72HP0100N73A	76HB0100N73A	76HP0100N73A	77HB0100N73A	77HP0100N73A	79HB0100N73A	79HP0100N73A
	High	20x10.5	Rear Only	52	7.80	70HB0105N78A	70HP0105N78A	71HB0105N78A	71HP0105N78A	72HB0105N78A	72HP0105N78A	76HB0105N78A	76HP0105N78A	77HB0105N78A	77HP0105N78A	79HB0105N78A	79HP0105N78A

2016+ Camaro ZL1 (Brembo Brakes)

14.37" Rear 4 piston Caliper. 15.35" 6 piston Front Caliper

Conical Lugs Required

	Pad	Size	Vehicle Location	Offset	Back Space	S70 Black Ctr Part Number	S70 All Polished Part Number	S71 Black Ctr Part Number	S71 All Polished Part Number	S72 Black Ctr Part Number	S72 All Polished Part Number	S76 Black Ctr Part Number	S76 All Polished Part Number	S77 Black Ctr Part Number	S77 All Polished Part Number	S79 Black Ctr Part Number	S79 All Polished Part Number
15"	Med	15x10	Rear Only	51	7.50	70MB-510N75C*	70MP-510N75C*	71MB-510N75C*	71MP-510N75C*	72MB-510N75C*	72MP-510N75C*	76MB-510N75C*	76MP-510N75C*	77MB-510N75C*	77MP-510N75C*	79MB-510N75C*	79MP-510N75C*
*Must use Carlyle Racing 15" Kit Part Number 15-209-1015																	
17"	High	17x9.0	Rear Only	31	6.20	70HB7090N62A	70HP7090N62A	71HB7090N62A	71HP7090N62A	72HB7090N62A	72HP7090N62A	76HB7090N62A	76HP7090N62A	77HB7090N62A	77HP7090N62A	79HB7090N62A	79HP7090N62A
	High	17x9.5	Rear Only	37	6.70	70HB7090N67A	70HP7090N67A	71HB7090N67A	71HP7090N67A	72HB7090N67A	72HP7090N67A	76HB7090N67A	76HP7090N67A	77HB7090N67A	77HP7090N67A	79HB7090N67A	79HP7090N67A
	High	17x10.0	Rear Only	44	7.20	70HB7100N72A	70HP7100N72A	71HB7100N72A	71HP7100N72A	72HB7100N72A	72HP7100N72A	76HB7100N72A	76HP7100N72A	77HB7100N72A	77HP7100N72A	79HB7100N72A	79HP7100N72A
18"	High	18x5.0	Front	-23	2.10	70HB8050N21A*	70HP8050N21A*	71HB8050N21A*	71HP8050N21A*	72HB8050N21A*	72HP8050N21A*	76HB8050N21A*	76HP8050N21A*	77HB8050N21A*	77HP8050N21A*	79HB8050N21A*	79HP8050N21A*
	High	18x7.0	Front	3	4.10	70HB8070N41A*	70HP8070N41A*	71HB8070N41A*	71HP8070N41A*	72HB8070N41A*	72HP8070N41A*	76HB8070N41A*	76HP8070N41A*	77HB8070N41A*	77HP8070N41A*	79HB8070N41A*	79HP8070N41A*
	High	18x8.0	Front	15	5.10	70HB8080N51A*	70HP8080N51A*	71HB8080N51A*	71HP8080N51A*	72HB8080N51A*	72HP8080N51A*	76HB8080N51A*	76HP8080N51A*	77HB8080N51A*	77HP8080N51A*	79HB8080N51A*	79HP8080N51A*
	High	18x9.0	Front/Rear	28	6.10	81HB8090N61A	81HP8090N61A	71HB8090N61A	71HP8090N61A	72HB8090N61A	72HP8090N61A	76HB8090N61A	76HP8090N61A	77HB8090N61A	77HP8090N61A	79HB8090N61A	79HP8090N61A
	High	18x10.0	Rear Only	41	7.10	70HB8100N71A	70HP8100N71A	71HB8100N71A	71HP8100N71A	72HB8100N71A	72HP8100N71A	76HB8100N71A	76HP8100N71A	77HB8100N71A	77HP8100N71A	79HB8100N71A	79HP8100N71A
20"	High	18x10.5	Rear Only	47	7.60	70HB8105N76A	70HP8105N76A	71HB8105N76A	71HP8105N76A	72HB8105N76A	72HP8105N76A	76HB8105N76A	76HP8105N76A	77HB8105N76A	77HP8105N76A	79HB8105N76A	79HP8105N76A
	High	20x7.0	Front	8	4.30	70HB0070N43A	70HP0070N43A	71HB0070N43A	71HP0070N43A	72HB0070N43A	72HP0070N43A	76HB0070N43A	76HP0070N43A	77HB0070N43A	77HP0070N43A	79HB0070N43A	79HP0070N43A
	High	20x8.0	Front/Rear	20	5.30	70HB0080N53A	70HP0080N53A	71HB0080N53A	71HP0080N53A	72HB0080N53A	72HP0080N53A	76HB0080N53A	76HP0080N53A	77HB0080N53A	77HP0080N53A	79HB0080N53A	79HP0080N53A
	High	20x9.0	Front/Rear	31	6.30	70HB0090N63A	70HP0090N63A	71HB0090N63A	71HP0090N63A	72HB0090N63A	72HP0090N63A	76HB0090N63A	76HP0090N63A	77HB0090N63A	77HP0090N63A	79HB0090N63A	79HP0090N63A
	High	20x10.0	Rear Only	46	7.30	70HB0100N73A	70HP0100N73A	71HB0100N73A	71HP0100N73A	72HB0100N73A	72HP0100N73A	76HB0100N73A	76HP0100N73A	77HB0100N73A	77HP0100N73A	79HB0100N73A	79HP0100N73A
20"	High	20x10.5	Rear Only	52	7.80	70HB0105N78A	70HP0105N78A	71HB0105N78A	71HP0105N78A	72HB0105N78A	72HP0105N78A	76HB0105N78A	76HP0105N78A	77HB0105N78A	77HP0105N78A	79HB0105N78A	79HP0105N78A
*Front takes 3/8" Spacer, with big bell inners, 7/19 or newer wheels.																	

WELD

2014-2015 Camaro Z/28 (Carbon Brakes)

Conical Lugs Required

	Pad	Size	Vehicle Location	Offset	Back Space	S70 Black Ctr Part Number	S70 All Polished Part Number	S71 Black Ctr Part Number	S71 All Polished Part Number	S72 Black Ctr Part Number	S72 All Polished Part Number	S76 Black Ctr Part Number	S76 All Polished Part Number	S77 Black Ctr Part Number	S77 All Polished Part Number	S79 Black Ctr Part Number	S79 All Polished Part Number
15"	Med	15x10	Rear Only	51	7.50	70MB-510N75C*	70MP-510N75C*	71MB-510N75C*	71MP-510N75C*	72MB-510N75C*	72MP-510N75C*	76MB-510N75C*	76MP-510N75C*	77MB-510N75C*	77MP-510N75C*	79MB-510N75C*	79MP-510N75C*
*Must use Carlyle Racing 15" kit Part Number 15-209-1015																	
18"	High	18x5.0	Front	-23	2.10	70HB8050N21A*	70HP8050N21A*	71HB8050N21A*	71HP8050N21A*	72HB8050N21A*	72HP8050N21A*	76HB8050N21A*	76HP8050N21A*	77HB8050N21A*	77HP8050N21A*	79HB8050N21A*	79HP8050N21A*
	High	18x7.0	Front	3	4.10	70HB8070N41A*	70HP8070N41A*	71HB8070N41A*	71HP8070N41A*	72HB8070N41A*	72HP8070N41A*	76HB8070N41A*	76HP8070N41A*	77HB8070N41A*	77HP8070N41A*	79HB8070N41A*	79HP8070N41A*
	High	18x8.0	Front	15	5.10	70HB8080N51A*	70HP8080N51A*	71HB8080N51A*	71HP8080N51A*	72HB8080N51A*	72HP8080N51A*	76HB8080N51A*	76HP8080N51A*	77HB8080N51A*	77HP8080N51A*	79HB8080N51A*	79HP8080N51A*
	High	18x9.0	Front/Rear	28	6.10	81HB8090N61A	81HP8090N61A	81HB8090N61A	81HP8090N61A	72HB8090N61A	72HP8090N61A	76HB8090N61A	76HP8090N61A	77HB8090N61A	77HP8090N61A	79HB8090N61A	79HP8090N61A
	High	18x10.0	Rear Only	41	7.10	70HB8100N71A	70HP8100N71A	71HB8100N71A	71HP8100N71A	72HB8100N71A	72HP8100N71A	76HB8100N71A	76HP8100N71A	77HB8100N71A	77HP8100N71A	79HB8100N71A	79HP8100N71A
*front takes 3/8" Spacer, with big bell inners, 7/17/19 or newer wheels.																	

20"	High	20x7.0	Front	8	4.30	70HB0070N43A	70HP0070N43A	71HB0070N43A	71HP0070N43A	72HB0070N43A	72HP0070N43A	76HB0070N43A	76HP0070N43A	77HB0070N43A	77HP0070N43A	79HB0070N43A	79HP0070N43A
	High	20x8.0	Front/Rear	20	5.30	70HB0080N53A	70HP0080N53A	71HB0080N53A	71HP0080N53A	72HB0080N53A	72HP0080N53A	76HB0080N53A	76HP0080N53A	77HB0080N53A	77HP0080N53A	79HB0080N53A	79HP0080N53A
	High	20x9.0	Front/Rear	31	6.30	70HB0090N63A	70HP0090N63A	71HB0090N63A	71HP0090N63A	72HB0090N63A	72HP0090N63A	76HB0090N63A	76HP0090N63A	77HB0090N63A	77HP0090N63A	79HB0090N63A	79HP0090N63A
	High	20x10.0	Rear Only	46	7.30	70HB0100N73A	70HP0100N73A	71HB0100N73A	71HP0100N73A	72HB0100N73A	72HP0100N73A	76HB0100N73A	76HP0100N73A	77HB0100N73A	77HP0100N73A	79HB0100N73A	79HP0100N73A
	High	20x10.5	Rear Only	52	7.80	70HB0105N78A	70HP0105N78A	71HB0105N78A	71HP0105N78A	72HB0105N78A	72HP0105N78A	76HB0105N78A	76HP0105N78A	77HB0105N78A	77HP0105N78A	79HB0105N78A	79HP0105N78A

2010-2015 Camaro SS & ZL1

2010-2015 Camaro SS & ZL1

Conical Lugs required

	Pad	Size	Vehicle Location	Offset	Back Space	S70 Black Ctr Part Number	S70 All Polished Part Number	S71 Black Ctr Part Number	S71 All Polished Part Number	S72 Black Ctr Part Number	S72 All Polished Part Number	S76 Black Ctr Part Number	S76 All Polished Part Number	S77 Black Ctr Part Number	S77 All Polished Part Number	S79 Black Ctr Part Number	S79 All Polished Part Number
15"	Med	15x10	Rear Only	51	7.50	70MB-510N75C*	70MP-510N75C*	71MB-510N75C*	71MP-510N75C*	72MB-510N75C*	72MP-510N75C*	76MB-510N75C*	76MP-510N75C*	77MB-510N75C*	77MP-510N75C*	79MB-510N75C*	79MP-510N75C*
*Must use Carlyle Racing 15" kit Part Number 15-209-1015																	
17"	High	17x5.0	Front	-21	2.20	70HB7050N22A*	70HP7050N22A*	71HB7050N22A*	71HP7050N22A*	72HB7050N22A*	72HP7050N22A*	76HB7050N22A*	76HP7050N22A*	77HB7050N22A*	77HP7050N22A*	79HB7050N22A*	79HP7050N22A*
	High	17x7.0	Front	5	4.20	70HB7070N42A*	70HP7070N42A*	71HB7070N42A*	71HP7070N42A*	72HB7070N42A*	72HP7070N42A*	76HB7070N42A*	76HP7070N42A*	77HB7070N42A*	77HP7070N42A*	79HB7070N42A*	79HP7070N42A*
	High	17x8.0	Front	18	5.20	70HB7080N52A*	70HP7080N52A*	71HB7080N52A*	71HP7080N52A*	72HB7080N52A*	72HP7080N52A*	76HB7080N52A*	76HP7080N52A*	77HB7080N52A*	77HP7080N52A*	79HB7080N52A*	79HP7080N52A*
	High	17x9.0	Front/Rear	31	6.20	70HB7090N62A*	70HP7090N62A*	71HB7090N62A*	71HP7090N62A*	72HB7090N62A*	72HP7090N62A*	76HB7090N62A*	76HP7090N62A*	77HB7090N62A*	77HP7090N62A*	79HB7090N62A*	79HP7090N62A*
	High	17x9.5	Rear Only	37	6.70	70HB7095N67A	70HP7095N67A	71HB7095N67A	71HP7095N67A	72HB7095N67A	72HP7095N67A	76HB7095N67A	76HP7095N67A	77HB7095N67A	77HP7095N67A	79HB7095N67A	79HP7095N67A
*Pad Dampers must be removed from calipers (where applicable). ZL1: no modifications needed.																	

18"	High	18x5.0	Front	-23	2.10	70HB8050N21A*	70HP8050N21A*	71HB8050N21A*	71HP8050N21A*	72HB8050N21A*	72HP8050N21A*	76HB8050N21A*	76HP8050N21A*	77HB8050N21A*	77HP8050N21A*	79HB8050N21A*	79HP8050N21A*
	High	18x7.0	Front	3	4.10	70HB8070N41A*	70HP8070N41A*	71HB8070N41A*	71HP8070N41A*	72HB8070N41A*	72HP8070N41A*	76HB8070N41A*	76HP8070N41A*	77HB8070N41A*	77HP8070N41A*	79HB8070N41A*	79HP8070N41A*
	High	18x8.0	Front	15	5.10	70HB8080N51A*	70HP8080N51A*	71HB8080N51A*	71HP8080N51A*	72HB8080N51A*	72HP8080N51A*	76HB8080N51A*	76HP8080N51A*	77HB8080N51A*	77HP8080N51A*	79HB8080N51A*	79HP8080N51A*
	High	18x9.0	Front/Rear	28	6.10	81HB8090N61A*	81HP8090N61A*	81HB8090N61A*	81HP8090N61A*	72HB8090N61A*	72HP8090N61A*	76HB8090N61A*	76HP8090N61A*	77HB8090N61A*	77HP8090N61A*	79HB8090N61A*	79HP8090N61A*
	High	18x10.0	Rear Only	41	7.10	70HB8100N71A	70HP8100N71A	71HB8100N71A	71HP8100N71A	72HB8100N71A	72HP8100N71A	76HB8100N71A	76HP8100N71A	77HB8100N71A	77HP8100N71A	79HB8100N71A	79HP8100N71A
*Pad Dampers must be removed from calipers (where applicable). ZL1: no modifications needed.																	

20"	High	20x7.0	Front	8	4.30	70HB0070N43A	70HP0070N43A	71HB0070N43A	71HP0070N43A	72HB0070N43A	72HP0070N43A	76HB0070N43A	76HP0070N43A	77HB0070N43A	77HP0070N43A	79HB0070N43A	79HP0070N43A
	High	20x8.0	Front/Rear	20	5.30	70HB0080N53A	70HP0080N53A	71HB0080N53A	71HP0080N53A	72HB0080N53A	72HP0080N53A	76HB0080N53A	76HP0080N53A	77HB0080N53A	77HP0080N53A	79HB0080N53A	79HP0080N53A
	High	20x9.0	Front/Rear	31	6.30	70HB0090N63A	70HP0090N63A	71HB0090N63A	71HP0090N63A	72HB0090N63A	72HP0090N63A	76HB0090N63A	76HP0090N63A	77HB0090N63A	77HP0090N63A	79HB0090N63A	79HP0090N63A
	High	20x10.0	Rear Only	46	7.30	70HB0100N73A	70HP0100N73A	71HB0100N73A	71HP0100N73A	72HB0100N73A	72HP0100N73A	76HB0100N73A	76HP0100N73A	77HB0100N73A	77HP0100N73A	79HB0100N73A	79HP0100N73A
	High	20x10.5	Rear Only	52	7.80	70HB0105N78A	70HP0105N78A	71HB0105N78A	71HP0105N78A	72HB0105N78A	72HP0105N78A	76HB0105N78A	76HP0105N78A	77HB0105N78A	77HP0105N78A	79HB0105N78A	79HP0105N78A

2010-2015 Camaro LS & LT

5+120mm {N}

14mmx1.5 lugs, Conical Lugs required, AlumaStar, Magnum, & V-Series 17x4.5 will also work {shank lug}

	Pad	Size	Vehicle Location	Offset	Back Space	S70 Black Ctr Part Number	S70 All Polished Part Number	S71 Black Ctr Part Number	S71 All Polished Part Number	S72 Black Ctr Part Number	S72 All Polished Part Number	S76 Black Ctr Part Number	S76 All Polished Part Number	S77 Black Ctr Part Number	S77 All Polished Part Number	S79 Black Ctr Part Number	S79 All Polished Part Number
17"	Med	17x5.0	Front	8	3.30	70MB7050N33A	70MP7050N33A	71MB7050N33A	71MP7050N33A	72MB7050N33A	72MP7050N33A	76MB7050N33A	76MP7050N33A	77MB7050N33A	77MP7050N33A	79MB7050N33A	79MP7050N33A
	Med	17x7.0	Front	33	5.30	70MB7070N53A	70MP7070N53A	71MB7070N53A	71MP7070N53A	72MB7070N53A	72MP7070N53A	76MB7070N53A	76MP7070N53A	77MB7070N53A	77MP7070N53A	79MB7070N53A	79MP7070N53A
	Med	17x8.0	Front/Rear	46	6.30	70MB7080N63A	70MP7080N63A	71MB7080N63A	71MP7080N63A	72MB7080N63A	72MP7080N63A	76MB7080N63A	76MP7080N63A	77MB7080N63A	77MP7080N63A	79MB7080N63A	79MP7080N63A
	Med	17x9.0	Front/Rear	43	6.30	70MB7090N63A	70MP7090N63A	71MB7090N63A	71MP7090N63A	72MB7090N63A	72MP7090N63A	76MB7090N63A	76MP7090N63A	77MB7090N63A	77MP7090N63A	79MB7090N63A	79MP7090N63A
	Med	17x10.0	Rear Only	40	7.30	70MB7100N73A	70MP7100N73A	71MB7100N73A	71MP7100N73A	72MB7100N73A	72MP7100N73A	76MB7100N73A	76MP7100N73A	77MB7100N73A	77MP7100N73A	79MB7100N73A	79MP7100N73A
18"	Med	18x.50	Front	-8	2.70	70MB8050N27A	70MP8050N27A	71MB8050N27A	71MP8050N27A	72MB8050N27A	72MP8050N27A	76MB8050N27A	76MP8050N27A	77MB8050N27A	77MP8050N27A	79MB8050N27A	79MP8050N27A
	Med	18x7.0	Front	5	4.20	70MB8070N42A	70MP8070N42A	71MB8070N42A	71MP8070N42A	72MB8070N42A	72MP8070N42A	76MB8070N42A	76MP8070N42A	77MB8070N42A	77MP8070N42A	79MB8070N42A	79MP8070N42A
	Med	18x8.0	Front	18	5.20	70MB8080N52A	70MP8080N52A	71MB8080N52A	71MP8080N52A	72MB8080N52A	72MP8080N52A	76MB8080N52A	76MP8080N52A	77MB8080N52A	77MP8080N52A	79MB8080N52A	79MP8080N52A
	Med	18x9.0	Front	30	6.20	70MB8090N62A	70MP8090N62A	71MB8090N62A	71MP8090N62A	72MB8090N62A	72MP8090N62A	76MB8090N62A	76MP8090N62A	77MB8090N62A	77MP8090N62A	79MB8090N62A	79MP8090N62A
	Med	18x10.0	Rear Only	18	6.20	70MB8100N67A	70MP8100N67A	71MB8100N67A	71MP8100N67A	72MB8100N67A	72MP8100N67A	76MB8100N67A	76MP8100N67A	77MB8100N67A	77MP8100N67A	79MB8100N67A	79MP8100N67A
20"	Med	20x7.0	Front	10	4.40	70MB0070N44A	70MP0070N44A	71MB0070N44A	71MP0070N44A	72MB0070N44A	72MP0070N44A	76MB0070N44A	76MP0070N44A	77MB0070N44A	77MP0070N44A	79MB0070N44A	79MP0070N44A
	Med	20x8.0	Front/Rear	23	5.40	70MB0080N54A	70MP0080N54A	71MB0080N54A	71MP0080N54A	72MB0080N54A	72MP0080N54A	76MB0080N54A	76MP0080N54A	77MB0080N54A	77MP0080N54A	79MB0080N54A	79MP0080N54A
	Med	20x9.0	Front/Rear	36	6.40	70MB0090N64A	70MP0090N64A	71MB0090N64A	71MP0090N64A	72MB0090N64A	72MP0090N64A	76MB0090N64A	76MP0090N64A	77MB0090N64A	77MP0090N64A	79MB0090N64A	79MP0090N64A
	Med	20x10.0	Rear Only	48	7.40	70MB0100N74A	70MP0100N74A	71MB0100N74A	71MP0100N74A	72MB0100N74A	72MP0100N74A	76MB0100N74A	76MP0100N74A	77MB0100N74A	77MP0100N74A	79MB0100N74A	79MP0100N74A
	Med	20x10.5	Rear Only	55	7.90	70MB0105N79A	70MP0105N79A	71MB0105N79A	71MP0105N79A	72MB0105N79A	72MP0105N79A	76MB0105N79A	76MP0105N79A	77MB0105N79A	77MP0105N79A	79MB0105N79A	79MP0105N79A

WELD

1993-2002 Camaro [4th Gen]

5x4.75" [B], 12mmx1.5 lugs

Short mag shank lug for 15" RT-S & 5/8 drive stud acceptable. AlumaStar, Magnum, & V-Series 17x4.5 will also work [shank lug]. Conical Lugs req'd 17"/18"/20"

	Pad	Size	Vehide Location	Offset	Back Space	570 Black Ctr Part Number	570 All Polished Part Number	571 Black Ctr Part Number	571 All Polished Part Number	572 Black Ctr Part Number	572 All Polished Part Number	576 Black Ctr Part Number	576 All Polished Part Number	577 Black Ctr Part Number	577 All Polished Part Number	579 Black Ctr Part Number	579 All Polished Part Number
15"	Med	15x4	Front	-26	1.50	70MB-504B15A	70MP-504B15A	71MB-504B15A	71MP-504B15A	72MB-504B15A	72MP-504B15A	76MB-504B15A	76MP-504B15A	77MB-504B15A	77MP-504B15A	79MB-504B15A	79MP-504B15A
	Low	15x4	Front		2.50	70LB-504B25A*	70LP-504B25A*	71LB-504B25A*	71LP-504B25A*	72LB-504B25A*	72LP-504B25A*	76LB-504B25A*	76LP-504B25A*	77LB-504B25A*	77LP-504B25A*	79LB-504B25A*	79LP-504B25A*
	Med	15x8	Rear Only	25	5.50	70MB-508B55A	70MP-508B55A	71MB-508B55A	71MP-508B55A	72MB-508B55A	72MP-508B55A	76MB-508B55A	76MP-508B55A	77MB-508B55A	77MP-508B55A	79MB-508B55A	79MP-508B55A
	Med	15x9	Rear Only	37	6.50	70MB-509B65A	70MP-509B65A	71MB-509B65A	71MP-509B65A	72MB-509B65A	72MP-509B65A	76MB-509B65A	76MP-509B65A	77MB-509B65A	77MP-509B65A	79MB-509B65A	79MP-509B65A
	Med	15x10	Rear Only	50	7.50	70MB-510B75A	70MP-510B75A	71MB-510B75A	71MP-510B75A	72MB-510B75A	72MP-510B75A	76MB-510B75A	76MP-510B75A	77MB-510B75A	77MP-510B75A	79MB-510B75A	79MP-510B75A

A 15x4 front wheel is the only option, anything wider will hit the caliper.

*1998-2002 Model is Alternative option: 1/4" spacer req'd, will "luck" wheel under fender well 1/4" more than Med pad wheel

*1993-1997 Model is Alternative option: 1/8" spacer req'd, will "luck" wheel under fender well 7/8" more than Med pad wheel

17"	Med	17x4.5	Front	-14	2.20	70MB7045B22A	70MP7045B22A	71MB7045B22A	71MP7045B22A	72MB7045B22A	72MP7045B22A	76MB7045B22A	76MP7045B22A	77MB7045V22A	77MP7045V22A	79MB7045V22A	79MP7045V22A
	Med	17x7.0	Front	20	4.80	70MB7070B48A	70MP7070B48A	71MB7070B48A	71MP7070B48A	72MB7070B48A	72MP7070B48A	76MB7070B48A	76MP7070B48A	77MB7070B48A	77MP7070B48A	79MB7070B48A	79MP7070B48A
	Med	17x8.0	Front/Rear	33	5.80	70MB7080B58A	70MP7080B58A	71MB7080B58A	71MP7080B58A	72MB7080B58A	72MP7080B58A	76MB7080B58A	76MP7080B58A	77MB7080B58A	77MP7080B58A	79MB7080B58A	79MP7080B58A
	Med	17x9.5	Front/Rear	52	7.30	70MB7095B73A	70MP7095B73A	71MB7095B73A	71MP7095B73A	72MB7095B73A	72MP7095B73A	76MB7095B73A	76MP7095B73A	77MB7095B73A	77MP7095B73A	79MB7095B73A	79MP7095B73A
	Med	17x10.0	Rear Only	46	7.30	70MB7100B73A	70MP7100B73A	71MB7100B73A	71MP7100B73A	72MB7100B73A	72MP7100B73A	76MB7100B73A	76MP7100B73A	77MB7100B73A	77MP7100B73A	79MB7100B73A	79MP7100B73A
	Med	17x10.5	Rear Only	52	7.80	70MB7105B78A	70MP7105B78A	71MB7105B78A	71MP7105B78A	72MB7105B78A	72MP7105B78A	76MB7105B78A	76MP7105B78A	77MB7105B78A	77MP7105B78A	79MB7105B78A	79MP7105B78A
	Med	17x11.0	Rear Only	46	7.80	70MB7110B78A*	70MP7110B78A*	71MB7110B78A*	71MP7110B78*	72MB7110B78*	72MP7110B78*	76MB7110B78A*	76MP7110B78A*	77MB7110B78A*	77MP7110B78A*	79MB7110B78A*	79MP7110B78A*

*Tire brands vary in width, the jounce snubber may need trimming, the rear axle may need centered with an aftermarket adjustable panhand rod. It depends on the car.

18"	Med	18x5.0	Front	-8	2.70	70MB8050B27A	70MP8050B27A	71MB8050B27A	71MP8080B27A	72MB8080B27A	72MP8080B27A	76MB8050B27A	76MP8050B27A	77MB8050B27A	77MP8050B27A	79MB8050B27A	79MP8050B27A
	Med	18x7.0	Front	18	4.70	70MB8070B47A	70MP8070B47A	71MB8070B47A	71MP8070B47A	72MB8070B47A	72MP8070B47A	76MB8070B47A	76MP8070B47A	77MB8070B47A	77MP8070B47A	79MB8070B47A	79MP8070B47A
	Med	18x8.0	Front/Rear	30	5.70	70MB8080B57A	70MP8080B57A	71MB8080B57A	71MP8080B57A	72MB8080B57A	72MP8080B57A	76MB8080B57A	76MP8080B57A	77MB8080B57A	77MP8080B57A	79MB8080B57A	79MP8080B57A
	Med	18x9.0	Front/Rear	43	6.70	70MB8090B67A	70MP8090B67A	71MB8090B67A	71MP8090B67A	72MB8090B67A	72MP8090B67A	76MB8090B67A	76MP8090B67A	77MB8090B67A	77MP8090B67A	79MB8090B67A	79MP8090B67A
	Med	18x10.0	Front/Rear	43	7.20	70MB8100B72A	70MP8100B72A	71MB8100B72A	71MP8100B72A	72MB8100B72A	72MP8100B72A	76MB8100B72A	76MP8100B72A	77MB8100B72A	77MP8100B72A	79MB8100B72A	79MP8100B72A
	High	18x10.0**	Front**	41	7.10	70HB8100B71A**	70HP8100B71A**	71HB8100B71A**	71HP8100B71A**	72HB8100B71A**	72HP8100B71A**	76HB8100B71A**	76HP8100B71A**	77HB8100B71A**	77HP8100B71A**	79HB8100B71A**	79HP8100B71A**
	Med	18x10.5	Rear Only	50	7.70	70MB8105B77A	70MP8105B77A	71MB8105B77A	71MP8105B77A	72MB8105B77A	72MP8105B77A	76MB8105B77A	76MP8105B77A	77MB8105B77A	77MP8105B77A	79MB8105B77A	79MP8105B77A

*Tire brands vary in width, the jounce snubber may need trimming, the rear axle may need centered with an aftermarket adjustable panhand rod. It depends on the car.

**Optional front for OEM and aftermarket Epsilon brake conversions. Call for fitment details

20"	Med	20x9.5	Rear Only	29	6.40	70LB0095B64A	70LP0095B64A	71LB0095B64A	71LP0095B64A	72LB0095B64A	72LP0095B64A	76LB0095B64A	76LP0095B64A	77LB0095B64A	77LP0095B64A	79LB0095B64A	79LP0095B64A
	Med	20x10.0	Rear Only	36	6.90	70LB0100B69A	70LP0100B69A	71LB0100B69A	71LP0100B69A	72LB0100B69A	72LP0100B69A	76LB0100B69A	76LP0100B69A	77LB0100B69A	77LP0100B69A	79LB0100B69A	79LP0100B69A
	Med	20x10.5	Rear Only	42	7.40	70LB0105B74A	70LP0105B74A	71LB0105B74A	71LP0105B74A	72LB0105B74A	72LP0105B74A	76LB0105B74A	76LP0105B74A	77LB0105B74A	77LP0105B74A	79LB0105B74A	79LP0105B74A
	Med	20x11.0	Rear Only	49	7.90	70LB0110B79A	70LP0110B79A	71LB0110B79A	71LP0110B79A	72LB0110B79A	72LP0110B79A	76LB0110B79A	76LP0110B79A	77LB0110B79A	77LP0110B79A	79LB0110B79A	79LP0110B79A

1982-1992 Camaro & 1LE [3rd Gen]

5x4.75" [B], 12mmx1.5 lugs

Short mag shank lug for 15" for 15" RT-S & 5/8 drive stud acceptable. Conical Lugs req'd 17"/18"/20"

	Pad	Size	Vehide Location	Offset	Back Space	570 Black Ctr Part Number	570 All Polished Part Number	571 Black Ctr Part Number	571 All Polished Part Number	572 Black Ctr Part Number	572 All Polished Part Number	576 Black Ctr Part Number	576 All Polished Part Number	577 Black Ctr Part Number	577 All Polished Part Number	579 Black Ctr Part Number	579 All Polished Part Number
15"	Low	15x4.0	Front	-23	1.63	70LB-504B16A	70LP-504B16A	71LB-504B16A	71LP-504B16A	72LB-504B16A	72LP-504B16A	76LB-504B16A	76LP-504B16A	77LB-504B16A	77LP-504B16A	79LB-504B16A	79LP-504B16A
	Low	15x5.3	Front	-16	2.50	70LB-506B35A	70LP-506B35A	71LB-506B35A	71LP-506B35A	72LB-506B35A	72LP-506B35A	76LB-506B35A	76LP-506B35A	77LB-506B35A	77LP-506B35A	79LB-506B35A	79LP-506B35A
	Low	15x6.3	Front	-3	3.50	70LB-506B35A	70LP-506B35A	71LB-506B35A	71LP-506B35A	72LB-506B35A	72LP-506B35A	76LB-506B35A	76LP-506B35A	77LB-506B35A	77LP-506B35A	79LB-506B35A	79LP-506B35A
	Low	15x7.3	Front	10	4.50	70LB-507B45A	70LP-507B45A	71LB-507B45A	71LP-507B45A	72LB-507B45A	72LP-507B45A	76LB-507B45A	76LP-507B45A	77LB-507B45A	77LP-507B45A	79LB-507B45A	79LP-507B45A
	Low	15x8.3	Front/Rear	-4	4.50	70LB-508B45A	70LP-508B45A	71LB-508B45A	71LP-508B45A	72LB-508B45A	72LP-508B45A	76LB-508B45A	76LP-508B45A	77LB-508B45A	77LP-508B45A	79LB-508B45A	79LP-508B45A
	Low	15x9.3	Rear Only	10	5.50	70LB-509B55A	70LP-509B55A	71LB-509B55A	71LP-509B55A	72LB-509B55A	72LP-509B55A	76LB-509B55A	76LP-509B55A	77LB-509B55A	77LP-509B55A	79LB-509B55A	79LP-509B55A
	Low	15x10.3	Rear Only	-4	5.50	70LB-510B55A	70LP-510B55A	71LB-510B55A	71LP-510B55A	72LB-510B55A	72LP-510B55A	76LB-510B55A	76LP-510B55A	77LB-510B55A	77LP-510B55A	79LB-510B55A	79LP-510B55A

17"	Low	17x4.5	Front	-27	1.70	70LB7045B17A	70LP7045B17A	71LB7045B17A	71LP7045B17A	72LB7045B17A	72LP7045B17A	76LB7045B17A	76LP7045B17A	77LB7045B17A	77LP7045B17A	79LB7045B17A	79LP7045B17A
	Low	17x7.0	Front	10	4.40	70LB7070B45A	70LP7070B45A	71LB7070B45A	71LP7070B45A	72LB7070B45A	72LP7070B45A	76LB7070B45A	76LP7070B45A	77LB7070B45A	77LP7070B45A	79LB7070B45A	79LP7070B45A
	Low	17x8.0	Front/Rear	10	4.90	70LB7080B50A	70LP7080B50A	71LB7080B50A	71LP7080B50A	72LB7080B50A	72LP7080B50A	76LB7080B50A	76LP7080B50A	77LB7080B50A	77LP7080B50A	79LB7080B50A	79LP7080B50A
	Low	17x9.5	Front/Rear	4	5.40	70LB7095B55A*	70LP7095B55A*	71LB7095B55A*	71LP7095B55A*	72LB7095B55A*	72LP7095B55A*	76LB7095B55A*	76LP7095B55A*	77LB7095B55A*	77LP7095B55A*	79LB7095B55A*	79LP7095B55A*
	Low	17x10.0	Rear Only	-3	5.40	70LB7100B55A	70LP7100B55A	71LB7100B55A	71LP7100B55A	72LB7100B55A	72LP7100B55A	76LB7100B55A	76LP7100B55A	77LB7100B55A	77LP7100B55A	79LB7100B55A	79LP7100B55A
	Low	17x10.5	Rear Only	4	5.90	70LB7105B60A	70LP7105B60A	71LB7105B60A	71LP7105B60A	72LB7105B60A	72LP7105B60A	76LB7105B60A	76LP7105B60A	77LB7105B60A	77LP7105B60A	79LB7105B60A	79LP7105B60A
	Low	17x11.0	Rear Only	10	6.40	70LB7110B65A*	70LP7110B65A*	71LB7110B65A*	71LP7110B65A*	72LB7110B65A*	72LP7110B65A*	76LB7110B65A*	76LP7110B65A*	77LB7110B65A*	77LP7110B65A*	79LB7110B65A*	79LP7110B65A*

*Test fit wheel on car before mounting tire.

*Tire brands vary in width, the jounce snubber may need trimming, the rear axle may need centered with an aftermarket adjustable panhand rod. It depends on the car.

18"	Low	18x5.0	Front	-8	2.70	70LB8050B27A	70LP8050B27A	71LB8050B27A	71LP8050B27A	72LB8050B27A	72LP8050B27A	76LB8050B27A	76LP8050B27A	77LB8050B27A	77LP8050B27A	79LB8050B27A	79LP8050B27A
	Low	18x7.0	Front	-8	3.70	70LB8070B37A	70LP8070B37A	71LB8070B37A	71LP8070B37A	72LB8070B37A	72LP8070B37A	76LB8070B37A	76LP8070B37A	77LB8070B37A	77LP8070B37A	79LB8070B37A	79LP8070B37A
	Low	18x8.0	Front/Rear	5	4.70	70LB8080B47A	70LP8080B47A	71LB8080B47A	71LP8080B47A	72LB8080B47A	72LP8080B47A	76LB8080B47A	76LP8080B47A	77LB8080B47A	77LP8080B47A	79LB8080B47A	79LP8080B47A
	Low	18x9.5	Front/Rear	11	5.70	70LB8095B57A*	70LP8095B57A*	71LB8095B57A*	71LP8095B57A*	72LB8095B57A*	72LP8095B57A*	76LB8095B57A*	76LP8095B57A*	77LB8095B57A*	77LP8095B57A*	79LB8095B57A*	79LP8095B57A*
	Low	18x10.0	Rear Only	5	5.70	70LB8100B57A	70LP8100B57A	71LB8100B57A	71LP8100B57A	72LB8100B57A	72LP8100B57A	76LB8100B57A	76LP8100B57A	77LB8100B57A	77LP8100B57A	79LB8100B57A	79LP8100B57A
	Low	18x10.5	Rear Only	11	6.20	70LB8105B62A	70LP8105B62A	71LB8105B62A	71LP8105B62A	72LB8105B62A	72LP8105B62A	76LB8105B62A	76LP8105B62A	77LB8105B62A	77LP8105B62A	79LB8105B62A	79LP8105B62A
	Low	18x11.0	Rear Only	18	6.70	70LB8110B67A*	70LP8110B67A*	71LB8110B67A*	71LP8110B67A*	72LB8110B67A*	72LP8110B67A*	76LB8110B67A*	76LP8110B67A*	77LB8110B67A*	77LP8110B67A*	79LB8110B67A*	79LP8110B67A*

*Test fit wheel on car before mounting tire.

WELD

1970-1981 Camaro [2nd Gen]

5x4.75" [B] 7/16 lugs

Short mag shank lug for 15" RT-S & 5/8 drive stud acceptable. Conicle Lugs req'd 17"/18"/20"

	Pad	Size	Vehicle Location	Offset	Back Space	S70 Black Ctr Part Number	S70 All Polished Part Number	S71 Black Ctr Part Number	S71 All Polished Part Number	S72 Black Ctr Part Number	S72 All Polished Part Number	S76 Black Ctr Part Number	S76 All Polished Part Number	S77 Black Ctr Part Number	S77 All Polished Part Number	S79 Black Ctr Part Number	S79 All Polished Part Number
15"	Low	15x4	Front	-22	1.63	70LB-504816A	70LP-504816A	71LB-504816A	71LP-504816A	72LB-504816A	72LP-504816A	76LB-504816A	76LP-504816A	77LB-504816A	77LP-504816A	79LB-504816A	79LP-504816A
	Low	15x5.3	Front	-16	2.50	70LB-505825A	70LP-505825A	71LB-505825A	71LP-505825A	72LB-505825A	72LP-505825A	76LB-505825A	76LP-505825A	77LB-505825A	77LP-505825A	79LB-505825A	79LP-505825A
	Low	15x6.3	Front	-3	3.50	70LB-506835A	70LP-506835A	71LB-506835A	71LP-506835A	72LB-506835A	72LP-506835A	76LB-506835A	76LP-506835A	77LB-506835A	77LP-506835A	79LB-506835A	79LP-506835A
	Low	15x7.3	Front	-16	3.50	70LB-507835A	70LP-507835A	71LB-507835A	71LP-507835A	72LB-507835A	72LP-507835A	76LB-507835A	76LP-507835A	77LB-507835A	77LP-507835A	79LB-507835A	79LP-507835A
	Low	15x8.3	Front/Rear	-3	4.50	70LB-508845A	70LP-508845A	71LB-508845A	71LP-508845A	72LB-508845A	72LP-508845A	76LB-508845A	76LP-508845A	77LB-508845A	77LP-508845A	79LB-508845A	79LP-508845A
	Low	15x9.3	Rear Only	10	5.50	70LB-509855A	70LP-509855A	71LB-509855A	71LP-509855A	72LB-509855A	72LP-509855A	76LB-509855A	76LP-509855A	77LB-509855A	77LP-509855A	79LB-509855A	79LP-509855A
	Low	15x10	Rear Only	-1	5.50	70LB-510855A	70LP-510855A	71LB-510855A	71LP-510855A	72LB-510855A	72LP-510855A	76LB-510855A	76LP-510855A	77LB-510855A	77LP-510855A	79LB-510855A	79LP-510855A

17"	Low	17x4.5	Front	-27	1.70	70LB7045817A	70LP7045817A	71LB7045817A	71LP7045817A	72LB7045817A	72LP7045817A	76LB7045817A	76LP7045817A	77LB7045817A	77LP7045817A	79LB7045817A	79LP7045817A
	Low	17x7.0	Front	-3	3.90	70LB7070840A	70LP7070840A	71LB7070840A	71LP7070840A	72LB7070840A	72LP7070840A	76LB7070840A	76LP7070840A	77LB7070840A	77LP7070840A	79LB7070840A	79LP7070840A
	Low	17x8.0	Front/Rear	10	4.90	70LB7080850A	70LP7080850A	71LB7080850A	71LP7080850A	72LB7080850A	72LP7080850A	76LB7080850A	76LP7080850A	77LB7080850A	77LP7080850A	79LB7080850A	79LP7080850A
	Low	17x9.0	Front/Rear	10	5.40	70LB7090855A~	70LP7090855A~	71LB7090855A~	71LP7090855A~	72LB7090855A~	72LP7090855A~	76LB7090855A~	76LP7090855A~	77LB7090855A~	77LP7090855A~	79LB7090855A~	79LP7090855A~
	Low	17x9.5	Rear Only	4	5.40	70LB7095855A	70LP7095855A	71LB7095855A	71LP7095855A	72LB7095855A	72LP7095855A	76LB7095855A	76LP7095855A	77LB7095855A	77LP7095855A	79LB7095855A	79LP7095855A
	Low	17x10.0	Rear Only	10	5.90	70LB7400860A	70LP7400860A	71LB7400860A	71LP7100860A	72LB7100860A	72LP7100860A	76LB7100860A	76LP7100860A	77LB7100860A	77LP7100860A	79LB7100860A	79LP7100860A

~May require upper a-arm modification or tubular upper a-arm to prevent inside wheel lip contact at full turning angle of front wheels.
*Measure tire under vehicle before mounting. 1973-1981 cars may require removal of rear seat belt retractors to allow flattening of bulge in wheel well for clearance.

18"	Low	18x4.5	Front	-14	2.20	70LB8045822A	70LP8045822A	71LB8045822A	71LP8045822A	72LB8045822A	72LP8045822A	76LB8045822A	76LP8045822A	77LB8045822A	77LP8045822A	79LB8045822A	79LP8045822A
	Low	18x7.0	Front	-20	3.20	70LB8070832A	70LP8070832A	71LB8070832A	71LP8070832A	72LB8070832A	72LP8070832A	76LB8070832A	76LP8070832A	77LB8070832A	77LP8070832A	79LB8070832A	79LP8070832A
	Low	18x8.0	Front/Rear	-8	4.20	70LB8080842A	70LP8080842A	71LB8080842A	71LP8080842A	72LB8080842A	72LP8080842A	76LB8080842A	76LP8080842A	77LB8080842A	77LP8080842A	79LB8080842A	79LP8080842A
	Low	18x9.0	Front/Rear	5	5.20	70LB8090852A	70LP8090852A	71LB8090852A	71LP8090852A	72LB8090852A	72LP8090852A	76LB8090852A	76LP8090852A	77LB8090852A	77LP8090852A	79LB8090852A	79LP8090852A
	Low	18x9.5	Front/Rear	11	5.70	70LB8095857A~	70LP8095857A~	71LB8095857A~	71LP8095857A~	72LB8095857A~	72LP8095857A~	76LB8095857A~	76LP8095857A~	77LB8095857A~	77LP8095857A~	79LB8095857A~	79LP8095857A~
	Low	18x10.0	Rear Only	18	6.20	70LB8100862A	70LP8100862A	71LB8100862A	71LP8100862A	72LB8100862A	72LP8100862A	76LB8100862A	76LP8100862A	77LB8100862A	77LP8100862A	79LB8100862A	79LP8100862A

~May require upper a-arm modification or tubular upper a-arm to prevent inside wheel lip contact at full turning angle of front wheels.
*Measure tire under vehicle before mounting. 1973-1981 cars may require removal of rear seat belt retractors to allow flattening of bulge in wheel well for clearance.

20"	Low	20x7.0	Front	0	4.00	70LB0070840A	70LP0070840A	71LB0070840A	71LP0070840A	72LB0070840A	72LP0070840A	76LB0070840A	76LP0070840A	77LB0070840A	77LP0070840A	79LB0070840A	79LP0070840A
	Low	20x8.0	Front	0	4.50	70LB0080845A	70LP0080845A	71LB0080845A	71LP0080845A	72LB0080845A	72LP0080845A	76LB0080845A	76LP0080845A	77LB0080845A	77LP0080845A	79LB0080845A	79LP0080845A
	Low	20x8.5	Front	6	5.00	70LB0085850A	70LP0085850A	71LB0085850A	71LP0085850A	72LB0085850A	72LP0085850A	76LB0085850A	76LP0085850A	77LB0085850A	77LP0085850A	79LB0085850A	79LP0085850A
	Low	20x9.0	Rear Only	0	5.00	70LB0090850A	70LP0090850A	71LB0090850A	71LP0090850A	72LB0090850A	72LP0090850A	76LB0090850A	76LP0090850A	77LB0090850A	77LP0090850A	79LB0090850A	79LP0090850A

1967-1969 Camaro [1st Gen]

5x4.75" [B] 7/16 lugs

Short mag shank lug for 15" RT-S & 5/8 drive sstud acceptable. Conical Lugs req'd 17"/18"/20".

	Pad	Size	Vehicle Location	Offset	Back Space	S70 Black Ctr Part Number	S70 All Polished Part Number	S71 Black Ctr Part Number	S71 All Polished Part Number	S72 Black Ctr Part Number	S72 All Polished Part Number	S76 Black Ctr Part Number	S76 All Polished Part Number	S77 Black Ctr Part Number	S77 All Polished Part Number	S79 Black Ctr Part Number	S79 All Polished Part Number
15"	Low	15x4	Front	-21	1.63	70LB-504816A	70LP-504816A	71LB-504816A	71LP-504816A	72LB-504816A	72LP-504816A	76LB-504816A	76LP-504816A	77LB-504816A	77LP-504816A	79LB-504816A	79LP-504816A
	Low	15x5.3	Front	-16	2.50	70LB-505825A	70LP-505825A	71LB-505825A	71LP-505825A	72LB-505825A	72LP-505825A	76LB-505825A	76LP-505825A	77LB-505825A	77LP-505825A	79LB-505825A	79LP-505825A
	Low	15x6.3	Front	-3	3.50	70LB-506835A	70LP-506835A	71LB-506835A	71LP-506835A	72LB-506835A	72LP-506835A	76LB-506835A	76LP-506835A	77LB-506835A	77LP-506835A	79LB-506835A	79LP-506835A
	Low	15x7.3	Front	-16	3.50	70LB-507835A	70LP-507835A	71LB-507835A	71LP-507835A	72LB-507835A	72LP-507835A	76LB-507835A	76LP-507835A	77LB-507835A	77LP-507835A	79LB-507835A	79LP-507835A
	Low	15x8.3	Front/Rear	-3	4.50	70LB-508845A	70LP-508845A	71LB-508845A	71LP-508845A	72LB-508845A	72LP-508845A	76LB-508845A	76LP-508845A	77LB-508845A	77LP-508845A	79LB-508845A	79LP-508845A
	Low	15x9.3	Rear Only	10	5.50	70LB-509855A*	70LP-509855A*	71LB-509855A*	71LP-509855A*	72LB-509855A*	72LP-509855A*	76LB-509855A*	76LP-509855A*	77LB-509855A*	77LP-509855A*	79LB-509855A*	79LP-509855A*

*May require relocating rear shocks inboard.

17"	Low	17x4.5	Front	-27	1.70	70LB7045817A	70LP7045817A	71LB7045817A	71LP7045817A	72LB7045817A	72LP7045817A	76LB7045817A	76LP7045817A	77LB7045817A	77LP7045817A	79LB7045817A	79LP7045817A
	Low	17x7.0	Front	-3	3.90	70LB7070840A	70LP7070840A	71LB7070840A	71LP7070840A	72LB7070840A	72LP7070840A	76LB7070840A	76LP7070840A	77LB7070840A	77LP7070840A	79LB7070840A	79LP7070840A
	Low	17x7.5	Front	-9	3.90	70LB7075840A	70LP7075840A	71LB7075840A	71LP7075840A	72LB7075840A	72LP7075840A	76LB7075840A	76LP7075840A	77LB7075840A	77LP7075840A	79LB7075840A	79LP7075840A
	Low	17x8.0	Front/Rear	-3	4.40	70LB7080845A	70LP7080845A	71LB7080845A	71LP7080845A	72LB7080845A	72LP7080845A	76LB7080845A	76LP7080845A	77LB7080845A	77LP7080845A	79LB7080845A	79LP7080845A

*May require relocating rear shocks inboard.

18"	Low	18x4.5	Front	-14	2.20	70LB8045822A	70LP8045822A	71LB8045822A	71LP8045822A	72LB8045822A	72LP8045822A	76LB8045822A	76LP8045822A	77LB8045822A	77LP8045822A	79LB8045822A	79LP8045822A
	Low	18x7.0	Front	5	4.20	70LB8070842A	70LP8070842A	71LB8070842A	71LP8070842A	72LB8070842A	72LP8070842A	76LB8070842A	76LP8070842A	77LB8070842A	77LP8070842A	79LB8070842A	79LP8070842A
	Low	18x8.0	Front	5	4.70	70LB8080847A	70LP8080847A	71LB8080847A	71LP8080847A	72LB8080847A	72LP8080847A	76LB8080847A	76LP8080847A	77LB8080847A	77LP8080847A	79LB8080847A	79LP8080847A
	Low	18x8.5	Rear Only	11	5.20	70LB8085852A	70LP8085852A	71LB8085852A	71LP8085852A	72LB8085852A	72LP8085852A	76LB8085852A	76LP8085852A	77LB8085852A	77LP8085852A	79LB8085852A	79LP8085852A

*May require relocating rear shocks inboard.

20"	Low	20x8.0	Rear Only	0	4.50	70LB0080845A	70LP0080845A	71LB0080845A	71LP0080845A	72LB0080845A	72LP0080845A	76LB0080845A	76LP0080845A	77LB0080845A	77LP0080845A	79LB0080845A	79LP0080845A
	Low	20x8.5	Rear Only	6	5.00	70LB0085850A	70LP0085850A	71LB0085850A	71LP0085850A	72LB0085850A	72LP0085850A	76LB0085850A	76LP0085850A	77LB0085850A	77LP0085850A	79LB0085850A	79LP0085850A
	Low	20x9.0	Rear Only	13	5.50	70LB0090855A*	70LP0090855A*	71LB0090855A*	71LP0090855A*	72LB0090855A*	72LP0090855A*	76LB0090855A*	76LP0090855A*	77LB0090855A*	77LP0090855A*	79LB0090855A*	79LP0090855A*

*May require relocating rear shocks inboard.

800-788-9353

6600 Stadium Drive, Kansas City, MO 64129

weldwheels.com

RELEASED - October 2020

WELD

2014+ C7 Z07, Grandsport with Carbon brakes and ZR1

Nothing available at this time.

2014+ C7 Corvette Z06, Z51 and Grandsport with Std 14.6" Brembo

(does not include Grandsport with optional 15.5" Carbon brakes or Z07 or ZR1)

	Pad	Size	Vehicle Location	Offset	Back Space	S70 Black Ctr Part Number	S70 All Polished Part Number	S71 Black Ctr Part Number	S71 All Polished Part Number	S72 Black Ctr Part Number	S72 All Polished Part Number	S76 Black Ctr Part Number	S76 All Polished Part Number	S77 Black Ctr Part Number	S77 All Polished Part Number	S79 Black Ctr Part Number	S79 All Polished Part Number
15"	Med	15x10	Rear Only	50	7.50	70MB-510B75A*	70MP-510B75A*	71MB-510B75A*	71MP-510B75A*	72MB-510B75A*	72MP-510B75A*	76MB-510B75A*	76MP-510B75A*	77MB-510B75A*	77MP-510B75A*	79MB-510B75A*	79MP-510B75A*

*Requires Carlyle Racing 15" conversion kit, will exceed fender by 1/4"

17"	High	17x5.0	Front	-23	2.20	70HB7050B22A^	70HP7050B22A^	71HB7050B22A^	71HP7050B22A^	72HB7050B22A^	72HP7050B22A^	76HB7050B22A^	76HP7050B22A^	77HB7050B22A^	77HP7050B22A^	79HB7050B22A^	79HP7050B22A^
	High	17x7.0	Front	5	4.20	70HB7070B42A^	70HP7070B42A^	71HB7070B42A^	71HP7070B42A^	72HB7070B42A^	72HP7070B42A^	76HB7070B42A^	76HP7070B42A^	77HB7070B42A^	77HP7070B42A^	79HB7070B42A^	79HP7070B42A^
	High	17x8.0	Front	18	5.20	70HB7080B52A^	70HP7080B52A^	71HB7080B52A^	71HP7080B52A^	72HB7080B52A^	72HP7080B52A^	76HB7080B52A^	76HP7080B52A^	77HB7080B52A^	77HP7080B52A^	79HB7080B52A^	79HP7080B52A^
	High	17x9.0	Front	30	6.20	70HB7090B62A^	70HP7090B62A^	71HB7090B62A^	71HP7090B62A^	72HB7090B62A^	72HP7090B62A^	76HB7090B62A^	76HP7090B62A^	77HB7090B62A^	77HP7090B62A^	79HB7090B62A^	79HP7090B62A^
	High	17x9.5	Front	36	6.70	70HB7095B67A^	70HP7095B67A^	71HB7095B67A^	71HP7095B67A^	72HB7095B67A^	72HP7095B67A^	76HB7095B67A^	76HP7095B67A^	77HB7095B67A^	77HP7095B67A^	79HB7095B67A^	79HP7095B67A^
	High	17x10.0	Rear Only	43	7.20	70HB7100B72A^	70HP7105B72A^	71HB7105B72A^	71HP7105B72A^	72HB7105B72A^	72HP7105B72A^	76HB7105B72A^	76HP7105B72A^	77HB7105B72A^	77HP7105B72A^	79HB7105B72A^	79HP7105B72A^
	High	17x10.5	Rear Only	37	7.20	70HB7105B72A^	70HP7105B72A^	71HB7105B72A^	71HP7105B72A^	72HB7105B72A^	72HP7105B72A^	76HB7105B72A^	76HP7105B72A^	77HB7105B72A^	77HP7105B72A^	79HB7105B72A^	79HP7105B72A^
	High	17x11.0	Rear Only	43	7.70	70HB7110B77A^	70HP7110B77A^	71HB7110B77A^	71HP7110B77A^	72HB7110B77A^	72HP7110B77A^	76HB7110B77A^	76HP7110B77A^	77HB7110B77A^	77HP7110B77A^	79HB7110B77A^	79HP7110B77A^

*Requires Carlyle Racing 17" Conversion Kit for rear only.

*Can use GM Wheel Flare for front fitments (GM Pat # 2331596 & 2331597)

*When used on rear of a vehicle a larger OD rear tire is required to meet ASR (Automatic Slip Regulation) when using 17" Front

18"	High	18x5.0	Front	-23	2.10	70HB8050B21A^	70HP8050B21A^	71HB8050B21A^	71HP8050B21A^	72HB8050B21A^	72HP8050B21A^	76HB8050B21A^	76HP8050B21A^	77HB8050B21A^	77HP8050B21A^	79HB8050B21A^	79HP8050B21A^
	High	18x7.0	Front	3	4.10	70HB8070B41A^	70HP8070B41A^	71HB8070B41A^	71HP8070B41A^	72HB8070B41A^	72HP8070B41A^	76HB8070B41A^	76HP8070B41A^	77HB8070B41A^	77HP8070B41A^	79HB8070B41A^	79HP8070B41A^
	High	18x8.0	Front	15	5.10	70HB8080B51A^	70HP8080B51A^	71HB8080B51A^	71HP8080B51A^	72HB8080B51A^	72HP8080B51A^	76HB8080B51A^	76HP8080B51A^	77HB8080B51A^	77HP8080B51A^	79HB8080B51A^	79HP8080B51A^
	High	18x8.5	Front	22	5.60	70HB8085B56A^	70HP8085B56A^	71HB8085B56A^	71HP8085B56A^	72HB8085B56A^	72HP8085B56A^	76HB8085B56A^	76HP8085B56A^	77HB8085B56A^	77HP8085B56A^	79HB8085B56A^	79HP8085B56A^
	High	18x10.0	Front/Rear	41	7.10	70HB8100B71A^	70HP8100B71A^	71HB8100B71A^	71HP8100B71A^	72HB8100B71A^	72HP8100B71A^	76HB8100B71A^	76HP8100B71A^	77HB8100B71A^	77HP8100B71A^	79HB8100B71A^	79HP8100B71A^
	High	18x10.5	Rear Only	34	7.10	70HB8105B76A^	70HP8105B76A^	71HB8105B76A^	71HP8105B76A^	72HB8105B76A^	72HP8105B76A^	76HB8105B76A^	76HP8105B76A^	77HB8105B76A^	77HP8105B76A^	79HB8105B76A^	79HP8105B76A^
	High	18x11	Rear Only	41	7.60	70HB8110B76A^	70HP8110B76A^	71HB8110B76A^	71HP8110B76A^	72HB8110B76A^	72HP8110B76A^	76HB8110B76A^	76HP8110B76A^	77HB8110B76A^	77HP8110B76A^	79HB8110B76A^	79HP8110B76A^
	High	18x12	Rear Only	53	8.60	70HB8120B86A^	70HP8120B86A^	71HB8120B86A^	71HP8120B86A^	72HB8120B86A^	72HP8120B86A^	76HB8120B86A^	76HP8120B86A^	77HB8120B86A^	77HP8120B86A^	79HB8120B86A^	79HP8120B86A^

*Required 18" Big bell inner or Carlyle Racing 18" Conversion Kit for rear only, if wheels build before 7/1/2019

*Can use GM Wheel Flare for front fitments (GM Pat # 2331596 & 2331597)

20"	High	20x10.0	Front	38	7.25	70HB0100B73A	70HP0100B73A	71HB0100B73A	71HP0100B73A	72HB0100B73A	72HP0100B73A	76HB0100B73A	76HP0100B73A	77HB0100B73A	77HP0100B73A	79HB0100B73A	79HP0100B73A
	High	20x10.5	Rear Only	38	7.25	70HB0105B73A	70HP0105B73A	71HB0105B73A	71HP0105B73A	72HB0105B73A	72HP0105B73A	76HB0105B73A	76HP0105B73A	77HB0105B73A	77HP0105B73A	79HB0105B73A	79HP0105B73A
	High	20x11	Rear Only	45	7.75	70HB0110B78A	70HP0110B78A	71HB0110B78A	71HP0110B78A	72HB0110B78A	72HP0110B78A	76HB0110B78A	76HP0110B78A	77HB0110B78A	77HP0110B78A	79HB0110B78A	79HP0110B78A
	High	20x11.5	Rear Only	51	8.25	70HB0120B83A	70HP0120B83A	71HB0120B83A	71HP0120B83A	72HB0120B83A	72HP0120B83A	76HB0120B83A	76HP0120B83A	77HB0120B83A	77HP0120B83A	79HB0120B83A	79HP0120B83A

2014+ C7 Corvette Base (Not Z06)

20" WHEELS AVAILABLE IN GT-S STYLES

	Pad	Size	Vehicle Location	Offset	Back Space	S70 Black Ctr Part Number	S70 All Polished Part Number	S71 Black Ctr Part Number	S71 All Polished Part Number	S72 Black Ctr Part Number	S72 All Polished Part Number	S76 Black Ctr Part Number	S76 All Polished Part Number	S77 Black Ctr Part Number	S77 All Polished Part Number	S79 Black Ctr Part Number	S79 All Polished Part Number
15"	Med	15x10	Rear Only	50	7.50	70MB-510B75A*	70MP-510B75A*	71MB-510B75A*	71MP-510B75A*	72MB-510B75A*	72MP-510B75A*	76MB-510B75A*	76MP-510B75A*	77MB-510B75A*	77MP-510B75A*	79MB-510B75A*	79MP-510B75A*

*Requires Carlyle Racing 15" conversion kit, will exceed fender by 1/4"

17"	Med	17x5.0	Front	8	3.30	70MB7050B33A^	70MP7050B33A^	71MB7050B33A^	71MP7050B33A^	72MB7050B33A^	72MP7050B33A^	76MB7050B33A^	76MP7050B33A^	77MB7050B33A^	77MP7050B33A^	79MB7050B33A^	79MP7050B33A^
	Med	17x7.0	Front	33	5.30	70MB7070B53A^	70MP7070B53A^	71MB7070B53A^	71MP7070B53A^	72MB7070B53A^	72MP7070B53A^	76MB7070B53A^	76MP7070B53A^	77MB7070B53A^	77MP7070B53A^	79MB7070B53A^	79MP7070B53A^
	Med	17x8.0	Front	46	6.30	70MB7080B63A^	70MP7080B63A^	71MB7080B63A^	71MP7080B63A^	72MB7080B63A^	72MP7080B63A^	76MB7080B63A^	76MP7080B63A^	77MB7080B63A^	77MP7080B63A^	79MB7080B63A^	79MP7080B63A^
	Med	17x9.0	Front	58	7.30	70MB7090B73A^	70MP7090B73A^	71MB7090B73A^	71MP7090B73A^	72MB7090B73A^	72MP7090B73A^	76MB7090B73A^	76MP7090B73A^	77MB7090B73A^	77MP7090B73A^	79MB7090B73A^	79MP7090B73A^
	Med	17x10.0	Rear Only	71	8.30	70MB7100B83A^	70MP7100B83A^	71MB7100B83A^	71MP7100B83A^	72MB7100B83A^	72MP7100B83A^	76MB7100B83A^	76MP7100B83A^	77MB7100B83A^	77MP7100B83A^	79MB7100B83A^	79MP7100B83A^
	Med	17x10.5	Rear Only	77	8.80	70MB7105B88A^	70MP7105B88A^	71MB7105B88A^	71MP7105B88A^	72MB7105B88A^	72MP7105B88A^	76MB7105B88A^	76MP7105B88A^	77MB7105B88A^	77MP7105B88A^	79MB7105B88A^	79MP7105B88A^
	Med	17x11.0	Rear Only	71	8.80	70MB7110B88A^	70MP7110B88A^	71MB7110B88A^	71MP7110B88A^	72MB7110B88A^	72MP7110B88A^	76MB7110B88A^	76MP7110B88A^	77MB7110B88A^	77MP7110B88A^	79MB7110B88A^	79MP7110B88A^

*Requires Carlyle Racing 17" Conversion Kit for rear only.

*Can use GM Wheel Flare for front fitments (GM Pat # 2331596 & 2331597)

All front fitments require 0.500" spacer to clear brakes with longer studs & wheel will exceed outer fender lip

*When used on rear of a vehicle a larger OD rear tire is required to meet ASR (Automatic Slip Regulation) when using 17" Front

18"	Med	18x5.0	Front	5	3.20	70MB8050B32A^	70MP8050B32A^	71MB8050B32A^	71MP8050B32A^	72MB8050B32A^	72MP8050B32A^	76MB8050B32A^	76MP8050B32A^	77MB8050B32A^	77MP8050B32A^	79MB8050B32A^	79MP8050B32A^
	Med	18x7.0	Front	30	5.20	70MB8070B52A^	70MP8070B52A^	71MB8070B52A^	71MP8070B52A^	72MB8070B52A^	72MP8070B52A^	76MB8070B52A^	76MP8070B52A^	77MB8070B52A^	77MP8070B52A^	79MB8070B52A^	79MP8070B52A^
	Med	18x8.0	Front	43	6.20	70MB8080B62A^	70MP8080B62A^	71MB8080B62A^	71MP8080B62A^	72MB8080B62A^	72MP8080B62A^	76MB8080B62A^	76MP8080B62A^	77MB8080B62A^	77MP8080B62A^	79MB8080B62A^	79MP8080B62A^
	Med	18x8.5	Front	50	6.70	70MB8085B67A^	70MP8085B67A^	71MB8085B67A^	71MP8085B67A^	72MB8085B67A^	72MP8085B67A^	76MB8085B67A^	76MP8085B67A^	77MB8085B67A^	77MP8085B67A^	79MB8085B67A^	79MP8085B67A^
	Med	18x10.0	Rear Only	69	8.20	70MB8100B82A^	70MP8100B82A^	71MB8100B82A^	71MP8100B82A^	72MB8100B82A^	72MP8100B82A^	76MB8100B82A^	76MP8100B82A^	77MB8100B82A^	77MP8100B82A^	79MB8100B82A^	79MP8100B82A^
	Med	18x10.5	Rear Only	75	8.70	70MB8105B87A^	70MP8105B87A^	71MB8105B87A^	71MP8105B87A^	72MB8105B87A^	72MP8105B87A^	76MB8105B87A^	76MP8105B87A^	77MB8105B87A^	77MP8105B87A^	79MB8105B87A^	79MP8105B87A^

*Required 18" Big bell inner or Carlyle Racing 18" Conversion kit for rear only, if wheels build before 7/1/2019

*Can use GM Wheel Flare for front fitments (GM Pat # 2331596 & 2331597)

WELD

Corvette ZR1 & Z51 1996-2013

Nothing Available at this time

2005-2013 Corvette C6 Base [Not Z51 or Z06]

1997-2004 Corvette C5 Base [Not Z06]

1997-2004 Corvette C5 Base [Not Z06]

12mmx1.5 lugs

Short mag shank lug for 15" RT-S & 5/8 drive stud acceptable. Conical Lugs re'd 17"/18"20"

	Pad	Size	Vehicle Location	Offset	Back Space	S70 Black Ctr Part Number	S70 All Polished Part Number	S71 Black Ctr Part Number	S71 All Polished Part Number	S72 Black Ctr Part Number	S72 All Polished Part Number	S76 Black Ctr Part Number	S76 All Polished Part Number	S77 Black Ctr Part Number	S77 All Polished Part Number	S79 Black Ctr Part Number	S79 All Polished Part Number
15"	Med	15x10	Rear Only	50	7.50	70MB-510B75A*	70MP-510B75A*	71MB-510B75A*	71MP-510B75A*	72MB-510B75A*	72MP-510B75A*	76MB-510B75A*	76MP-510B75A*	77MB-510B75A*	77MP-510B75A*	79MB-510B75A*	79MP-510B75A*

*Requires Carlyle Racing 15" conversion kit

17"	Med	17x5.0	Front	8	3.30	70MB7050B33A*	70MP7050B33A*	71MB7050B33A*	71MP7050B33A*	72MB7050B33A*	72MP7050B33A*	76MB7050B33A*	76MP7050B33A*	77MB7050B33A*	77MP7050B33A*	79MB7050B33A*	79MP7050B33A*
	Med	17x7.0	Front	33	5.30	70MB7070B53A*	70MP7070B53A*	71MB7070B53A*	71MP7070B53A*	72MB7070B53A*	72MP7070B53A*	76MB7070B53A*	76MP7070B53A*	77MB7070B53A*	77MP7070B53A*	79MB7070B53A*	79MP7070B53A*
	Med	17x8.0	Front	46	6.30	70MB7080B63A*	70MP7080B63A*	71MB7080B63A*	71MP7080B63A*	72MB7080B63A*	72MP7080B63A*	76MB7080B63A*	76MP7080B63A*	77MB7080B63A*	77MP7080B63A*	79MB7080B63A*	79MP7080B63A*
	Med	17x9.0	Front	58	7.30	70MB7090B73A*	70MP7090B73A*	71MB7090B73A*	71MP7090B73A*	72MB7090B73A*	72MP7090B73A*	76MB7090B73A*	76MP7090B73A*	77MB7090B73A*	77MP7090B73A*	79MB7090B73A*	79MP7090B73A*
	Med	17x10	Rear Only	71	8.30	70MB7100B83A*	70MP7100B83A*	71MB7100B83A*	71MP7100B83A*	72MB7100B83A*	72MP7100B83A*	76MB7100B83A*	76MP7100B83A*	77MB7100B83A*	77MP7100B83A*	79MB7100B83A*	79MP7100B83A*
	Med	17x10.5	Rear Only	65	8.30	70MB7105B83A**	70MP7105B83A**	71MB7105B83A**	71MP7105B83A**	72MB7105B83A**	72MP7105B83A**	76MB7105B83A**	76MP7105B83A**	77MB7105B83A**	77MP7105B83A**	79MB7105B83A**	79MP7105B83A**
	Med	17x10.5	Rear Only	77	8.80	70MB7105B88A	70MP7105B88A	71MB7105B88A	71MP7105B88A	72MB7105B88A	72MP7105B88A	76MB7105B88A	76MP7105B88A	77MB7105B88A	77MP7105B88A	79MB7105B88A	79MP7105B88A

*Requires 5-6mm (.197"-.236") spacer to clear brakes & wheel will exceed outer fender lip by 9mm (.375")

*Watch tire size

**Denotes application for 1997-2004 C5, this is the widest allowed rear wheel - 17x10.5 with 8.385bs (65mm offset)

18"	Med	18x5.0	Front	5	3.20	70MB8050B32A*	70MP8050B32A*	71MB8050B32A*	71MP8050B32A*	72MB8050B32A*	72MP8050B32A*	76MB8050B32A*	76MP8050B32A*	77MB8050B32A*	77MP8050B32A*	79MB8050B32A*	79MP8050B32A*
	Med	18x7.0	Front	30	5.20	70MB8070B52A*	70MP8070B52A*	71MB8070B52A*	71MP8070B52A*	72MB8070B52A*	72MP8070B52A*	76MB8070B52A*	76MP8070B52A*	77MB8070B52A*	77MP8070B52A*	79MB8070B52A*	79MP8070B52A*
	Med	18x8.0	Front	43	6.20	70MB8080B62A*	70MP8080B62A*	71MB8080B62A*	71MP8080B62A*	72MB8080B62A*	72MP8080B62A*	76MB8080B62A*	76MP8080B62A*	77MB8080B62A*	77MP8080B62A*	79MB8080B62A*	79MP8080B62A*
	Med	18x8.5	Front	50	6.70	70MB8085B67A*	70MP8085B67A*	71MB8085B67A*	71MP8085B67A*	72MB8085B67A*	72MP8085B67A*	76MB8085B67A*	76MP8085B67A*	77MB8085B67A*	77MP8085B67A*	79MB8085B67A*	79MP8085B67A*
	Med	18x10.0	Rear Only	69	8.20	70MB8100B82A	70MP8100B82A	71MB8100B82A	71MP8100B82A	72MB8100B82A	72MP8100B82A	76MB8100B82A	76MP8100B82A	77MB8100B82A	77MP8100B82A	79MB8100B82A	79MP8100B82A

*Requires 3mm spacer to clear Front brakes, will exceed the outer fender by 6mm (.25")

*Watch tire size

20"	Med	20x10.0	Rear Only	61	7.90	70MB0100B79A	70MP0100B79A	71MB0100B79A	71MP0100B79A	72MB0100B79A	72MP0100B79A	76MB0100B79A	76MP0100B79A	77MB0100B79A	77MP0100B79A	79MB0100B79A	79MP0100B79A
	Med	20x10.5	Rear Only	67	8.40	70MB0105B84A*	70MP0105B84A*	71MB0105B84A*	71MP0105B84A*	72MB0105B84A*	72MP0105B84A*	76MB0105B84A*	76MP0105B84A*	77MB0105B84A*	77MP0105B84A*	79MB0105B84A*	79MP0105B84A*

*Watch tire size

2005-2013 Corvette C6 Z06

12mmx1.5 lugs.

Short mag shank lug for 15" RT-S & 5/8 drive stud acceptable. Conical Lugs req'd 17"/18"/20"

	Pad	Size	Vehicle Location	Offset	Back Space	S70 Black Ctr Part Number	S70 All Polished Part Number	S71 Black Ctr Part Number	S71 All Polished Part Number	S72 Black Ctr Part Number	S72 All Polished Part Number	S76 Black Ctr Part Number	S76 All Polished Part Number	S77 Black Ctr Part Number	S77 All Polished Part Number	S79 Black Ctr Part Number	S79 All Polished Part Number
15"	Med	15x10	Rear Only	50	7.50	70MB510B75A*	70MP510B75A*	71MB510B75A*	71MP-510B75A*	72MB-510B75A*	72MP-510B75A*	76MB-510B75A*	76MP-510B75A*	77MB-510B75A*	77MP-510B75A*	79MB-510B75A*	79MP-510B75A*

*Must use Carlyle Racing 15" conversion kit part number 15-209-C56

17"	High	17x5.0	Front	-23	2.20	70HB7050B22A	70HP7050B22A	71HB7050B22A	71HP7050B22A	72HB7050B22A	72HP7050B22A	76HB7050B22A	76HP7050B22A	77HB7050B22A	77HP7050B22A	79HB7050B22A	79HP7050B22A
	High	17x7.0	Front	5	4.20	70HB7070B42A	70HP7070B42A	71HB7070B42A	71HP7070B42A	72HB7070B42A	72HP7070B42A	76HB7070B42A	76HP7070B42A	77HB7070B42A	77HP7070B42A	79HB7070B42A	79HP7070B42A
	High	17x8.0	Front	18	5.20	70HB7080B52A	70HP7080B52A	71HB7080B52A	71HP7080B52A	72HB7080B52A	72HP7080B52A	76HB7080B52A	76HP7080B52A	77HB7080B52A	77HP7080B52A	79HB7080B52A	79HP7080B52A
	High	17x9.0	Front	30	6.20	70HB7090B62A	70HP7090B62A	71HB7090B62A	71HP7090B62A	72HB7090B62A	72HP7090B62A	76HB7090B62A	76HP7090B62A	77HB7090B62A	77HP7090B62A	79HB7090B62A	79HP7090B62A
	High	17x10.0	Front/Rear	43	7.20	70HB7100B72A*	70HP7100B72A*	71HB7100B72A*	71HP7100B72A*	72HB7100B72A*	72HP7100B72A*	76HB7100B72A*	76HP7100B72A*	77HB7100B72A*	77HP7100B72A*	79HB7100B72A*	79HP7100B72A*
	High	17x10.5	Rear Only	37	7.20	70HB7105B72A*	70HP7105B72A*	71HB7105B72A*	71HP7105B72A*	72HB7105B72A*	72HP7105B72A*	76HB7105B72A*	76HP7105B72A*	77HB7105B72A*	77HP7105B72A*	79HB7105B72A*	79HP7105B72A*

*When used on rear of vehicle a larger OD rear tire is required to meet ASR (Automatic Slip Regulation) when using 17" front.

18"	High	18x5.0	Front	-23	2.10	70HB8050B21A	70HP8050B21A	71HB8050B21A	71HP8050B21A	72HB8050B21A	72HP8050B21A	76HB8050B21A	76HP8050B21A	77HB8050B21A	77HP8050B21A	79HB8050B21A	79HP8050B21A
	High	18x7.0	Front	3	4.10	70HB8070B41A	70HP8070B41A	71HB8070B41A	71HP8070B41A	72HB8070B41A	72HP8070B41A	76HB8070B41A	76HP8070B41A	77HB8070B41A	77HP8070B41A	79HB8070B41A	79HP8070B41A
	High	18x8.0	Front	15	5.10	70HB8080B51A	70HP8080B51A	71HB8080B51A	71HP8080B51A	72HB8080B51A	72HP8080B51A	76HB8080B51A	76HP8080B51A	77HB8080B51A	77HP8080B51A	79HB8080B51A	79HP8080B51A
	High	18x10.0	Front	41	7.10	70HB8100B71A	70HP8100B71A	71HB8100B71A	71HP8100B71A	72HB8100B71A	72HP8100B71A	76HB8100B71A	76HP8100B71A	77HB8100B71A	77HP8100B71A	79HB8100B71A	79HP8100B71A
	High	18x10.5	Rear Only	34	7.10	70HB8105B71A*	70HP8105B71A*	71HB8105B71A*	71HP8105B71A*	72HB8105B71A*	72HP8105B71A*	76HB8105B71A*	76HP8105B71A*	77HB8105B71A*	77HP8105B71A*	79HB8105B71A*	79HP8105B71A*
	High	18x11.0	Rear Only	41	7.60	70HB8110B76A*	70HP8110B76A*	71HB8110B76A*	71HP8110B76A*	72HB8110B76A*	72HP8110B76A*	76HB8110B76A*	76HP8110B76A*	77HB8110B76A*	77HP8110B76A*	79HB8110B76A*	79HP8110B76A*

20"	High	20x10.5	Rear Only	38	7.25	70HB0105B73A	70HP0105B73A	71HB0105B73A	71HP0105B73A	72HB0105B73A	72HP0105B73A	76HB0105B73A	76HP0105B73A	77HB0105B73A	77HP0105B73A	79HB0105B73A	79HP0105B73A
	High	20x11	Rear Only	45	7.75	70HB0110B78A	70HP0110B78A	71HB0110B78A	71HP0110B78A	72HB0110B78A	72HP0110B78A	76HB0110B78A	76HP0110B78A	77HB0110B78A	77HP0110B78A	79HB0110B78A	79HP0110B78A
	High	20x11.5	Rear Only	51	8.25	70HB0115B83A	70HP0115B83A	71HB0115B83A	71HP0115B83A	72HB0115B83A	72HP0115B83A	76HB0115B83A	76HP0115B83A	77HB0115B83A	77HP0115B83A	79HB0115B83A	79HP0115B83A

800-788-9353

6600 Stadium Drive, Kansas City, MO 64129

weldwheels.com

RELEASED - October 2020

WELD

2001-2004 Corvette C5 Z06

5x4.75" [B] 12mmx1.5 lugs, Short mag shank lug for 15" RT-S & 5/8 drive stud acceptable. AlumaStar, Magnum, & V-Series
Conical Lugs req'd 17"/18"/20"

	Pad	Size	Vehide Location	Offset	Back Space	S70 Black Ctr Part Number	S70 All Polished Part Number	S71 Black Ctr Part Number	S71 All Polished Part Number	S72 Black Ctr Part Number	S72 All Polished Part Number	S76 Black Ctr Part Number	S76 All Polished Part Number	S77 Black Ctr Part Number	S77 All Polished Part Number	S79 Black Ctr Part Number	S79 All Polished Part Number
15"	Med	15x10	Rear Only	50	7.50	70MB-510B75A*	70MP-510B75A*	71MB-510B75A*	71MP-510B75A*	72MB-510B75A*	72MP-510B75A*	76MB-510B75A8	76MP-510B75A8	77MB-510B75A*	77MP-510B75A*	79MB-510B75A*	79MP-510B75A*

*Must use Carlye Racing 15" conversion kit part number 15-209-C56

17"	Med	17x5.0	Front	8	3.30	70MB7050B33A~	70MP7050B33A~	71MB7050B33A~	71MP7050B33A~	72MB7050B33A~	72MP7050B33A~	76MB7050B33A~	76MP7050B33A~	77MB7050B33A~	77MP7050B33A~	79MB7050B33A~	79MP7050B33A~
	Med	17x7.0	Front	33	5.30	70MB7070B53A~	70MP7070B53A~	71MB7070B53A~	71MP7070B53A~	72MB7070B53A~	72MP7070B53A~	76MB7070B53A~	76MP7070B53A~	77MB7070B53A~	77MP7070B53A~	79MB7070B53A~	79MP7070B53A~
	Med	17x8.0	Front	33	5.80	70MB7080B58A~	70MP7080B58A~	71MB7080B58A~	71MP7080B58A~	72MB7080B58A~	72MP7080B58A~	76MB7080B58A~	76MP7080B58A~	77MB7080B58A~	77MP7080B58A~	79MB7080B58A~	79MP7080B58A~
	Med	17x9.0	Front	58	7.30	70MB7090B73A~	70MP7090B73A~	71MB7090B73A~	71MP7090B73A~	72MB7090B73A~	72MP7090B73A~	76MB7090B73A~	76MP7090B73A~	77MB7090B73A~	77MP7090B73A~	79MB7090B73A~	79MP7090B73A~
	Med	17x9.5	Front	65	7.80	70MB7095B78A~	70MP7095B78A~	71MB7095B78A~	71MP7095B78A~	72MB7095B78A~	72MP7095B78A~	76MB7095B78A~	76MP7095B78A~	77MB7095B78A~	77MP7095B78A~	79MB7095B78A~	79MP7095B78A~
	Med	17x10.0	Rear Only	58	7.80	70MB7100B78A*	70MP7100B78A*	71MB7100B78A*	71MP7100B78A*	72MB7100B78A*	72MP7100B78A*	76MB7100B78A*	76MP7100B78A*	77MB7100B78A*	77MP7100B78A*	79MB7100B78A*	79MP7100B78A*

Med	17x10.5	Rear Only	65	8.30	70MB7105B83A	70MP7105B83A	71MB7105B83A	71MP7105B83A	72MB7105B83A	72MP7105B83A	76MB7105B83A	76MP7105B83A	77MB7105B83A	77MP7105B83A	79MB7105B83A	79MP7105B83A
-----	---------	-----------	----	------	--------------	--------------	--------------	--------------	--------------	--------------	--------------	--------------	--------------	--------------	--------------	--------------

*When used on rear of wheide a larger OD rear tire is required to meet ASR (Automatic Slip Regulation) when using 17" front.

18"	Med	18x5.0	Front	5	3.20	70MB8050B32A	70MP8050B32A	71MB8050B32A	71MP8050B32A	72MB8050B32A	72MP8050B32A	76MB8050B32A	76MP8050B32A	77MB8050B32A	77MP8050B32A	79MB8050B32A	79MP8050B32A
	Med	18x7.0	Front	30	5.20	70MB8070B52A	70MP8070B52A	71MB8070B52A	71MP8070B52A	72MB8070B52A	72MP8070B52A	76MB8070B52A	76MP8070B52A	77MB8070B52A	77MP8070B52A	79MB8070B52A	79MP8070B52A
	Med	18x8.0	Front	43	6.20	70MB8080B62A	70MP8080B62A	71MB8080B62A	71MP8080B62A	72MB8080B62A	72MP8080B62A	76MB8080B62A	76MP8080B62A	77MB8080B62A	77MP8080B62A	79MB8080B62A	79MP8080B62A
	Med	18x9.0	Front	62	7.70	70MB8090B72A	70MP8090B72A	71MB8090B72A	71MP8090B72A	72MB8090B72A	72MP8090B72A	76MB8090B72A	76MP8090B72A	77MB8090B72A	77MP8090B72A	79MB8090B72A	79MP8090B72A
	Med	18x10.0	Rear Only	56	7.70	70MB8100B77A*	70MP8100B77A*	71MB8100B77A*	71MP8100B77A*	72MB8100B77A*	72MP8100B77A*	76MB8100B77A*	76MP8100B77A*	77MB8100B77A*	77MP8100B77A*	79MB8100B77A*	79MP8100B77A*
	Med	18x10.5	Rear Only	62	8.20	70MB8105B82A*	70MP8105B82A*	71MB8105B82A*	71MP8105B82A*	72MB8105B82A*	72MP8105B82A*	76MB8105B82A*	76MP8105B82A*	77MB8105B82A*	77MP8105B82A*	79MB8105B82A*	79MP8105B82A*

*When used on rear of wheide a larger OD rear tire is required to meet ASR (Automatic Slip Regulation) when using 18" front.

20"	Med	20x10.0	Rear Only	61	7.90	70MB0100B79A	70MP0100B79A	71MB0100B79A	71MP0100B79A	72MB0100B79A	72MP0100B79A	76MB0100B79A	76MP0100B79A	77MB0100B79A	77MP0100B79A	79MB0100B79A	79MP0100B79A
	Med	20x10.5	Rear Only	67	8.40	70MB0105B84A	70MP0105B84A	71MB0105B84A	71MP0105B84A	72MB0105B84A	72MP0105B84A	76MB0105B84A	76MP0105B84A	77MB0105B84A	77MP0105B84A	79MB0105B84A	79MP0105B84A

1988-1996 Corvette C4 Coupe

5x4.75" [B] 12mmx1.5 lugs. Not ZR-1. Convertible: Maximum rear width = 10.5" wide
Conical Lugs req'd 17"/18"/20"

	Pad	Size	Vehide Location	Offset	Back Space	S70 Black Ctr Part Number	S70 All Polished Part Number	S71 Black Ctr Part Number	S71 All Polished Part Number	S72 Black Ctr Part Number	S72 All Polished Part Number	S76 Black Ctr Part Number	S76 All Polished Part Number	S77 Black Ctr Part Number	S77 All Polished Part Number	S79 Black Ctr Part Number	S79 All Polished Part Number
17"	Med	17x4.7	Front	1	2.90	70MB7047B29A	70MP7047B29A	71MB7047B29A	71MP7047B29A	72MB7047B29A	72MP7047B29A	76MB7047B29A	76MP7047B29A	77MB7047B29A	77MP7047B29A	79MB7047B29A	79MP7047B29A
	Med	17x7.0	Front	33	5.30	70MB7070B53A	70MP7070B53A	71MB7070B53A	71MP7070B53A	72MB7070B53A	72MP7070B53A	76MB7070B53A	76MP7070B53A	77MB7070B53A	77MP7070B53A	79MB7070B53A	79MP7070B53A
	Med	17x8.0	Front	46	6.30	70MB7080B63A	70MP7080B63A	71MB7080B63A	71MP7080B63A	72MB7080B63A	72MP7080B63A	76MB7080B63A	76MP7080B63A	77MB7080B63A	77MP7080B63A	79MB7080B63A	79MP7080B63A
	Med	17x9.5	Front	52	7.80	70MB7095B78A	70MP7095B78A	71MB7095B78A	71MP7095B78A	72MB7095B78A	72MP7095B78A	76MB7095B78A	76MP7095B78A	77MB7095B78A	77MP7095B78A	79MB7095B78A	79MP7095B78A
	Med	17x10.5	Rear Only	39	7.30	70MB7105B73A*	70MP7105B73A*	71MB7105B73A*	71MP7105B73A*	72MB7105B73A*	72MP7105B73A*	76MB7105B73A*	76MP7105B73A*	77MB7105B73A*	77MP7105B73A*	79MB7105B73A*	79MP7105B73A*
	Med	17x11.0	Rear Only	46	7.80	70MB7110B78A*	70MP7110B78A*	71MB7110B78A*	71MP7110B78A*	72MB7110B78A*	72MP7110B78A*	76MB7110B78A*	76MP7110B78A*	77MB7110B78A*	77MP7110B78A*	79MB7110B78A*	79MP7110B78A*

*When used on rear of wheide a larger OD rear tire is required to meet ASR (Automatic Slip Regulation) when using 17" front on 1992+

18"	Med	18x5.0	Front	5	3.20	70MB8050B32A	70MP8050B32A	71MB8050B32A	71MP8050B32A	72MB8050B32A	72MP8050B32A	76MB8050B32A	76MP8050B32A	77MB8050B32A	77MP8050B32A	79MB8050B32A	79MP8050B32A
	Med	18x7.0	Front	30	5.20	70MB8070B52A	70MP8070B52A	71MB8070B52A	71MP8070B52A	72MB8070B52A	72MP8070B52A	76MB8070B52A	76MP8070B52A	77MB8070B52A	77MP8070B52A	79MB8070B52A	79MP8070B52A
	Med	18x8.0	Front	43	6.20	70MB8080B62A	70MP8080B62A	71MB8080B62A	71MP8080B62A	72MB8080B62A	72MP8080B62A	76MB8080B62A	76MP8080B62A	77MB8080B62A	77MP8080B62A	79MB8080B62A	79MP8080B62A
	Med	18x9.0	Front	56	7.20	70MB8090B72A	70MP8090B72A	71MB8090B72A	71MP8090B72A	72MB8090B72A	72MP8090B72A	76MB8090B72A	76MP8090B72A	77MB8090B72A	77MP8090B72A	79MB8090B72A	79MP8090B72A
	Med	18x9.5	Front	62	7.70	70MB8095B77A	70MP8095B77A	71MB8095B77A	71MP8095B77A	72MB8095B77A	72MP8095B77A	76MB8095B77A	76MP8095B77A	77MB8095B77A	77MP8095B77A	79MB8095B77A	79MP8095B77A
	Med	18x10.5	Rear Only	50	7.70	70MB8105B77A*	70MP8105B77A*	71MB8105B77A*	71MP8105B77A*	72MB8105B77A*	72MP8105B77A*	76MB8105B77A*	76MP8105B77A*	77MB8105B77A*	77MP8105B77A*	79MB8105B77A*	79MP8105B77A*

Med	18x11.0	Rear Only	56	8.20	70MB8110B82A*	70MP8110B82A*	71MB8110B82A*	71MP8110B82A*	72MB8110B82A*	72MP8110B82A*	76MB8110B82A*	76MP8110B82A*	77MB8110B82A*	77MP8110B82A*	79MB8110B82A*	79MP8110B82A*
-----	---------	-----------	----	------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------

*When used on rear of wheide a larger OD rear tire is required to meet ASR (Automatic Slip Regulation) when using 18" front on 1992+

20"	Med	20x7.0	Front	10	4.40	70MB0070B44A~	70MP0070B44A~	71MB0070B44A~	71MP0070B44A~	72MB0070B44A~	72MP0070B44A~	76MB0070B44A~	76MP0070B44A~	77MB0070B44A~	77MP0070B44A~	79MB0070B44A~	79MP0070B44A~
	Med	20x8.0	Front	23	5.40	70MB0080B54A~	70MP0080B54A~	71MB0080B54A~	71MP0080B54A~	72MB0080B54A~	72MP0080B54A~	76MB0080B54A~	76MP0080B54A~	77MB0080B54A~	77MP0080B54A~	79MB0080B54A~	79MP0080B54A~
	Med	20x9.0	Front	36	6.40	70MB0090B64A~	70MP0090B64A~	71MB0090B64A~	71MP0090B64A~	72MB0090B64A~	72MP0090B64A~	76MB0090B64A~	76MP0090B64A~	77MB0090B64A~	77MP0090B64A~	79MB0090B64A~	79MP0090B64A~
	Med	20x9.5	Front	42	6.90	70MB0095B69A~	70MP0095B69A~	71MB0095B69A~	71MP0095B69A~	72MB0095B69A~	72MP0095B69A~	76MB0095B69A~	76MP0095B69A~	77MB0095B69A~	77MP0095B69A~	79MB0095B69A~	79MP0095B69A~
	Med	20x10.5	Rear Only	42	0.40	70MB0105B74A	70MP0105B74A	71MB0105B74A	71MP0105B74A	72MB0105B74A	72MP0105B74A	76MB0105B74A	76MP0105B74A	77MB0105B74A	77MP0105B74A	79MB0105B74A	79MP0105B74A
	Med	20x11.0	Rear Only	48	7.90	70MB0110B79A	70MP0110B79A	71MB0110B79A	71MP0110B79A	72MB0110B79A	72MP0110B79A	76MB0110B79A	76MP0110B79A	77MB0110B79A	77MP0110B79A	79MB0110B79A	79MP0110B79A

*26" maximum tire outside diameter on 20" diameter front wheel

WELD

1990-1995 Corvette C4 ZR-1

5x4.75" [B] 12mmx1.5 lugs
Conical Lugs req'd 17"/18"/20"

	Pad	Size	Vehicle Location	Offset	Back Space	S70 Black Ctr Part Number	S70 All Polished Part Number	S71 Black Ctr Part Number	S71 All Polished Part Number	S72 Black Ctr Part Number	S72 All Polished Part Number	S76 Black Ctr Part Number	S76 All Polished Part Number	S77 Black Ctr Part Number	S77 All Polished Part Number	S79 Black Ctr Part Number	S79 All Polished Part Number
17"	Med	17x4.7	Front	1	2.90	70MB7047829A	70MP7047829A	71MB7047829A	71MP7047829A	72MB7047829A	72MP7047829A	76MB7047829A	76MP7047829A	77MB7047829A	77MP7047829A	79MB7047829A	79MP7047829A
	Med	17x7.0	Front	33	5.30	70MB7070B53A	70MP7070B53A	71MB7070B53A	71MP7070B53A	72MB7070B53A	72MP7070B53A	76MB7070B53A	76MP7070B53A	77MB7070B53A	77MP7070B53A	79MB7070B53A	79MP7070B53A
	Med	17x8.0	Front	46	6.30	70MB7080B63A	70MP7080B63A	71MB7080B63A	71MP7080B63A	72MB7080B63A	72MP7080B63A	76MB7080B63A	76MP7080B63A	77MB7080B63A	77MP7080B63A	79MB7080B63A	79MP7080B63A
	Med	17x9.0	Front/Rear	58	7.30	70MB7090B73A*	70MP7090B73A*	71MB7090B73A*	71MP7090B73A*	72MB7090B73A*	72MP7090B73A*	76MB7090B73A*	76MP7090B73A*	77MB7090B73A*	77MP7090B73A*	79MB7090B73A*	79MP7090B73A*
	Med	17x9.5	Front/Rear	52	7.80	70MB7095B78A*	70MP7095B78A*	71MB7095B78A*	71MP7095B78A*	72MB7095B78A*	72MP7095B78A*	76MB7095B78A*	76MP7095B78A*	77MB7095B78A*	77MP7095B78A*	79MB7095B78A*	79MP7095B78A*
	Med	17x10.5	Rear Only	39	7.30	70MB7105B73A*	70MP7105B73A*	71MB7105B73A*	71MP7105B73A*	72MB7105B73A*	72MP7105B73A*	76MB7105B73A*	76MP7105B73A*	77MB7105B73A*	77MP7105B73A*	79MB7105B73A*	79MP7105B73A*
	Med	17x11.0	Rear Only	46	7.80	70MB7110B78A*	70MP7110B78A*	71MB7110B78A*	71MP7110B78A*	72MB7110B78A*	72MP7110B78A*	76MB7110B78A*	76MP7110B78A*	77MB7110B78A*	77MP7110B78A*	79MB7110B78A*	79MP7110B78A*

*When used on rear of wheicle a larger OD rear tire is required to meet ASR (Automatic Slip Regulation) when using 17" front on 1992+

18"	Med	18x5.0	Front	5	3.20	70MB8050B32A	70MP8050B32A	71MB8050B32A	71MP8050B32A	72MB8050B32A	72MP8050B32A	76MB8050B32A	76MP8050B32A	77MB8050B32A	77MP8050B32A	79MB8050B32A	79MP8050B32A
	Med	18x7.0	Front	30	5.20	70MB8070B52A	70MP8070B52A	71MB8070B52A	71MP8070B52A	72MB8070B52A	72MP8070B52A	76MB8070B52A	76MP8070B52A	77MB8070B52A	77MP8070B52A	79MB8070B52A	79MP8070B52A
	Med	18x8.0	Front	43	6.20	70MB8080B62A	70MP8080B62A	71MB8080B62A	71MP8080B62A	72MB8080B62A	72MP8080B62A	76MB8080B62A	76MP8080B62A	77MB8080B62A	77MP8080B62A	79MB8080B62A	79MP8080B62A
	Med	18x9.0	Front	56	7.20	70MB8090B72A	70MP8090B72A	71MB8090B72A	71MP8090B72A	72MB8090B72A	72MP8090B72A	76MB8090B72A	76MP8090B72A	77MB8090B72A	77MP8090B72A	79MB8090B72A	79MP8090B72A
	Med	18x5.5	Front	62	7.70	70MB8095B77A	70MP8095B77A	71MB8095B77A	71MP8095B77A	72MB8095B77A	72MP8095B77A	76MB8095B77A	76MP8095B77A	77MB8095B77A	77MP8095B77A	79MB8095B77A	79MP8095B77A
	Med	18x10.5	Rear Only	50	7.70	70MB8105B77A*	70MP8105B77A*	71MB8105B77A*	71MP8105B77A*	72MB8105B77A*	72MP8105B77A*	76MB8105B77A*	76MP8105B77A*	77MB8105B77A*	77MP8105B77A*	79MB8105B77A*	79MP8105B77A*
	Med	18x11.0	Rear Only	56	8.20	70MB8110B82A*	70MP8110B82A*	71MB8110B82A*	71MP8110B82A*	72MB8110B82A*	72MP8110B82A*	76MB8110B82A*	76MP8110B82A*	77MB8110B82A*	77MP8110B82A*	79MB8110B82A*	79MP8110B82A*

*When used on rear of wheicle a larger OD rear tire is required to meet ASR (Automatic Slip Regulation) when using 18" front on 1992+

20"	Med	20x10.0	Rear Only	36	6.90	70MB0100B69A	70MP0100B69A	71MB0100B69A	71MP0100B69A	72MB0100B69A	72MP0100B69A	76MB0100B69A	76MP0100B69A	77MB0100B69A	77MP0100B69A	79MB0100B69A	79MP0100B69A
	Med	20x10.5	Rear Only	42	7.40	70MB0105B74A	70MP0105B74A	71MB0105B74A	71MP0105B74A	72MB0105B74A	72MP0105B74A	76MB0105B74A	76MP0105B74A	77MB0105B74A	77MP0105B74A	79MB0105B74A	79MP0105B74A
	Med	20x11.0	Rear Only	48	7.90	70MB0110B79A	70MP0110B79A	71MB0110B79A	71MP0110B79A	72MB0110B79A	72MP0110B79A	76MB0110B79A	76MP0110B79A	77MB0110B79A	77MP0110B79A	79MB0110B79A	79MP0110B79A

1984-1987 Corvette C4 Coupe

5x4.75" [B] 12mmx1.5 lugs Convertible: Maximum rear width = 9.5" wide Not 1987 SCCA racer
Short mag shank lug for 15" RT-S & 5/8 drive stud acceptable. Conical Lugs req'd 17"/18"/20"

	Pad	Size	Vehicle Location	Offset	Back Space	S70 Black Ctr Part Number	S70 All Polished Part Number	S71 Black Ctr Part Number	S71 All Polished Part Number	S72 Black Ctr Part Number	S72 All Polished Part Number	S76 Black Ctr Part Number	S76 All Polished Part Number	S77 Black Ctr Part Number	S77 All Polished Part Number	S79 Black Ctr Part Number	S79 All Polished Part Number
15"	Med	15x4	Front	-26	1.50	70MB-504B15A*	70MP-504B15A*	71MB-504B15A*	71MP-504B15A*	72MB-504B15A*	72MP-504B15A*	76MB-504B15A*	76MP-504B15A*	77MB-504B15A*	77MP-504B15A*	79MB-504B15A*	79MP-504B15A*
	Med	15x5.3	Front	-16	2.50	70MB-505B25A*	70MP-505B25A*	71MB-505B25A*	71MP-505B25A*	72MB-505B25A*	72MP-505B25A*	76MB-505B25A*	76MP-505B25A*	77MB-505B25A*	77MP-505B25A*	79MB-505B25A*	79MP-505B25A*
	Med	15x6.3	Front	-3	3.50	70MB-506B35A*	70MP-506B35A*	71MB-506B35A*	71MP-506B35A*	72MB-506B35A*	72MP-506B35A*	76MB-506B35A*	76MP-506B35A*	77MB-506B35A*	77MP-506B35A*	79MB-506B35A*	79MP-506B35A*
	Med	15x7.3	Front	10	4.50	70MB-507B45A*	70MP-507B45A*	71MB-507B45A*	71MP-507B45A*	72MB-507B45A*	72MP-507B45A*	76MB-507B45A*	76MP-507B45A*	77MB-507B45A*	77MP-507B45A*	79MB-507B45A*	79MP-507B45A*
	Med	15x8.3	Front	22	5.50	70MB-508B55A*	70MP-508B55A*	71MB-508B55A*	71MP-508B55A*	72MB-508B55A*	72MP-508B55A*	76MB-508B55A*	76MP-508B55A*	77MB-508B55A*	77MP-508B55A*	79MB-508B55A*	79MP-508B55A*
	Med	15x9	Front/Rear	37	6.50	70MB-509B65A*	70MP-509B65A*	71MB-509B65A*	71MP-509B65A*	72MB-509B65A*	72MP-509B65A*	76MB-509B65A*	76MP-509B65A*	77MB-509B65A*	77MP-509B65A*	79MB-509B65A*	79MP-509B65A*
	Med	15x10.3	Rear Only	21	6.50	70MB-510B65A*	70MP-510B65A*	71MB-510B65A*	71MP-510B65A*	72MB-510B65A*	72MP-510B65A*	76MB-510B65A*	76MP-510B65A*	77MB-510B65A*	77MP-510B65A*	79MB-510B65A*	79MP-510B65A*

*Check fit of wheel over brakes before mounting tire

17"	Med	17x4.5	Front	-14	2.20	70MB7045B22A	70MP7045B22A	71MB7045B22A	71MP7045B22A	72MB7045B22A	72MP7045B22A	76MB7045B22A	76MP7045B22A	77MB7045B22A	77MP7045B22A	79MB7045B22A	79MP7045B22A
	Med	17x7.0	Front	8	4.30	70MB7070B43A	70MP7070B43A	71MB7070B43A	71MP7070B43A	72MB7070B43A	72MP7070B43A	76MB7070B43A	76MP7070B43A	77MB7070B43A	77MP7070B43A	79MB7070B43A	79MP7070B43A
	Med	17x8.0	Front	20	5.30	70MB7080B53A	70MP7080B53A	71MB7080B53A	71MP7080B53A	72MB7080B53A	72MP7080B53A	76MB7080B53A	76MP7080B53A	77MB7080B53A	77MP7080B53A	79MB7080B53A	79MP7080B53A
	Med	17x9.0	Front/Rear	33	6.30	70MB7090B63A	70MP7090B63A	71MB7090B63A	71MP7090B63A	72MB7090B63A	72MP7090B63A	76MB7090B63A	76MP7090B63A	77MB7090B63A	77MP7090B63A	79MB7090B63A	79MP7090B63A
	Med	17x9.5	Front/Rear	39	6.80	70MB7095B68A	70MP7095B68A	71MB7095B68A	71MP7095B68A	72MB7095B68A	72MP7095B68A	76MB7095B68A	76MP7095B68A	77MB7095B68A	77MP7095B68A	79MB7095B68A	79MP7095B68A
	Med	17x10.5	Rear Only	27	6.80	70MB7105B68A	70MP7105B68A	71MB7105B68A	71MP7105B68A	72MB7105B68A	72MP7105B68A	76MB7105B68A	76MP7105B68A	77MB7105B68A	77MP7105B68A	79MB7105B68A	79MP7105B68A

18"	Med	18x5.0	Front	-8	2.70	70MB8050B27A	70MP8050B27A	71MB8050B27A	71MP8050B27A	72MB8050B27A	72MP8050B27A	76MB8050B27A	76MP8050B27A	77MB8050B27A	77MP8050B27A	79MB8050B27A	79MP8050B27A
	Med	18x7.0	Front	5	4.20	70MB8070B42A	70MP8070B42A	71MB8070B42A	71MP8070B42A	72MB8070B42A	72MP8070B42A	76MB8070B42A	76MP8070B42A	77MB8070B42A	77MP8070B42A	79MB8070B42A	79MP8070B42A
	Med	18x8.0	Front	18	5.20	70MB8080B52A	70MP8080B52A	71MB8080B52A	71MP8080B52A	72MB8080B52A	72MP8080B52A	76MB8080B52A	76MP8080B52A	77MB8080B52A	77MP8080B52A	79MB8080B52A	79MP8080B52A
	Med	18x9.0	Front	30	6.20	70MB8090B62A	70MP8090B62A	71MB8090B62A	71MP8090B62A	72MB8090B62A	72MP8090B62A	76MB8090B62A	76MP8090B62A	77MB8090B62A	77MP8090B62A	79MB8090B62A	79MP8090B62A
	Med	18x5.5	Front	37	6.70	70MB8095B67A	70MP8095B67A	71MB8095B67A	71MP8095B67A	72MB8095B67A	72MP8095B67A	76MB8095B67A	76MP8095B67A	77MB8095B67A	77MP8095B67A	79MB8095B67A	79MP8095B67A
	Med	18x10.0	Rear	30	6.70	70MB8100B67A	70MP8100B67A	71MB8100B67A	71MP8100B67A	72MB8100B67A	72MP8100B67A	76MB8100B67A	76MP8100B67A	77MB8100B67A	77MP8100B67A	79MB8100B67A	79MP8100B67A
	Med	18x10.5	Rear	37	7.20	70MB8105B72A	70MP8105B72A	71MB8105B72A	71MP8105B72A	72MB8105B72A	72MP8105B72A	76MB8105B72A	76MP8105B72A	77MB8105B72A	77MP8105B72A	79MB8105B72A	79MP8105B72A

20"	Med	20x7.0	Front	10	4.40	70MB0070B44A	70MP0070B44A	71MB0070B44A	71MP0070B44A	72MB0070B44A	72MP0070B44A	76MB0070B44A	76MP0070B44A	77MB0070B44A	77MP0070B44A	79MB0070B44A	79MP0070B44A
	Med	20x8.0	Front	23	5.40	70MB0080B54A	70MP0080B54A	71MB0080B54A	71MP0080B54A	72MB0080B54A	72MP0080B54A	76MB0080B54A	76MP0080B54A	77MB0080B54A	77MP0080B54A	79MB0080B54A	79MP0080B54A
	Med	20x9.0	Front	36	6.40	70MB0090B64A	70MP0090B64A	71MB0090B64A	71MP0090B64A	72MB0090B64A	72MP0090B64A	76MB0090B64A	76MP0090B64A	77MB0090B64A	77MP0090B64A	79MB0090B64A	79MP0090B64A
	Med	20x9.5	Front	42	6.90	70MB0095B69A	70MP0095B69A	71MB0095B69A	71MP0095B69A	72MB0095B69A	72MP0095B69A	76MB0095B69A	76MP0095B69A	77MB0095B69A	77MP0095B69A	79MB0095B69A	79MP0095B69A
	Med	20x10.0	Rear	48	7.40	70MB0100B74A	70MP0100B74A	71MB0100B74A	71MP0100B74A	72MB0100B74A	72MP0100B74A	76MB0100B74A	76MP0100B74A	77MB0100B74A	77MP0100B74A	79MB0100B74A	79MP0100B74A

800-788-9353

6600 Stadium Drive, Kansas City, MO 64129

weldwheels.com

RELEASED - October 2020

WELD

1968-1985 Corvette C3

5x4.75" [B] 7/16 lugs

Short mag shank lug for 15" RT-S & 5/8 drive stud acceptable. Conical Lugs req'd 17"/18"/20"

	Pad	Size	Vehicle Location	Offset	Back Space	S70 Black Ctr Part Number	S70 All Polished Part Number	S71 Black Ctr Part Number	S71 All Polished Part Number	S72 Black Ctr Part Number	S72 All Polished Part Number	S76 Black Ctr Part Number	S76 All Polished Part Number	S77 Black Ctr Part Number	S77 All Polished Part Number	S79 Black Ctr Part Number	S79 All Polished Part Number
15"	Med	15x4	Front	-26	1.50	70MB-504B15A	70MP-504B15A	71MB-504B15A	71MP-504B15A	72MB-504B15A	72MP-504B15A	76MB-504B15A	76MP-504B15A	77MB-504B15A	77MP-504B15A	79MB-504B15A	79MP-504B15A
	Med	15x5.3	Front	-22	2.25	70MB-505B25A	70MP-505B25A	71MB-505B25A	71MP-505B25A	72MB-505B25A	72MP-505B25A	76MB-505B25A	76MP-505B25A	77MB-505B25A	77MP-505B25A	79MB-505B25A	79MP-505B25A
	Med	15x6.3	Front	-3	3.50	70MB-506B35A	70MP-506B35A	71MB-506B35A	71MP-506B35A	72MB-506B35A	72MP-506B35A	76MB-506B35A	76MP-506B35A	77MB-506B35A	77MP-506B35A	79MB-506B35A	79MP-506B35A
	Med	15x6.83	Front/Rear	-11	3.50	70MB-507B35A	70MP-507B35A	71MB-507B35A	71MP-507B35A	72MB-507B35A	72MP-507B35A	76MB-507B35A	76MP-507B35A	77MB-507B35A	77MP-507B35A	79MB-507B35A	79MP-507B35A

17"	Med	17x4.5	Front	-14	2.20	70MB7045B22A	70MP7045B22A	71MB7045B22A	71MP7045B22A	72MB7045B22A	72MP7045B22A	76MB7045B22A	76MP7045B22A	77MB7045B22A	77MP7045B22A	79MB7045B22A	79MP7045B22A
	Med	17x7.0	Front	-18	3.30	70MB7070B33A	70MP7070B33A	71MB7070B33A	71MP7070B33A	72MB7070B33A	72MP7070B33A	76MB7070B33A	76MP7070B33A	77MB7070B33A	77MP7070B33A	79MB7070B33A	79MP7070B33A
	Med	17x8.0	Front/Rear	-5	4.30	70MB7080B43A	70MP7080B43A	71MB7080B43A	71MP7080B43A	72MB7080B43A	72MP7080B43A	76MB7080B43A	76MP7080B43A	77MB7080B43A	77MP7080B43A	79MB7080B43A	79MP7080B43A

18"	Med	18x5.0	Front	-20	2.20	70MB8050B22A	70MP8050B22A	71MB8050B22A	71MP8050B22A	72MB8050B22A	72MP8050B22A	76MB8050B22A	76MP8050B22A	77MB8050B22A	77MP8050B22A	79MB8050B22A	79MP8050B22A
	Med	18x7.0	Front	-8	3.70	70MB8070B37A	70MP8070B37A	71MB8070B37A	71MP8070B37A	72MB8070B37A	72MP8070B37A	76MB8070B37A	76MP8070B37A	77MB8070B37A	77MP8070B37A	79MB8070B37A	79MP8070B37A
	Med	18x8.0	Front/Rear	-8	4.20	70MB8080B42A	70MP8080B42A	71MB8080B42A	71MP8080B42A	72MB8080B42A	72MP8080B42A	76MB8080B42A	76MP8080B42A	77MB8080B42A	77MP8080B42A	79MB8080B42A	79MP8080B42A

20"	Med	20x8.0	Rear	-16	3.90	70MB8080B39A	70MP8080B39A	71MB8080B39A	71MP8080B39A	72MB8080B39A	72MP8080B39A	76MB8080B39A	76MP8080B39A	77MB8080B39A	77MP8080B39A	79MB8080B39A	79MP8080B39A
-----	-----	--------	------	-----	------	--------------	--------------	--------------	--------------	--------------	--------------	--------------	--------------	--------------	--------------	--------------	--------------

1965-1967 Corvette C3 Stingray

1965-1967 5x4.75" [B] 7/16 lugs [4 wheel disc brakes]

Short mag shank lug for 15" RT-S & 5/8 drive stud acceptable. Conical Lugs req'd 17"/18"/20"

	Pad	Size	Vehicle Location	Offset	Back Space	S70 Black Ctr Part Number	S70 All Polished Part Number	S71 Black Ctr Part Number	S71 All Polished Part Number	S72 Black Ctr Part Number	S72 All Polished Part Number	S76 Black Ctr Part Number	S76 All Polished Part Number	S77 Black Ctr Part Number	S77 All Polished Part Number	S79 Black Ctr Part Number	S79 All Polished Part Number
15"	Med	15x4	Front	-26	1.50	70MB-504B15A	70MP-504B15A	71MB-504B15A	71MP-504B15A	72MB-504B15A	72MP-504B15A	76MB-504B15A	76MP-504B15A	77MB-504B15A	77MP-504B15A	79MB-504B15A	79MP-504B15A
	Med	15x5.3	Front	-22	2.25	70MB-505B25A	70MP-505B25A	71MB-505B25A	71MP-505B25A	72MB-505B25A	72MP-505B25A	76MB-505B25A	76MP-505B25A	77MB-505B25A	77MP-505B25A	79MB-505B25A	79MP-505B25A
	Med	15x6	Front/Rear	-1	3.50	70MB-506B35A	70MP-506B35A	71MB-506B35A	71MP-506B35A	72MB-506B35A	72MP-506B35A	76MB-506B35A	76MP-506B35A	77MB-506B35A	77MP-506B35A	79MB-506B35A	79MP-506B35A

17"	Med	17x5.0	Front	8	3.30	70MB7050B33A	70MP7050B33A	71MB7050B33A	71MP7050B33A	72MB7050B33A	72MP7050B33A	76MB7050B33A	76MP7050B33A	77MB7050B33A	77MP7050B33A	79MB7050B33A	79MP7050B33A
	Med	17x5.5	Front	14	3.80	70MB7055B38A	70MP7055B38A	71MB7055B38A	71MP7055B38A	72MB7055B38A	72MP7055B38A	76MB7055B38A	76MP7055B38A	77MB7055B38A	77MP7055B38A	79MB7055B38A	79MP7055B38A
	Med	17x6.0	Front/Rear	8	3.80	70MB7060B38A	70MP7060B38A	71MB7060B38A	71MP7060B38A	72MB7060B38A	72MP7060B38A	76MB7060B38A	76MP7060B38A	77MB7060B38A	77MP7060B38A	79MB7060B38A	79MP7060B38A

18"	Med	18x5.0	Front	-8	2.70	70MB8050B27A	70MP8050B27A	71MB8050B27A	71MP8050B27A	72MB8050B27A	72MP8050B27A	76MB8050B27A	76MP8050B27A	77MB8050B27A	77MP8050B27A	79MB8050B27A	79MP8050B27A
	Med	18x6.0	Front	-8	3.20	70MB8060B32A	70MP8060B32A	71MB8060B32A	71MP8060B32A	72MB8060B32A	72MP8060B32A	76MB8060B32A	76MP8060B32A	77MB8060B32A	77MP8060B32A	79MB8060B32A	79MP8060B32A
	Med	18x7.0	Front/Rear	6	4.20	70MB8070B42A	70MP8070B42A	71MB8070B42A	71MP8070B42A	72MB8070B42A	72MP8070B42A	76MB8070B42A	76MP8070B42A	77MB8070B42A	77MP8070B42A	79MB8070B42A	79MP8070B42A

20"	Med	20x7.0	Rear	-3	3.90	70MB0095B39A	70MP0095B39A	71MB0095B39A	71MP0095B39A	72MB0095B39A	72MP0095B39A	76MB0095B39A	76MP0095B39A	77MB0095B39A	77MP0095B39A	79MB0095B39A	79MP0095B39A
-----	-----	--------	------	----	------	--------------	--------------	--------------	--------------	--------------	--------------	--------------	--------------	--------------	--------------	--------------	--------------

1963-1964 Corvete C3 Stingray

5x4.75" [B] 7/16 Lugs [w/drum brakes]

Short mag shank lug for 15" RT-S & 5.8 drive stud acceptable. Conical Lugs req'd 17"/18"/20"

	Pad	Size	Vehicle Location	Offset	Back Space	S70 Black Ctr Part Number	S70 All Polished Part Number	S71 Black Ctr Part Number	S71 All Polished Part Number	S72 Black Ctr Part Number	S72 All Polished Part Number	S76 Black Ctr Part Number	S76 All Polished Part Number	S77 Black Ctr Part Number	S77 All Polished Part Number	S79 Black Ctr Part Number	S79 All Polished Part Number
15"	Med	15x4	Front	-26	1.50	70MB-504B15A	70MP-504B15A	71MB-504B15A	71MP-504B15A	72MB-504B15A	72MP-504B15A	76MB-504B15A	76MP-504B15A	77MB-504B15A	77MP-504B15A	79MB-504B15A	79MP-504B15A
	Med	15x5.3	Front	-22	2.25	70MB-505B25A	70MP-505B25A	71MB-505B25A	71MP-505B25A	72MB-505B25A	72MP-505B25A	76MB-505B25A	76MP-505B25A	77MB-505B25A	77MP-505B25A	79MB-505B25A	79MP-505B25A
	Med	15x6	Front/Rear	-1	3.50	70MB-506B35A	70MP-506B35A	71MB-506B35A	71MP-506B35A	72MB-506B35A	72MP-506B35A	76MB-506B35A	76MP-506B35A	77MB-506B35A	77MP-506B35A	79MB-506B35A	79MP-506B35A

17"	Med	17x5.0	Front	8	3.30	70MB7050B33A	70MP7050B33A	71MB7050B33A	71MP7050B33A	72MB7050B33A	72MP7050B33A	76MB7050B33A	76MP7050B33A	77MB7050B33A	77MP7050B33A	79MB7050B33A	79MP7050B33A
	Med	17x5.5	Front	14	3.80	70MB7055B38A	70MP7055B38A	71MB7055B38A	71MP7055B38A	72MB7055B38A	72MP7055B38A	76MB7055B38A	76MP7055B38A	77MB7055B38A	77MP7055B38A	79MB7055B38A	79MP7055B38A
	Med	17x6.0	Front/Rear	8	3.80	70MB7060B38A	70MP7060B38A	71MB7060B38A	71MP7060B38A	72MB7060B38A	72MP7060B38A	76MB7060B38A	76MP7060B38A	77MB7060B38A	77MP7060B38A	79MB7060B38A	79MP7060B38A

18"	Med	18x5.0	Front	-8	2.70	70MB8050B27A	70MP8050B27A	71MB8050B27A	71MP8050B27A	72MB8050B27A	72MP8050B27A	76MB8050B27A	76MP8050B27A	77MB8050B27A	77MP8050B27A	79MB8050B27A	79MP8050B27A
	Med	18x6.0	Front	8	3.20	70MB8060B32A	70MP8060B32A	71MB8060B32A	71MP8060B32A	72MB8060B32A	72MP8060B32A	76MB8060B32A	76MP8060B32A	77MB8060B32A	77MP8060B32A	79MB8060B32A	79MP8060B32A
	Med	18x7.0	Front/Rear	5	4.20	70MB8070B42A	70MP8070B42A	71MB8070B42A	71MP8070B42A	72MB8070B42A	72MP8070B42A	76MB8070B42A	76MP8070B42A	77MB8070B42A	77MP8070B42A	79MB8070B42A	79MP8070B42A

20"	Med	20x7.0	Rear	-3	3.90	70MB0070B39A	70MP0070B39A	71MB0070B39A	71MP0070B39A	72MB0070B39A	72MP0070B39A	76MB0070B39A	76MP0070B39A	77MB0070B39A	77MP0070B39A	79MB0070B39A	79MP0070B39A
-----	-----	--------	------	----	------	--------------	--------------	--------------	--------------	--------------	--------------	--------------	--------------	--------------	--------------	--------------	--------------

WELD

2000-07 Monte Carlo (W body) LS/LT/SS

[FWD]

5x115 mm [W] 12mmx1.5 lugs. Conical Lugs req'd 17"/18"/20"

	Pad	Size	Vehicle Location	Offset	Back Space	S70 Black Ctr Part Number	S70 All Polished Part Number	S71 Black Ctr Part Number	S71 All Polished Part Number	S72 Black Ctr Part Number	S72 All Polished Part Number	S76 Black Ctr Part Number	S76 All Polished Part Number	S77 Black Ctr Part Number	S77 All Polished Part Number	S79 Black Ctr Part Number	S79 All Polished Part Number
17"	Med	17x4.5	Rear Only	-14	2.20	70MB7045W22A	70MP7045W22A	71MB7045W22A	71MP7045W22A	72MB7045W22A	72MP7045W22A	76MB7045W22A	76MP7045W22A	77MB7045W22A	77MP7045W22A	79MB7045W22A	79MP7045W22A
	Med	17x7.0	Front/Rear	20	4.80	70MB7070W48A	70MP7070W48A	71MB7070W48A	71MP7070W48A	72MB7070W48A	72MP7070W48A	76MB7070W48A	76MP7070W48A	77MB7070W48A	77MP7070W48A	79MB7070W48A	79MP7070W48A
	Med	17x8.0	Front/Rear	33	5.80	70MB7080W58A	70MP7080W58A	71MB7080W58A	71MP7080W58A	72MB7080W58A	72MP7080W58A	76MB7080W58A	76MP7080W58A	77MB7080W58A	77MP7080W58A	79MB7080W58A	79MP7080W58A
	Med	17x8.5	Front/Rear	39	6.30	70MB7085W63A	70MP7085W63A	71MB7085W63A	71MP7085W63A	72MB7085W63A	72MP7085W63A	76MB7085W63A	76MP7085W63A	77MB7085W63A	77MP7085W63A	79MB7085W63A	79MP7085W63A

18"	Med	18x5.0	Rear Only	-8	2.70	70MB8050W27A	70MP8050W27A	71MB8050W27A	71MP8050W27A	72MB8050W27A	72MP8050W27A	76MB8050W27A	76MP8050W27A	77MB8050W27A	77MP8050W27A	79MB8050W27A	79MP8050W27A
	Med	18x6.0	Rear Only	18	4.20	70MB8060W42A	70MP8060W42A	71MB8060W42A	71MP8060W42A	72MB8060W42A	72MP8060W42A	76MB8060W42A	76MP8060W42A	77MB8060W42A	77MP8060W42A	79MB8060W42A	79MP8060W42A
	Med	18x7.0	Front/Rear	30	5.20	70MB8070W52A	70MP8070W52A	71MB8070W52A	71MP8070W52A	72MB8070W52A	72MP8070W52A	76MB8070W52A	76MP8070W52A	77MB8070W52A	77MP8070W52A	79MB8070W52A	79MP8070W52A
	Med	18x8.0	Front/Rear	43	6.20	70MB8080W62A	70MP8080W62A	71MB8080W62A	71MP8080W62A	72MB8080W62A	72MP8080W62A	76MB8080W62A	76MP8080W62A	77MB8080W62A	77MP8080W62A	79MB8080W62A	79MP8080W62A

20"	Med	20x6.0	Rear Only	10	3.90	70MB0070W39A	70MP0070W39A	71MB0070W39A	71MP0070W39A	72MB0070W39A	72MP0070W39A	76MB0070W39A	76MP0070W39A	77MB0070W39A	77MP0070W39A	79MB0070W39A	79MP0070W39A
	Med	20x7.0	Front/Rear	23	4.90	70MB0070W49A	70MP0070W49A	71MB0070W49A	71MP0070W49A	72MB0070W49A	72MP0070W49A	76MB0070W49A	76MP0070W49A	77MB0070W49A	77MP0070W49A	79MB0070W49A	79MP0070W49A
	Med	20x8.0	Front/Rear	36	5.90	70MB0080W59A	70MP0080W59A	71MB0080W59A	71MP0080W59A	72MB0080W59A	72MP0080W59A	76MB0080W59A	76MP0080W59A	77MB0080W59A	77MP0080W59A	79MB0080W59A	79MP0080W59A

2013+ Malibu

	Pad	Size	Vehicle Location	Offset	Back Space	S70 Black Ctr Part Number	S70 All Polished Part Number	S71 Black Ctr Part Number	S71 All Polished Part Number	S72 Black Ctr Part Number	S72 All Polished Part Number	S76 Black Ctr Part Number	S76 All Polished Part Number	S77 Black Ctr Part Number	S77 All Polished Part Number	S79 Black Ctr Part Number	S79 All Polished Part Number
18"	Med	18x8.5	Front/Rear	37	6.20	70MB8085N62A	70MP8085N62A	71MB8085N62A	71MP8085N62A	72MB8085N62A	72MP8085N62A	76MB8085N62A	76MP8085N62A	77MB8085N62A	77MP8085N62A	79MB8085N62A	79MP8085N62A

1978-1983 Malibu (G-Body 2nd Gen) 5x4.75" [B]

1978-81 7/16 lugs, 1982-83 12mmx1.5 lugs

Short mag shank lug for 15" RT-S & 5/8 drive stud acceptable, Conical Lugs req'd 17"/18"/20"

	Pad	Size	Vehicle Location	Offset	Back Space	S70 Black Ctr Part Number	S70 All Polished Part Number	S71 Black Ctr Part Number	S71 All Polished Part Number	S72 Black Ctr Part Number	S72 All Polished Part Number	S76 Black Ctr Part Number	S76 All Polished Part Number	S77 Black Ctr Part Number	S77 All Polished Part Number	S79 Black Ctr Part Number	S79 All Polished Part Number
15"	Low	15x4	Front	-21	1.63	70LB-504B16A	70LP-504B16A	71LB-504B16A	71LP-504B16A	72LB-504B16A	72LP-504B16A	76LB-504B16A	76LP-504B16A	77LB-504B16A	77LP-504B16A	79LB-504B16A	79LP-504B16A
	Low	15x5.3	Front	-16	2.50	70LB-505B25A	70LP-505B25A	71LB-505B25A	71LP-505B25A	72LB-505B25A	72LP-505B25A	76LB-505B25A	76LP-505B25A	77LB-505B25A	77LP-505B25A	79LB-505B25A	79LP-505B25A
	Low	15x6.3	Front	-3	3.50	70LB-506B35A	70LP-506B35A	71LB-506B35A	71LP-506B35A	72LB-506B35A	72LP-506B35A	76LB-506B35A	76LP-506B35A	77LB-506B35A	77LP-506B35A	79LB-506B35A	79LP-506B35A
	Low	15x7.3	Front/Rear	-17	3.50	70LB-507B35A	70LP-507B35A	71LB-507B35A	71LP-507B35A	72LB-507B35A	72LP-507B35A	76LB-507B35A	76LP-507B35A	77LB-507B35A	77LP-507B35A	79LB-507B35A	79LP-507B35A
	Low	15x8.3	Rear Only	-4	4.50	70LB-508B45A	70LP-508B45A	71LB-508B45A	71LP-508B45A	72LB-508B45A	72LP-508B45A	76LB-508B45A	76LP-508B45A	77LB-508B45A	77LP-508B45A	79LB-508B45A	79LP-508B45A

17"	Low	17x4.5	Front	-27	1.70	70LB7045B17A	70LP7045B17A	71LB7045B17A	71LP7045B17A	72LB7045B17A	72LP7045B17A	76LB7045B17A	76LP7045B17A	77LB7045B17A	77LP7045B17A	79LB7045B17A	79LP7045B17A
	Low	17x7.0	Front/Rear	-3	3.90	70LB7070B40A	70LP7070B40A	71LB7070B40A	71LP7070B40A	72LB7070B40A	72LP7070B40A	76LB7070B40A	76LP7070B40A	77LB7070B40A	77LP7070B40A	79LB7070B40A	79LP7070B40A
	Low	17x8.0	Rear Only	10	4.90	70LB7080B50A	70LP7080B50A	71LB7080B50A	71LP7080B50A	72LB7080B50A	72LP7080B50A	76LB7080B50A	76LP7080B50A	77LB7080B50A	77LP7080B50A	79LB7080B50A	79LP7080B50A

18"	Low	18x5.0	Front	-20	2.20	70LB8050B22A	70LP8050B22A	71LB8050B22A	71LP8050B22A	72LB8050B22A	72LP8050B22A	76LB8050B22A	76LP8050B22A	77LB8050B22A	77LP8050B22A	79LB8050B22A	79LP8050B22A
	Low	18x7.0	Front/Rear	5	4.20	70LB8070B42A	70LP8070B42A	71LB8070B42A	71LP8070B42A	72LB8070B42A	72LP8070B42A	76LB8070B42A	76LP8070B42A	77LB8070B42A	77LP8070B42A	79LB8070B42A	79LP8070B42A
	Low	18x8.0	Rear Only	5	4.70	70LB8080B47A	70LP8080B47A	71LB8080B47A	71LP8080B47A	72LB8080B47A	72LP8080B47A	76LB8080B47A	76LP8080B47A	77LB8080B47A	77LP8080B47A	79LB8080B47A	79LP8080B47A

20"	Low	20x7.0	Front	0	4.00	70LB0070B40A	70LP0070B40A	71LB0070B40A	71LP0070B40A	72LB0070B40A	72LP0070B40A	76LB0070B40A	76LP0070B40A	77LB0070B40A	77LP0070B40A	79LB0070B40A	79LP0070B40A
	Low	20x8.0	Front/Rear	0	4.50	70LB0080B45A	70LP0080B45A	71LB0080B45A	71LP0080B45A	72LB0080B45A	72LP0080B45A	76LB0080B45A	76LP0080B45A	77LB0080B45A	77LP0080B45A	79LB0080B45A	79LP0080B45A

1978-87 El-Camino/Monte Carlo (G-Body) 2nd Gen 5x4.75" [B]

1978-81 7/16 lugs, 1982-87 12mmx1.5.

Short mag shank lug for 15" RT-S & 5/8 drive stud acceptable, Conical Lugs req'd 17"/18"/20"

	Pad	Size	Vehicle Location	Offset	Back Space	S70 Black Ctr Part Number	S70 All Polished Part Number	S71 Black Ctr Part Number	S71 All Polished Part Number	S72 Black Ctr Part Number	S72 All Polished Part Number	S76 Black Ctr Part Number	S76 All Polished Part Number	S77 Black Ctr Part Number	S77 All Polished Part Number	S79 Black Ctr Part Number	S79 All Polished Part Number
15"	Low	15x4	Front	-21	1.63	70LB-504B16A	70LP-504B16A	71LB-504B16A	71LP-504B16A	72LB-504B16A	72LP-504B16A	76LB-504B16A	76LP-504B16A	77LB-504B16A	77LP-504B16A	79LB-504B16A	79LP-504B16A
	Low	15x5.3	Front	-16	2.50	70LB-505B25A	70LP-505B25A	71LB-505B25A	71LP-505B25A	72LB-505B25A	72LP-505B25A	76LB-505B25A	76LP-505B25A	77LB-505B25A	77LP-505B25A	79LB-505B25A	79LP-505B25A
	Low	15x6.3	Front	-3	3.50	70LB-506B35A	70LP-506B35A	71LB-506B35A	71LP-506B35A	72LB-506B35A	72LP-506B35A	76LB-506B35A	76LP-506B35A	77LB-506B35A	77LP-506B35A	79LB-506B35A	79LP-506B35A
	Low	15x7.3	Front/Rear	-16	3.50	70LB-507B35A	70LP-507B35A	71LB-507B35A	71LP-507B35A	72LB-507B35A	72LP-507B35A	76LB-507B35A	76LP-507B35A	77LB-507B35A	77LP-507B35A	79LB-507B35A	79LP-507B35A
	Low	15x8.3	Rear Only	-4	4.50	70LB-508B45A	70LP-508B45A	71LB-508B45A	71LP-508B45A	72LB-508B45A	72LP-508B45A	76LB-508B45A	76LP-508B45A	77LB-508B45A	77LP-508B45A	79LB-508B45A	79LP-508B45A

17"	Low	17x4.5	Front	-27	1.70	70LB7045B17A	70LP7045B17A	71LB7045B17A	71LP7045B17A	72LB7045B17A	72LP7045B17A	76LB7045B17A	76LP7045B17A	77LB7045B17A	77LP7045B17A	79LB7045B17A	79LP7045B17A
	Low	17x7.0	Front/Rear	-3	3.90	70LB7070B40A	70LP7070B40A	71LB7070B40A	71LP7070B40A	72LB7070B40A	72LP7070B40A	76LB7070B40A	76LP7070B40A	77LB7070B40A	77LP7070B40A	79LB7070B40A	79LP7070B40A
	Low	17x8.0	Rear Only	10	4.90	70LB7080B50A	70LP7080B50A	71LB7080B50A	71LP7080B50A	72LB7080B50A	72LP7080B50A	76LB7080B50A	76LP7080B50A	77LB7080B50A	77LP7080B50A	79LB7080B50A	79LP7080B50A

18"	Low	18x5.0	Front	-20	2.20	70LB8050B22A	70LP8050B22A	71LB8050B22A	71LP8050B22A	72LB8050B22A	72LP8050B22A	76LB8050B22A	76LP8050B22A	77LB8050B22A	77LP8050B22A	79LB8050B22A	79LP8050B22A
	Low	18x7.0	Front/Rear	5	4.20	70LB8070B37A	70LP8070B37A	71LB8070B37A	71LP8070B37A	72LB8070B37A	72LP8070B37A	76LB8070B37A	76LP8070B37A	77LB8070B37A	77LP8070B37A	79LB8070B37A	79LP8070B37A
	Low	18x8.0	Rear Only	5	4.70	70LB8080B47A	70LP8080B47A	71LB8080B47A	71LP8080B47A	72LB8080B47A	72LP8080B47A	76LB8080B47A	76LP8080B47A	77LB8080B47A	77LP8080B47A	79LB8080B47A	79LP8080B47A

20"	Low	20x7.0	Front	0	4.00	70LB0070B40A	70LP0070B40A	71LB0070B40A	71LP0070B40A	72LB0070B40A	72LP0070B40A	76LB0070B40A	76LP0070B40A	77LB0070B40A	77LP0070B40A	79LB0070B40A	79LP0070B40A
	Low	20x8.0	Front/Rear	0	4.50	70LB0080B45A	70LP0080B45A	71LB0080B45A	71LP0080B45A	72LB0080B45A	72LP0080B45A	76LB0080B45A	76LP0080B45A	77LB0080B45A	77LP0080B45A	79LB0080B45A	79LP0080B45A

800-788-9353

6600 Stadium Drive, Kansas City, MO 64129

weldwheels.com

RELEASED - October 2020

WELD

1969-1972 Monte Carlo (G-Body 1st Gen)

5x4.75" [B] 7/16 lugs

Short mag shank lug for 15" RT-S & 5/8 drive stud acceptable. Conical Lugs req'd 17"/18"/20"

	Pad	Size	Vehide Location	Offset	Back Space	570 Black Ctr Part Number	570 All Polished Part Number	571 Black Ctr Part Number	571 All Polished Part Number	572 Black Ctr Part Number	572 All Polished Part Number	576 Black Ctr Part Number	576 All Polished Part Number	577 Black Ctr Part Number	577 All Polished Part Number	579 Black Ctr Part Number	579 All Polished Part Number
15"	Low	15x4	Front	-21	1.60	70LB-504B16A	70LP-504B16A	71LB-504B16A	71LP-504B16A	72LB-504B16A	72LP-504B16A	76LB-504B16A	76LP-504B16A	77LB-504B16A	77LP-504B16A	79LB-504B16A	79LP-504B16A
	Low	15x5.3	Front	-16	2.50	70LB-505B25A	70LP-505B25A	71LB-505B25A	71LP-505B25A	72LB-505B25A	72LP-505B25A	76LB-505B25A	76LP-505B25A	77LB-505B25A	77LP-505B25A	79LB-505B25A	79LP-505B25A
	Low	15x6.3	Front	-3	3.50	70LB-506B35A	70LP-506B35A	71LB-506B35A	71LP-506B35A	72LB-506B35A	72LP-506B35A	76LB-506B35A	76LP-506B35A	77LB-506B35A	77LP-506B35A	79LB-506B35A	79LP-506B35A
	Low	15x7.3	Front	-16	3.50	70LB-507B35A	70LP-507B35A	71LB-507B35A	71LP-507B35A	72LB-507B35A	72LP-507B35A	76LB-507B35A	76LP-507B35A	77LB-507B35A	77LP-507B35A	79LB-507B35A	79LP-507B35A
	Low	15x8.3	Front/Rear	-4	4.50	70LB-508B45A	70LP-508B45A	71LB-508B45A	71LP-508B45A	72LB-508B45A	72LP-508B45A	76LB-508B45A	76LP-508B45A	77LB-508B45A	77LP-508B45A	79LB-508B45A	79LP-508B45A
	Low	15x9.3	Rear Only	-16	4.50	70LB-509B45A	70LP-509B45A	71LB-509B45A	71LP-509B45A	72LB-509B45A	72LP-509B45A	76LB-509B45A	76LP-509B45A	77LB-509B45A	77LP-509B45A	79LB-509B45A	79LP-509B45A
17"	Low	15x10.3	Rear Only	-4	5.50	70LB-510B55A	70LP-510B55A	71LB-510B55A	71LP-510B55A	72LB-510B55A	72LP-510B55A	76LB-510B55A	76LP-510B55A	77LB-510B55A	77LP-510B55A	79LB-510B55A	79LP-510B55A
	Low	17x4.5	Front	-27	1.70	70LB7045B17A	70LP7045B17A	71LB7045B17A	71LP7045B17A	72LB7045B17A	72LP7045B17A	76LB7045B17A	76LP7045B17A	77LB7045B17A	77LP7045B17A	79LB7045B17A	79LP7045B17A
	Low	17x7.0	Front	-15	3.40	70LB7070B35A	70LP7070B35A	71LB7070B35A	71LP7070B35A	72LB7070B35A	72LP7070B35A	76LB7070B35A	76LP7070B35A	77LB7070B35A	77LP7070B35A	79LB7070B35A	79LP7070B35A
	Low	17x8.0	Front/Rear	-3	4.40	70LB7080B45A	70LP7080B45A	71LB7080B45A	71LP7080B45A	72LB7080B45A	72LP7080B45A	76LB7080B45A	76LP7080B45A	77LB7080B45A	77LP7080B45A	79LB7080B45A	79LP7080B45A
18"	Low	17x9.0	Rear Only	-15	4.40	70LB7090B45A	70LP7090B45A	71LB7090B45A	71LP7090B45A	72LB7090B45A	72LP7090B45A	76LB7090B45A	76LP7090B45A	77LB7090B45A	77LP7090B45A	79LB7090B45A	79LP7090B45A
	Low	17x10.0	Rear Only	-3	5.40	70LB7100B55A	70LP7100B55A	71LB7100B55A	71LP7100B55A	72LB7100B55A	72LP7100B55A	76LB7100B55A	76LP7100B55A	77LB7100B55A	77LP7100B55A	79LB7100B55A	79LP7100B55A
20"	Low	18x5.0	Front	-8	2.70	70LB8050B27A	70LP8050B27A	71LB8050B27A	71LP8050B27A	72LB8050B27A	72LP8050B27A	76LB8050B27A	76LP8050B27A	77LB8050B27A	77LP8050B27A	79LB8050B27A	79LP8050B27A
	Low	18x7.0	Front	-8	3.70	70LB8070B37A	70LP8070B37A	71LB8070B37A	71LP8070B37A	72LB8070B37A	72LP8070B37A	76LB8070B37A	76LP8070B37A	77LB8070B37A	77LP8070B37A	79LB8070B37A	79LP8070B37A
	Low	18x8.0	Front/Rear	5	4.70	70LB8080B47A	70LP8080B47A	71LB8080B47A	71LP8080B47A	72LB8080B47A	72LP8080B47A	76LB8080B47A	76LP8080B47A	77LB8080B47A	77LP8080B47A	79LB8080B47A	79LP8080B47A
	Low	18x9.0	Rear Only	-8	4.70	70LB8090B47A	70LP8090B47A	71LB8090B47A	71LP8090B47A	72LB8090B47A	72LP8090B47A	76LB8090B47A	76LP8090B47A	77LB8090B47A	77LP8090B47A	79LB8090B47A	79LP8090B47A
20"	Low	18x10.0	Rear Only	5	5.70	70LB8010B57A	70LP8010B57A	71LB8010B57A	71LP8010B57A	72LB8010B57A	72LP8010B57A	76LB8010B57A	76LP8010B57A	77LB8010B57A	77LP8010B57A	79LB8010B57A	79LP8010B57A
	Low	20x7.0	Front	-13	3.50	70LB0070B35A	70LP0070B35A	71LB0070B35A	71LP0070B35A	72LB0070B35A	72LP0070B35A	76LB0070B35A	76LP0070B35A	77LB0070B35A	77LP0070B35A	79LB0070B35A	79LP0070B35A
	Low	20x8.0	Front/Rear	0	4.50	70LB0080B45A	70LP0080B45A	71LB0080B45A	71LP0080B45A	72LB0080B45A	72LP0080B45A	76LB0080B45A	76LP0080B45A	77LB0080B45A	77LP0080B45A	79LB0080B45A	79LP0080B45A
	Low	20x9.0	Rear Only	-13	4.50	70LB0090B45A	70LP0090B45A	71LB0090B45A	71LP0090B45A	72LB0090B45A	72LP0090B45A	76LB0090B45A	76LP0090B45A	77LB0090B45A	77LP0090B45A	79LB0090B45A	79LP0090B45A
20"	Low	20x10.0	Rear Only	0	5.00	70LB0100B55A	70LP0100B55A	71LB0100B55A	71LP0100B55A	72LB0100B55A	72LP0100B55A	76LB0100B55A	76LP0100B55A	77LB0100B55A	77LP0100B55A	79LB0100B55A	79LP0100B55A

1973-1977 Chevelle/Malibu/SS El Camino/Monte Carlo (A-Body 3rd Gen)

5x4.75" [B] 7/16 lugs

Short mag shank lug for 15" RT-S & 5/8 drive stud acceptable, Conical Lugs req'd 17"/18"/20"

	Pad	Size	Vehide Location	Offset	Back Space	570 Black Ctr Part Number	570 All Polished Part Number	571 Black Ctr Part Number	571 All Polished Part Number	572 Black Ctr Part Number	572 All Polished Part Number	576 Black Ctr Part Number	576 All Polished Part Number	577 Black Ctr Part Number	577 All Polished Part Number	579 Black Ctr Part Number	579 All Polished Part Number
15"	Low	15x4	Front	-21	1.63	70LB-504B16A	70LP-504B16A	71LB-504B16A	71LP-504B16A	72LB-504B16A	72LP-504B16A	76LB-504B16A	76LP-504B16A	77LB-504B16A	77LP-504B16A	79LB-504B16A	79LP-504B16A
	Low	15x5.3	Front	-16	2.50	70LB-505B25A	70LP-505B25A	71LB-505B25A	71LP-505B25A	72LB-505B25A	72LP-505B25A	76LB-505B25A	76LP-505B25A	77LB-505B25A	77LP-505B25A	79LB-505B25A	79LP-505B25A
	Low	15x6.3	Front	-3	3.50	70LB-506B35A	70LP-506B35A	71LB-506B35A	71LP-506B35A	72LB-506B35A	72LP-506B35A	76LB-506B35A	76LP-506B35A	77LB-506B35A	77LP-506B35A	79LB-506B35A	79LP-506B35A
	Low	15x7.3	Front	-16	3.50	70LB-507B35A	70LP-507B35A	71LB-507B35A	71LP-507B35A	72LB-507B35A	72LP-507B35A	76LB-507B35A	76LP-507B35A	77LB-507B35A	77LP-507B35A	79LB-507B35A	79LP-507B35A
	Low	15x8.3	Front/Rear	-4	4.50	70LB-508B45A	70LP-508B45A	71LB-508B45A	71LP-508B45A	72LB-508B45A	72LP-508B45A	76LB-508B45A	76LP-508B45A	77LB-508B45A	77LP-508B45A	79LB-508B45A	79LP-508B45A
	Low	15x9.3	Rear Only	-16	4.50	70LB-509B45A	70LP-509B45A	71LB-509B45A	71LP-509B45A	72LB-509B45A	72LP-509B45A	76LB-509B45A	76LP-509B45A	77LB-509B45A	77LP-509B45A	79LB-509B45A	79LP-509B45A
17"	Low	15x10.3	Rear Only	-4	5.50	70LB-510B55A	70LP-510B55A	71LB-510B55A	71LP-510B55A	72LB-510B55A	72LP-510B55A	76LB-510B55A	76LP-510B55A	77LB-510B55A	77LP-510B55A	79LB-510B55A	79LP-510B55A
	Low	17x4.5	Front	-27	1.70	70LB7045B17A	70LP7045B17A	71LB7045B17A	71LP7045B17A	72LB7045B17A	72LP7045B17A	76LB7045B17A	76LP7045B17A	77LB7045B17A	77LP7045B17A	79LB7045B17A	79LP7045B17A
	Low	17x7.0	Front	-15	3.40	70LB7070B35A	70LP7070B35A	71LB7070B35A	71LP7070B35A	72LB7070B35A	72LP7070B35A	76LB7070B35A	76LP7070B35A	77LB7070B35A	77LP7070B35A	79LB7070B35A	79LP7070B35A
	Low	17x8.0	Front/Rear	-3	4.40	70LB7080B45A	70LP7080B45A	71LB7080B45A	71LP7080B45A	72LB7080B45A	72LP7080B45A	76LB7080B45A	76LP7080B45A	77LB7080B45A	77LP7080B45A	79LB7080B45A	79LP7080B45A
18"	Low	17x9.0	Rear Only	-15	4.40	70LB7090B45A	70LP7090B45A	71LB7090B45A	71LP7090B45A	72LB7090B45A	72LP7090B45A	76LB7090B45A	76LP7090B45A	77LB7090B45A	77LP7090B45A	79LB7090B45A	79LP7090B45A
	Low	17x10.0	Rear Only	-3	5.40	70LB7100B55A	70LP7100B55A	71LB7100B55A	71LP7100B55A	72LB7100B55A	72LP7100B55A	76LB7100B55A	76LP7100B55A	77LB7100B55A	77LP7100B55A	79LB7100B55A	79LP7100B55A
20"	Low	18x5.0	Front	-20	2.20	70LB8050B22A	70LP8050B22A	71LB8050B22A	71LP8050B22A	72LB8050B22A	72LP8050B22A	76LB8050B22A	76LP8050B22A	77LB8050B22A	77LP8050B22A	79LB8050B22A	79LP8050B22A
	Low	18x7.0	Front	-8	3.70	70LB8070B37A	70LP8070B37A	71LB8070B37A	71LP8070B37A	72LB8070B37A	72LP8070B37A	76LB8070B37A	76LP8070B37A	77LB8070B37A	77LP8070B37A	79LB8070B37A	79LP8070B37A
	Low	18x8.0	Front/Rear	5	4.70	70LB8080B47A	70LP8080B47A	71LB8080B47A	71LP8080B47A	72LB8080B47A	72LP8080B47A	76LB8080B47A	76LP8080B47A	77LB8080B47A	77LP8080B47A	79LB8080B47A	79LP8080B47A
	Low	18x9.0	Rear Only	-8	4.70	70LB8090B47A	70LP8090B47A	71LB8090B47A	71LP8090B47A	72LB8090B47A	72LP8090B47A	76LB8090B47A	76LP8090B47A	77LB8090B47A	77LP8090B47A	79LB8090B47A	79LP8090B47A
20"	Low	18x10.0	Rear Only	5	5.70	70LB8010B57A	70LP8010B57A	71LB8010B57A	71LP8010B57A	72LB8010B57A	72LP8010B57A	76LB8010B57A	76LP8010B57A	77LB8010B57A	77LP8010B57A	79LB8010B57A	79LP8010B57A
	Low	20x7.0	Front	-13	3.50	70LB0070B35A	70LP0070B35A	71LB0070B35A	71LP0070B35A	72LB0070B35A	72LP0070B35A	76LB0070B35A	76LP0070B35A	77LB0070B35A	77LP0070B35A	79LB0070B35A	79LP0070B35A
	Low	20x8.0	Front/Rear	0	4.50	70LB0080B45A	70LP0080B45A	71LB0080B45A	71LP0080B45A	72LB0080B45A	72LP0080B45A	76LB0080B45A	76LP0080B45A	77LB0080B45A	77LP0080B45A	79LB0080B45A	79LP0080B45A
	Low	20x9.0	Rear Only	-13	4.50	70LB0090B45A	70LP0090B45A	71LB0090B45A	71LP0090B45A	72LB0090B45A	72LP0090B45A	76LB0090B45A	76LP0090B45A	77LB0090B45A	77LP0090B45A	79LB0090B45A	79LP0090B45A
20"	Low	20x10.0	Rear Only	0	5.50	70LB0100B55A	70LP0100B55A	71LB0100B55A	71LP0100B55A	72LB0100B55A	72LP0100B55A	76LB0100B55A	76LP0100B55A	77LB0100B55A	77LP0100B55A	79LB0100B55A	79LP0100B55A

800-788-9353

6600 Stadium Drive, Kansas City, MO 64129

weldwheels.com

RELEASED - October 2020

WELD

1968-72 Chevelle/Malibu/300/El Camino

A-Body 2nd Gen 5x4.75" [B] 7/16 lugs

Short mag shank lug for 15" RT-S & 5/8 drive stud acceptable. Conical Lugs req'd 17"/18"/20"

	Pad	Size	Vehide Location	Offset	Back Space	570 Black Ctr Part Number	570 All Polished Part Number	571 Black Ctr Part Number	571 All Polished Part Number	572 Black Ctr Part Number	572 All Polished Part Number	576 Black Ctr Part Number	576 All Polished Part Number	577 Black Ctr Part Number	577 All Polished Part Number	579 Black Ctr Part Number	579 All Polished Part Number
15"	Low	15x4	Front	-21	1.63	70LB-504B16A	70LP-504B16A	71LB-504B16A	71LP-504B16A	72LB-504B16A	72LP-504B16A	76LB-504B16A	76LP-504B16A	77LB-504B16A	77LP-504B16A	79LB-504B16A	79LP-504B16A
	Low	15x5.3	Front	-16	2.50	70LB-505B25A	70LP-505B25A	71LB-505B25A	71LP-505B25A	72LB-505B25A	72LP-505B25A	76LB-505B25A	76LP-505B25A	77LB-505B25A	77LP-505B25A	79LB-505B25A	79LP-505B25A
	Low	15x6.3	Front	-3	3.50	70LB-506B35A	70LP-506B35A	71LB-506B35A	71LP-506B35A	72LB-506B35A	72LP-506B35A	76LB-506B35A	76LP-506B35A	77LB-506B35A	77LP-506B35A	79LB-506B35A	79LP-506B35A
	Low	15x7.3	Front	-16	3.50	70LB-507B35A	70LP-507B35A	71LB-507B35A	71LP-507B35A	72LB-507B35A	72LP-507B35A	76LB-507B35A	76LP-507B35A	77LB-507B35A	77LP-507B35A	79LB-507B35A	79LP-507B35A
	Low	15x8.3	Front/Rear	-4	4.50	70LB-508B45A	70LP-508B45A	71LB-508B45A	71LP-508B45A	72LB-508B45A	72LP-508B45A	76LB-508B45A	76LP-508B45A	77LB-508B45A	77LP-508B45A	79LB-508B45A	79LP-508B45A
	Low	15x9.3	Rear Only	-16	4.50	70LB-509B45A	70LP-509B45A	71LB-509B45A	71LP-509B45A	72LB-509B45A	72LP-509B45A	76LB-509B45A	76LP-509B45A	77LB-509B45A	77LP-509B45A	79LB-509B45A	79LP-509B45A
Low	15x10.3	Rear Only	-4	5.50	70LB-510B55A	70LP-510B55A	71LB-510B55A	71LP-510B55A	72LB-510B55A	72LP-510B55A	76LB-510B55A	76LP-510B55A	77LB-510B55A	77LP-510B55A	79LB-510B55A	79LP-510B55A	

17"	Low	17x4.5	Front	-27	1.70	70LB7045B17A	70LP7045B17A	71LB7045B17A	71LP7045B17A	72LB7045B17A	72LP7045B17A	76LB7045B17A	76LP7045B17A	77LB7045B17A	77LP7045B17A	79LB7045B17A	79LP7045B17A
	Low	17x7.0	Front	-15	3.40	70LB7070B35A	70LP7070B35A	71LB7070B35A	71LP7070B35A	72LB7070B35A	72LP7070B35A	76LB7070B35A	76LP7070B35A	77LB7070B35A	77LP7070B35A	79LB7070B35A	79LP7070B35A
	Low	17x8.0	Front/Rear	-3	4.40	70LB7080B45A	70LP7080B45A	71LB7080B45A	71LP7080B45A	72LB7080B45A	72LP7080B45A	76LB7080B45A	76LP7080B45A	77LB7080B45A	77LP7080B45A	79LB7080B45A	79LP7080B45A
	Low	17x9.0	Rear Only	-15	4.40	70LB7090B45A	70LP7090B45A	71LB7090B45A	71LP7090B45A	72LB7090B45A	72LP7090B45A	76LB7090B45A	76LP7090B45A	77LB7090B45A	77LP7090B45A	79LB7090B45A	79LP7090B45A
	Low	17x10.0	Rear Only	-3	5.40	70LB7100B55A	70LP7100B55A	71LB7100B55A	71LP7100B55A	72LB7100B55A	72LP7100B55A	76LB7100B55A	76LP7100B55A	77LB7100B55A	77LP7100B55A	79LB7100B55A	79LP7100B55A

18"	Low	18x5.0	Front	-20	2.20	70LB8050B22A	70LP8050B22A	71LB8050B22A	71LP8050B22A	72LB8050B22A	72LP8050B22A	76LB8050B22A	76LP8050B22A	77LB8050B22A	77LP8050B22A	79LB8050B22A	79LP8050B22A
	Low	18x7.0	Front	-8	3.70	70LB8070B37A	70LP8070B37A	71LB8070B37A	71LP8070B37A	72LB8070B37A	72LP8070B37A	76LB8070B37A	76LP8070B37A	77LB8070B37A	77LP8070B37A	79LB8070B37A	79LP8070B37A
	Low	18x8.0	Front/Rear	-5	4.70	70LB8080B47A	70LP8080B47A	71LB8080B47A	71LP8080B47A	72LB8080B47A	72LP8080B47A	76LB8080B47A	76LP8080B47A	77LB8080B47A	77LP8080B47A	79LB8080B47A	79LP8080B47A
	Low	18x9.0	Rear Only	-8	4.70	70LB8090B47A	70LP8090B47A	71LB8090B47A	71LP8090B47A	72LB8090B47A	72LP8090B47A	76LB8090B47A	76LP8090B47A	77LB8090B47A	77LP8090B47A	79LB8090B47A	79LP8090B47A
	Low	18x10.0	Rear Only	5	5.70	70LB8100B57A	70LP8100B57A	71LB8100B57A	71LP8100B57A	72LB8100B57A	72LP8100B57A	76LB8100B57A	76LP8100B57A	77LB8100B57A	77LP8100B57A	79LB8100B57A	79LP8100B57A

20"	Low	20x7.0	Front	-13	3.50	70LB0070B35A	70LP0070B35A	71LB0070B35A	71LP0070B35A	72LB0070B35A	72LP0070B35A	76LB0070B35A	76LP0070B35A	77LB0070B35A	77LP0070B35A	79LB0070B35A	79LP0070B35A
	Low	20x8.0	Front/Rear	0	4.50	70LB0080B45A	70LP0080B45A	71LB0080B45A	71LP0080B45A	72LB0080B45A	72LP0080B45A	76LB0080B45A	76LP0080B45A	77LB0080B45A	77LP0080B45A	79LB0080B45A	79LP0080B45A
	Low	20x9.0	Rear Only	-13	4.50	70LB0090B45A	70LP0090B45A	71LB0090B45A	71LP0090B45A	72LB0090B45A	72LP0090B45A	76LB0090B45A	76LP0090B45A	77LB0090B45A	77LP0090B45A	79LB0090B45A	79LP0090B45A
	Low	20x10.0	Rear Only	0	5.50	70LB0100B55A	70LP0100B55A	71LB0100B55A	71LP0100B55A	72LB0100B55A	72LP0100B55A	76LB0100B55A	76LP0100B55A	77LB0100B55A	77LP0100B55A	79LB0100B55A	79LP0100B55A

1964-67 Chevelle/Malibu/300/El Camino

A-Body 1st Gen 5x4.75" [B] 7/16 lugs

Short mag shank lug for 15" RT-S & 5/8 drive stud acceptable. Conical Lugs req'd 17"/18"/20"

	Pad	Size	Vehide Location	Offset	Back Space	570 Black Ctr Part Number	570 All Polished Part Number	571 Black Ctr Part Number	571 All Polished Part Number	572 Black Ctr Part Number	572 All Polished Part Number	576 Black Ctr Part Number	576 All Polished Part Number	577 Black Ctr Part Number	577 All Polished Part Number	579 Black Ctr Part Number	579 All Polished Part Number
15"	Low	15x4	Front	-21	1.63	70LB-504B16A	70LP-504B16A	71LB-504B16A	71LP-504B16A	72LB-504B16A	72LP-504B16A	76LB-504B16A	76LP-504B16A	77LB-504B16A	77LP-504B16A	79LB-504B16A	79LP-504B16A
	Low	15x5.3	Front	-16	2.50	70LB-505B25A	70LP-505B25A	71LB-505B25A	71LP-505B25A	72LB-505B25A	72LP-505B25A	76LB-505B25A	76LP-505B25A	77LB-505B25A	77LP-505B25A	79LB-505B25A	79LP-505B25A
	Low	15x6.3	Front	-3	3.50	70LB-506B35A	70LP-506B35A	71LB-506B35A	71LP-506B35A	72LB-506B35A	72LP-506B35A	76LB-506B35A	76LP-506B35A	77LB-506B35A	77LP-506B35A	79LB-506B35A	79LP-506B35A
	Low	15x7.3	Front/Rear	-16	3.50	70LB-507B35A	70LP-507B35A	71LB-507B35A	71LP-507B35A	72LB-507B35A	72LP-507B35A	76LB-507B35A	76LP-507B35A	77LB-507B35A	77LP-507B35A	79LB-507B35A	79LP-507B35A
	Low	15x8.3	Rear Only	-4	4.50	70LB-508B45A	70LP-508B45A	71LB-508B45A	71LP-508B45A	72LB-508B45A	72LP-508B45A	76LB-508B45A	76LP-508B45A	77LB-508B45A	77LP-508B45A	79LB-508B45A	79LP-508B45A
	Low	15x9.3	Rear Only	-4	4.50	70LB-509B45A	70LP-509B45A	71LB-509B45A	71LP-509B45A	72LB-509B45A	72LP-509B45A	76LB-509B45A	76LP-509B45A	77LB-509B45A	77LP-509B45A	79LB-509B45A	79LP-509B45A

17"	Low	17x4.5	Front	-27	1.70	70LB7045B17A	70LP7045B17A	71LB7045B17A	71LP7045B17A	72LB7045B17A	72LP7045B17A	76LB7045B17A	76LP7045B17A	77LB7045B17A	77LP7045B17A	79LB7045B17A	79LP7045B17A
	Low	17x7.0	Front/Rear	-3	3.90	70LB7070B40A	70LP7070B40A	71LB7070B40A	71LP7070B40A	72LB7070B40A	72LP7070B40A	76LB7070B40A	76LP7070B40A	77LB7070B40A	77LP7070B40A	79LB7070B40A	79LP7070B40A
	Low	17x8.0	Rear Only	10	4.90	70LB7080B50A	70LP7080B50A	71LB7080B50A	71LP7080B50A	72LB7080B50A	72LP7080B50A	76LB7080B50A	76LP7080B50A	77LB7080B50A	77LP7080B50A	79LB7080B50A	79LP7080B50A

18"	Low	18x5.0	Front	-8	2.70	70LB8050B27A	70LP8050B27A	71LB8050B27A	71LP8050B27A	72LB8050B27A	72LP8050B27A	76LB8050B27A	76LP8050B27A	77LB8050B27A	77LP8050B27A	79LB8050B27A	79LP8050B27A
	Low	18x7.0	Front/Rear	-5	4.20	70LB8070B42A	70LP8070B42A	71LB8070B42A	71LP8070B42A	72LB8070B42A	72LP8070B42A	76LB8070B42A	76LP8070B42A	77LB8070B42A	77LP8070B42A	79LB8070B42A	79LP8070B42A
	Low	18x8.0	Rear Only	18	5.20	70LB8080B52A	70LP8080B52A	71LB8080B52A	71LP8080B52A	72LB8080B52A	72LP8080B52A	76LB8080B52A	76LP8080B52A	77LB8080B52A	77LP8080B52A	79LB8080B52A	79LP8080B52A

20"	Low	20x7.0	Front/Rear	0	4.00	70LB0070B40A	70LP0070B40A	71LB0070B40A	71LP0070B40A	72LB0070B40A	72LP0070B40A	76LB0070B40A	76LP0070B40A	77LB0070B40A	77LP0070B40A	79LB0070B40A	79LP0070B40A
	Low	20x8.0	Rear Only	13	5.00	70LB0080B50A	70LP0080B50A	71LB0080B50A	71LP0080B50A	72LB0080B50A	72LP0080B50A	76LB0080B50A	76LP0080B50A	77LB0080B50A	77LP0080B50A	79LB0080B50A	79LP0080B50A

1975-79 Chevy II & Nova (X-Body 3rd Gen)

5x4.75" [B] 7/16 lugs

Short mag shank lug for 15" RT-S & 5/8 drive stud acceptable. Conical Lugs req'd 17"/18"/20"

	Pad	Size	Vehide Location	Offset	Back Space	570 Black Ctr Part Number	570 All Polished Part Number	571 Black Ctr Part Number	571 All Polished Part Number	572 Black Ctr Part Number	572 All Polished Part Number	576 Black Ctr Part Number	576 All Polished Part Number	577 Black Ctr Part Number	577 All Polished Part Number	579 Black Ctr Part Number	579 All Polished Part Number
15"	Low	15x4	Front	-21	1.63	70LB-504B16A	70LP-504B16A	71LB-504B16A	71LP-504B16A	72LB-504B16A	72LP-504B16A	76LB-504B16A	76LP-504B16A	77LB-504B16A	77LP-504B16A	79LB-504B16A	79LP-504B16A
	Low	15x5.3	Front	-16	2.50	70LB-505B25A	70LP-505B25A	71LB-505B25A	71LP-505B25A	72LB-505B25A	72LP-505B25A	76LB-505B25A	76LP-505B25A	77LB-505B25A	77LP-505B25A	79LB-505B25A	79LP-505B25A
	Low	15x6.3	Front	-3	3.50	70LB-506B35A	70LP-506B35A	71LB-506B35A	71LP-506B35A	72LB-506B35A	72LP-506B35A	76LB-506B35A	76LP-506B35A	77LB-506B35A	77LP-506B35A	79LB-506B35A	79LP-506B35A
	Low	15x7.3	Front/Rear	10	4.50	70LB-507B45A	70LP-507B45A	71LB-507B45A	71LP-507B45A	72LB-507B45A	72LP-507B45A	76LB-507B45A	76LP-507B45A	77LB-507B45A	77LP-507B45A	79LB-507B45A	79LP-507B45A
	Low	15x8.3	Rear Only	21	5.50	70LB-508B55A*	70LP-508B55A*	71LB-508B55A*	71LP-508B55A*	72LB-508B55A*	72LP-508B55A*	76LB-508B55A*	76LP-508B55A*	77LB-508B55A*	77LP-508B55A*	79LB-508B55A*	79LP-508B55A*
	Low	15x9.3	Rear Only	21	5.50	70LB-509B55A*	70LP-509B55A*	71LB-509B55A*	71LP-509B55A*	72LB-509B55A*	72LP-509B55A*	76LB-509B55A*	76LP-509B55A*	77LB-509B55A*	77LP-509B55A*	79LB-509B55A*	79LP-509B55A*

*May require relocating rear shocks inboard

17"	Low	17x4.5	Front	-27	1.70	70LB7045B17A	70LP7045B17A	71LB7045B17A	71LP7045B17A	72LB7045B17A	72LP7045B17A	76LB7045B17A	76LP7045B17A	77LB7045B17A	77LP7045B17A	79LB7045B17A	79LP7045B17A
	Low	17x7.0	Front	-3	3.90	70LB7070B40A	70LP7070B40A	71LB7070B40A	71LP7070B40A	72LB7070B40A	72LP7070B40A	76LB7070B40A	76LP7070B40A	77LB7070B40A	77LP7070B40A	79LB7070B40A	79LP7070B40A
	Low	17x8.0	Front/Rear	10	4.90	70LB7080B50A*	70LP7080B50A*	71LB7080B50A*	71LP7080B50A*	72LB7080B50A*	72LP7080B50A*	76LB7080B50A*	76LP7080B50A*	77LB7080B50A*	77LP7080B50A*	79LB7080B50A*	79LP7080B50A*

*May require relocating rear shocks inboard

18"	Low	18x5.0
-----	-----	--------

WELD

1968-74 Chevy II & Nova (X-Body 2nd Gen)

5x4.75" [B] 7/16 lugs

Short mag shank lug for 15" RT-S & 5/8 drive stud acceptable. Conical Lugs req'd 17"/18"/20"

	Pad	Size	Vehide Location	Offset	Back Space	S70 Black Ctr Part Number	S70 All Polished Part Number	S71 Black Ctr Part Number	S71 All Polished Part Number	S72 Black Ctr Part Number	S72 All Polished Part Number	S76 Black Ctr Part Number	S76 All Polished Part Number	S77 Black Ctr Part Number	S77 All Polished Part Number	S79 Black Ctr Part Number	S79 All Polished Part Number
15"	Low	15x4	Front	-21	1.63	70LB-504B16A	70LP-504B16A	71LB-504B16A	71LP-504B16A	72LB-504B16A	72LP-504B16A	76LB-504B16A	76LP-504B16A	77LB-504B16A	77LP-504B16A	79LB-504B16A	79LP-504B16A
	Low	15x5.3	Front	-16	2.50	70LB-505B25A	70LP-505B25A	71LB-505B25A	71LP-505B25A	72LB-505B25A	72LP-505B25A	76LB-505B25A	76LP-505B25A	77LB-505B25A	77LP-505B25A	79LB-505B25A	79LP-505B25A
	Low	15x6.3	Front	-3	3.50	70LB-506B35A	70LP-506B35A	71LB-506B35A	71LP-506B35A	72LB-506B35A	72LP-506B35A	76LB-506B35A	76LP-506B35A	77LB-506B35A	77LP-506B35A	79LB-506B35A	79LP-506B35A
	Low	15x7.3	Front/Rear	10	4.50	70LB-507B45A	70LP-507B45A	71LB-507B45A	71LP-507B45A	72LB-507B45A	72LP-507B45A	76LB-507B45A	76LP-507B45A	77LB-507B45A	77LP-507B45A	79LB-507B45A	79LP-507B45A
17"	Low	17x4.5	Front	-27	1.70	70LB7045B17A	70LP7045B17A	71LB7045B17A	71LP7045B17A	72LB7045B17A	72LP7045B17A	76LB7045B17A	76LP7045B17A	77LB7045B17A	77LP7045B17A	79LB7045B17A	79LP7045B17A
	Low	17x6.5	Front/Rear	4	3.90	70LB7065B40A	70LP7065B40A	71LB7065B40A	71LP7065B40A	72LB7065B40A	72LP7065B40A	76LB7065B40A	76LP7065B40A	77LB7065B40A	77LP7065B40A	79LB7065B40A	79LP7065B40A
	Low	17x7.0	Rear Only	10	4.40	70LB7070B45A	70LP7070B45A	71LB7070B45A	71LP7070B45A	72LB7070B45A	72LP7070B45A	76LB7070B45A	76LP7070B45A	77LB7070B45A	77LP7070B45A	79LB7070B45A	79LP7070B45A
18"	Low	18x5.0	Front	-8	2.70	70LB8050B77A	70LP8050B77A	71LB8050B77A	71LP8050B77A	72LB8050B77A	72LP8050B77A	76LB8050B77A	76LP8050B77A	77LB8050B77A	77LP8050B77A	79LB8050B77A	79LP8050B77A
	Low	18x6.0	Front	5	3.70	70LB8060B37A	70LP8060B37A	71LB8060B37A	71LP8060B37A	72LB8060B37A	72LP8060B37A	76LB8060B37A	76LP8060B37A	77LB8060B37A	77LP8060B37A	79LB8060B37A	79LP8060B37A
	Low	18x7.0	Rear Only	5	4.20	70LB8070B42A	70LP8070B42A	71LB8070B42A	71LP8070B42A	72LB8070B42A	72LP8070B42A	76LB8070B42A	76LP8070B42A	77LB8070B42A	77LP8070B42A	79LB8070B42A	79LP8070B42A
20"	Low	20x6.0	Front	0	3.50	70LB0060B35A	70LP0060B35A	71LB0060B35A	71LP0060B35A	72LB0060B35A	72LP0060B35A	76LB0060B35A	76LP0060B35A	77LB0060B35A	77LP0060B35A	79LB0060B35A	79LP0060B35A
	Low	20x7.0	Rear Only	13	4.50	70LB0070B45A	70LP0070B45A	71LB0070B45A	71LP0070B45A	72LB0070B45A	72LP0070B45A	76LB0070B45A	76LP0070B45A	77LB0070B45A	77LP0070B45A	79LB0070B45A	79LP0070B45A

1962-67 Chevy II & Nova (X-Body 2nd Gen)

5x4.75" [B] 7/16 lugs

Short mag shank lug for 15" RT-S & 5/8 drive stud acceptable. Conical Lugs req'd 17"/18"/20"

	Pad	Size	Vehide Location	Offset	Back Space	S70 Black Ctr Part Number	S70 All Polished Part Number	S71 Black Ctr Part Number	S71 All Polished Part Number	S72 Black Ctr Part Number	S72 All Polished Part Number	S76 Black Ctr Part Number	S76 All Polished Part Number	S77 Black Ctr Part Number	S77 All Polished Part Number	S79 Black Ctr Part Number	S79 All Polished Part Number
15"	Low	15x4	Front	-21	1.63	70LB-504B16A	70LP-504B16A	71LB-504B16A	71LP-504B16A	72LB-504B16A	72LP-504B16A	76LB-504B16A	76LP-504B16A	77LB-504B16A	77LP-504B16A	79LB-504B16A	79LP-504B16A
	Low	15x5.3	Front	-16	2.50	70LB-505B25A	70LP-505B25A	71LB-505B25A	71LP-505B25A	72LB-505B25A	72LP-505B25A	76LB-505B25A	76LP-505B25A	77LB-505B25A	77LP-505B25A	79LB-505B25A	79LP-505B25A
	Low	15x6.3	Front	-3	3.50	70LB-506B35A	70LP-506B35A	71LB-506B35A	71LP-506B35A	72LB-506B35A	72LP-506B35A	76LB-506B35A	76LP-506B35A	77LB-506B35A	77LP-506B35A	79LB-506B35A	79LP-506B35A
	Low	15x7.3	Front/Rear	10	4.50	70LB-507B45A	70LP-507B45A	71LB-507B45A	71LP-507B45A	72LB-507B45A	72LP-507B45A	76LB-507B45A	76LP-507B45A	77LB-507B45A	77LP-507B45A	79LB-507B45A	79LP-507B45A
	Low	15x8.3	Rear Only	21	5.50	70LB-508B55A*	70LP-508B55A*	71LB-508B55A*	71LP-508B55A*	72LB-508B55A*	72LP-508B55A*	76LB-508B55A*	76LP-508B55A*	77LB-508B55A*	77LP-508B55A*	79LB-508B55A*	79LP-508B55A*

*May require relocating rear shocks inbound

17"	Low	17x4.5	Front	-27	1.70	70LB7045B17A	70LP7045B17A	71LB7045B17A	71LP7045B17A	72LB7045B17A	72LP7045B17A	76LB7045B17A	76LP7045B17A	77LB7045B17A	77LP7045B17A	79LB7045B17A	79LP7045B17A
	Low	17x7.0	Front/Rear	11	4.40	70LB7070B45A	70LP7070B45A	71LB7070B45A	71LP7070B45A	72LB7070B45A	72LP7070B45A	76LB7070B45A	76LP7070B45A	77LB7070B45A	77LP7070B45A	79LB7070B45A	79LP7070B45A
	Low	17x8.0	Rear Only	10	4.90	70LB7080B50A	70LP7080B50A	71LB7080B50A	71LP7080B50A	72LB7080B50A	72LP7080B50A	76LB7080B50A	76LP7080B50A	77LB7080B50A	77LP7080B50A	79LB7080B50A	79LP7080B50A
	Low	17x8.5	Rear Only	17	5.40	70LB7085B55A*	70LP7085B55A*	71LB7085B55A*	71LP7085B55A*	72LB7085B55A*	72LP7085B55A*	76LB7085B55A*	76LP7085B55A*	77LB7085B55A*	77LP7085B55A*	79LB7085B55A*	79LP7085B55A*

*May require relocating rear shocks inbound

18"	Low	18x5.0	Front	-8	2.70	70LB8050B27A	70LP8050B27A	71LB8050B27A	71LP8050B27A	72LB8050B27A	72LP8050B27A	76LB8050B27A	76LP8050B27A	77LB8050B27A	77LP8050B27A	79LB8050B27A	79LP8050B27A
	Low	18x6.0	Front	5	3.70	70LB8060B37A	70LP8060B37A	71LB8060B37A	71LP8060B37A	72LB8060B37A	72LP8060B37A	76LB8060B37A	76LP8060B37A	77LB8060B37A	77LP8060B37A	79LB8060B37A	79LP8060B37A
	Low	18x7.0	Front	18	4.70	70LB8070B47A	70LP8070B47A	71LB8070B47A	71LP8070B47A	72LB8070B47A	72LP8070B47A	76LB8070B47A	76LP8070B47A	77LB8070B47A	77LP8070B47A	79LB8070B47A	79LP8070B47A
	Low	18x8.0	Rear Only	5	4.70	70LB8080B47A	70LP8080B47A	71LB8080B47A	71LP8080B47A	72LB8080B47A	72LP8080B47A	76LB8080B47A	76LP8080B47A	77LB8080B47A	77LP8080B47A	79LB8080B47A	79LP8080B47A
	Low	18x9.0	Rear Only	18	5.70	70LB8090B57A*	70LP8090B57A*	71LB8090B57A*	71LP8090B57A*	72LB8090B57A*	72LP8090B57A*	76LB8090B57A*	76LP8090B57A*	77LB8090B57A*	77LP8090B57A*	79LB8090B57A*	79LP8090B57A*

*May require relocating rear shocks inbound

20"	Low	20x6.0	Front	0	3.50	70LB0060B35A	70LP0060B35A	71LB0060B35A	71LP0060B35A	72LB0060B35A	72LP0060B35A	76LB0060B35A	76LP0060B35A	77LB0060B35A	77LP0060B35A	79LB0060B35A	79LP0060B35A
	Low	20x7.0	Rear Only	13	4.50	70LB0070B45A	70LP0070B45A	71LB0070B45A	71LP0070B45A	72LB0070B45A	72LP0070B45A	76LB0070B45A	76LP0070B45A	77LB0070B45A	77LP0070B45A	79LB0070B45A	79LP0070B45A

WELD

2014+ SS (Sports Sedan)

5x120mm [N]. Conical Lug nuts.

	Size	Vehicle Location	Weld Offset	Weld B/S	S70 Black Ctr Part Number	S70 All Polished Part Number	S71 Black Ctr Part Number	S71 All Polished Part Number	S72 Black Ctr Part Number	S72 All Polished Part Number	S76 Black Ctr Part Number	S76 All Polished Part Number	S77 Black Ctr Part Number	S77 All Polished Part Number	S79 Black Ctr Part Number	S79 All Polished Part Number	S79 All Polished Part Number
15"	15x10	Rear only		7.5	70MB-S10N75C*	70MP-S10N75C*	71MB-S10N75C*	71MP-S10N75C*	72MB-S10N75C*	72MP-S10N75C*	76MB-S10N75C*	76MP-S10N75C*	77MB-S10N75C*	77MP-S10N75C*	79MB-S10N75C*	79MP-S10N75C*	79MP-S10N75C*

*Requires Carlyle Racing 15" Conversion kit 15-209-V2-0915

17"	17x5.0	Front	-21	2.2	70HB7050N22A*	70HP7050N22A*	71HB7050N22A*	71HP7050N22A*	72HB7050N22A*	72HP7050N22A*	76HB7050N22A*	76HP7050N22A*	77HB7050N22A*	77HP7050N22A*	79HB7050N22A*	79HP7050N22A*	79HP7050N22A*
	17X7.0	Front	5	4.2	70HB7070N42A*	70HP7070N42A*	71HB7070N42A*	71HP7070N42A*	72HB7070N42A*	72HP7070N42A*	76HB7070N42A*	76HP7070N42A*	77HB7070N42A*	77HP7070N42A*	79HB7070N42A*	79HP7070N42A*	79HP7070N42A*
	17X8.0	Front & Rear	18	5.2	70HB7080N52A*	70HP7080N52A*	71HB7080N52A*	71HP7080N52A*	72HB7080N52A*	72HP7080N52A*	76HB7080N52A*	76HP7080N52A*	77HB7080N52A*	77HP7080N52A*	79HB7080N52A*	79HP7080N52A*	79HP7080N52A*
	17x9.0	Front & Rear	31	6.2	70HB7090N62A*	70HP7090N62A*	71HB7090N62A*	71HP7090N62A*	72HB7090N62A*	72HP7090N62A*	76HB7090N62A*	76HP7090N62A*	77HB7090N62A*	77HP7090N62A*	79HB7090N62A*	79HP7090N62A*	79HP7090N62A*
	17x10.0	Rear only	44	7.2	70HB7100N72A	70HP7100N72A	71HB7100N72A	71HP7100N72A	72HB7100N72A	72HP7100N72A	76HB7100N72A	76HP7100N72A	77HB7100N72A	77HP7100N72A	79HB7100N72A	79HP7100N72A	79HP7100N72A

* Denotes: Front wheel application requires 3/16" (5mm) spacer & will exceed fender by 3/8" (9mm)

Front/Rear tire heights must be within 1/2" (13mm) of each other to prevent traction control errors

18"	18x5.0	Front	-23	2.1	70HB8050N21A*	70HP8050N21A*	71HB8050N21A*	71HP8050N21A*	72HB8050N21A*	72HP8050N21A*	76HB8050N21A*	76HP8050N21A*	77HB8050N21A*	77HP8050N21A*	79HB8050N21A*	79HP8050N21A*	79HP8050N21A*
	18x8.0	Front & Rear	15	5.1	70HB8080N51A*	70HP8080N51A*	71HB8080N51A*	71HP8080N51A*	72HB8080N51A*	72HP8080N51A*	76HB8080N51A*	76HP8080N51A*	77HB8080N51A*	77HP8080N51A*	79HB8080N51A*	79HP8080N51A*	79HP8080N51A*
	18x9.0	Front & Rear	28	6.1	70HB8090N61A*	70HP8090N61A*	71HB8090N61A*	71HP8090N61A*	72HB8090N61A*	72HP8090N61A*	76HB8090N61A*	76HP8090N61A*	77HB8090N61A*	77HP8090N61A*	79HB8090N61A*	79HP8090N61A*	79HP8090N61A*
	18x10.0	Rear only	41	7.1	70HB8100N71A	70HP8100N71A	71HB8100N71A	71HP8100N71A	72HB8100N71A	72HP8100N71A	76HB8100N71A	76HP8100N71A	77HB8100N71A	77HP8100N71A	79HB8100N71A	79HP8100N71A	79HP8100N71A

* Denotes: Front wheel application will exceed fender by 3/16" (5mm) Front/Rear tire heights must be with 1/2" of each other to prevent traction control errors

20"	20x7.0	Front	8	4.3	70HB0070N43A*	70HP0070N43A*	71HB0070N43A*	71HP0070N43A*	72HB0070N43A*	72HP0070N43A*	76HB0070N43A*	76HP0070N43A*	77HB0070N43A*	77HP0070N43A*	79HB0070N43A*	79HP0070N43A*	79HP0070N43A*
	20x8.0	Front & Rear	20	5.3	70HB0080N53A*	70HP0080N53A*	71HB0080N53A*	71HP0080N53A*	72HB0080N53A*	72HP0080N53A*	76HB0080N53A*	76HP0080N53A*	77HB0080N53A*	77HP0080N53A*	79HB0080N53A*	79HP0080N53A*	79HP0080N53A*
	20x9.0	Front & Rear	31	6.3	70HB0090N63A*	70HP0090N63A*	71HB0090N63A*	71HP0090N63A*	72HB0090N63A*	72HP0090N63A*	76HB0090N63A*	76HP0090N63A*	77HB0090N63A*	77HP0090N63A*	79HB0090N63A*	79HP0090N63A*	79HP0090N63A*
	20x10.0	Rear only	46	7.3	70HB0100N73A	70HP0100N73A	71HB0100N73A	71HP0100N73A	72HB0100N73A	72HP0100N73A	76HB0100N73A	76HP0100N73A	77HB0100N73A	77HP0100N73A	79HB0100N73A	79HP0100N73A	79HP0100N73A

Front/Rear tire heights must be within 1/2" of each other to prevent traction control errors

WELD

CADILLAC

This fitment guide applies to vehicles with OE suspension, wheel wells, and brakes unless otherwise noted.

Other sizes and offsets are available, please call the Sales and Tech Department for more information at 800-788-9353

2009-15 CTS-V Sedan and Coupe

2016+ CTS-V Sedan

2016+ ATS-V

5x120, M12x1.5 lug nuts

	Size	Vehicle Location	Weld Offset	Weld B/S	S70 Black Ctr Part Number	S70 All Polished Part Number	S71 Black Ctr Part Number	S71 All Polished Part Number	S72 Black Ctr Part Number	S72 All Polished Part Number	S76 Black Ctr Part Number	S76 All Polished Part Number	S77 Black Ctr Part Number	S77 All Polished Part Number	S79 Black Ctr Part Number	S79 All Polished Part Number
15"	15x10	Rear only		7.5	70MB-510N75C*	70MP-510N75C*	71MB-510N75C*	71MP-510N75C*	72MB-510N75C*	72MP-510N75C*	76MB-510N75C*	76MP-510N75C*	77MB-510N75C*	77MP-510N75C*	79MB-510N75C*	79MP-510N75C*
*Requires CarEyeRacing 15" Conversion kit 15-209-V2-0915																

17"	17x5.0	Front	-21	2.2	70HB7050N22A*	70HP7050N22A*	71HB7050N22A*	71HP7050N22A*	72HB7050N22A*	72HP7050N22A*	76HB7050N22A*	76HP7050N22A*	77HB7050N22A*	77HP7050N22A*	79HB7050N22A*	79HP7050N22A*
	17x7.0	Front	5	4.2	70HB7070N42A*	70HP7070N42A*	71HB7070N42A*	71HP7070N42A*	72HB7070N42A*	72HP7070N42A*	76HB7070N42A*	76HP7070N42A*	77HB7070N42A*	77HP7070N42A*	79HB7070N42A*	79HP7070N42A*
	17x8.0	Front & Rear	18	5.2	70HB7080N52A*	70HP7080N52A*	71HB7080N52A*	71HP7080N52A*	72HB7080N52A*	72HP7080N52A*	76HB7080N52A*	76HP7080N52A*	77HB7080N52A*	77HP7080N52A*	79HB7080N52A*	79HP7080N52A*
	17x9.0	Front & Rear	31	6.2	70HB7090N62A*	70HP7090N62A*	71HB7090N62A*	71HP7090N62A*	72HB7090N62A*	72HP7090N62A*	76HB7090N62A*	76HP7090N62A*	77HB7090N62A*	77HP7090N62A*	79HB7090N62A*	79HP7090N62A*
	17x10.0	Rear only	44	7.2	70HB7100N72A	70HP7100N72A	71HB7100N72A	71HP7100N72A	72HB7100N72A	72HP7100N72A	76HB7100N72A	76HP7100N72A	77HB7100N72A	77HP7100N72A	79HB7100N72A	79HP7100N72A
	17x10.5	Rear only	50	7.7	70HB7105N77A~	70HP7105N77A~	71HB7105N77A~	71HP7105N77A~	72HB7105N77A~	72HP7105N77A~	76HB7105N77A~	76HP7105N77A~	77HB7105N77A~	77HP7105N77A~	79HB7105N77A~	79HP7105N77A~
* Denotes: Front wheel application requires 3/16" (5mm) spacer & will exceed fender by 3/8" (9mm)																
~ This application is for the CTS-V Coupe only																

Front/Rear tire heights must be within 1/2" (13mm) of each other to prevent traction control errors

18"	18x5.0	Front	-23	2.1	70HB8050N21A*	70HP8050N21A*	71HB8050N21A*	71HP8050N21A*	72HB8050N21A*	72HP8050N21A*	76HB8050N21A*	76HP8050N21A*	77HB8050N21A*	77HP8050N21A*	79HB8050N21A*	79HP8050N21A*
	18x8.0	Front & Rear	15	5.1	70HB8080N51A*	70HP8080N51A*	71HB8080N51A*	71HP8080N51A*	72HB8080N51A*	72HP8080N51A*	76HB8080N51A*	76HP8080N51A*	77HB8080N51A*	77HP8080N51A*	79HB8080N51A*	79HP8080N51A*
	18x9.0	Front & Rear	28	6.1	70HB8090N61A*	70HP8090N61A*	71HB8090N61A*	71HP8090N61A*	72HB8090N61A*	72HP8090N61A*	76HB8090N61A*	76HP8090N61A*	77HB8090N61A*	77HP8090N61A*	79HB8090N61A*	79HP8090N61A*
	18x10.0	Rear only	41	7.1	70HB8100N71A	70HP8100N71A	71HB8100N71A	71HP8100N71A	72HB8100N71A	72HP8100N71A	76HB8100N71A	76HP8100N71A	77HB8100N71A	77HP8100N71A	79HB8100N71A	79HP8100N71A
	18x10.5	Rear only	47	7.6	70HB8105N76A	70HP8105N76A	71HB8105N76A	71HP8105N76A	72HB8105N76A	72HP8105N76A	76HB8105N76A	76HP8105N76A	77HB8105N76A	77HP8105N76A	79HB8105N76A	79HP8105N76A
* Denotes: Front wheel application will exceed fender by 3/16" (5mm) Front/Rear tire heights must be with 1/2" of each other to prevent traction control errors																

20"	20x7.0	Front	8	4.3	70HB0070N43A*	70HP0070N43A*	71HB0070N43A*	71HP0070N43A*	72HB0070N43A*	72HP0070N43A*	76HB0070N43A*	76HP0070N43A*	77HB0070N43A*	77HP0070N43A*	79HB0070N43A*	79HP0070N43A*
	20x8.0	Front & Rear	20	5.3	70HB0080N53A*	70HP0080N53A*	71HB0080N53A*	71HP0080N53A*	72HB0080N53A*	72HP0080N53A*	76HB0080N53A*	76HP0080N53A*	77HB0080N53A*	77HP0080N53A*	79HB0080N53A*	79HP0080N53A*
	20x9.0	Front & Rear	31	6.3	70HB0090N63A*	70HP0090N63A*	71HB0090N63A*	71HP0090N63A*	72HB0090N63A*	72HP0090N63A*	76HB0090N63A*	76HP0090N63A*	77HB0090N63A*	77HP0090N63A*	79HB0090N63A*	79HP0090N63A*
	20x10.0	Rear only	46	7.3	70HB0100N73A	70HP0100N73A	71HB0100N73A	71HP0100N73A	72HB0100N73A	72HP0100N73A	76HB0100N73A	76HP0100N73A	77HB0100N73A	77HP0100N73A	79HB0100N73A	79HP0100N73A
	20x10.5	Rear only	50	7.7	70HB0105N77A	70HP0105N77A	71HB0105N77A	71HP0105N77A	72HB0105N77A	72HP0105N77A	76HB0105N77A	76HP0105N77A	77HB0105N77A	77HP0105N77A	79HB0105N77A	79HP0105N77A
Front/Rear tire heights must be within 1/2" of each other to prevent traction control errors																

2015+ ATS (not -V)

5x115, M12x1.5 lug nuts, Alpha II Platform

	Size	Vehicle Location	Weld Offset	Weld B/S	S70 Black Ctr Part Number	S70 All Polished Part Number	S71 Black Ctr Part Number	S71 All Polished Part Number	S72 Black Ctr Part Number	S72 All Polished Part Number	S76 Black Ctr Part Number	S76 All Polished Part Number	S77 Black Ctr Part Number	S77 All Polished Part Number	S79 Black Ctr Part Number	S79 All Polished Part Number
17"	17x5.0	Front	-21	2.2	70HB7050W22A	70HP7050W22A	71HB7050W22A	71HP7050W22A	72HB7050W22A	72HP7050W22A	76HB7050W22A	76HP7050W22A	77HB7050W22A	77HP7050W22A	79HB7050W22A	79HP7050W22A
	17x8.0	Front & Rear	33	5.8	70MB7080W58A	70MP7080W58A	71MB7080W58A	71MP7080W58A	72MB7080W58A	72MP7080W58A	76MB7080W58A	76MP7080W58A	77MB7080W58A	77MP7080W58A	79MB7080W58A	79MP7080W58A
	17x9.0	Front & Rear	46	6.8	70MB7090W68A	70MP7090W68A	71MB7090W68A	71MP7090W68A	72MB7090W68A	72MP7090W68A	76MB7090W68A	76MP7090W68A	77MB7090W68A	77MP7090W68A	79MB7090W68A	79MP7090W68A
	18x10.0	Rear only	58	7.8	70MB7100W78A	70MP7100W78A	78MB7100W78A	78MP7100W78A	72MB7100W78A	72MP7100W78A	76MB7100W78A	76MP7100W78A	77MB7100W78A	77MP7100W78A	79MB7100W78A	79MP7100W78A
Front/Rear tire heights must be within 1/2" of each other to prevent traction control errors																

18"	18x5.0	Front	-23	2.1	70HB8050W21A	70HP8050W21A	71HB8050W21A	71HP8050W21A	72HB8050W21A	72HP8050W21A	76HB8050W21A	76HP8050W21A	77HB8050W21A	77HP8050W21A	79HB8050W21A	79HP8050W21A
	18x8.0	Front & Rear	31	5.7	70MB8080W57A	70MP8080W57A	71MB8080W57A	71MP8080W57A	72MB8080W57A	72MP8080W57A	76MB8080W57A	76MP8080W57A	77MB8080W57A	77MP8080W57A	79MB8080W57A	79MP8080W57A
	18x9.0	Front & Rear	43	6.7	70MB8090W67A	70MP8090W67A	71MB8090W67A	71MP8090W67A	72MB8090W67A	72MP8090W67A	76MB8090W67A	76MP8090W67A	77MB8090W67A	77MP8090W67A	79MB8090W67A	79MP8090W67A
	18x10.0	Rear only	56	7.7	70MB8100W77A	70MP8100W77A	77MB8100W77A	77MP8100W77A	72MB8100W77A	72MP8100W77A	76MB8100W77A	76MP8100W77A	77MB8100W77A	77MP8100W77A	79MB8100W77A	79MP8100W77A
Front/Rear tire heights must be with 1/2" of each other to prevent traction control errors																

20"	20x7.0	Front	10	4.4	70HB0070W44A	70HP0070W44A	71HB0070W44A	71HP0070W44A	72HB0070W44A	72HP0070W44A	76HB0070W44A	76HP0070W44A	77HB0070W44A	77HP0070W44A	79HB0070W44A	79HP0070W44A
	20x8.0	Front & Rear	23	5.4	70HB0080W54A	70HP0080W54A	71HB0080W54A	71HP0080W54A	72HB0080W54A	72HP0080W54A	76HB0080W54A	76HP0080W54A	77HB0080W54A	77HP0080W54A	79HB0080W54A	79HP0080W54A
	20x9.0	Front & Rear	36	6.4	70HB0090W64A	70HP0090W64A	71HB0090W64A	71HP0090W64A	72HB0090W64A	72HP0090W64A	76HB0090W64A	76HP0090W64A	77HB0090W64A	77HP0090W64A	79HB0090W64A	79HP0090W64A
	20x10.0	Rear only	48	7.4	70HB0100W74A	70HP0100W74A	71HB0100W74A	71HP0100W74A	72HB0100W74A	72HP0100W74A	76HB0100W74A	76HP0100W74A	77HB0100W74A	77HP0100W74A	79HB0100W74A	79HP0100W74A
Front/Rear tire heights must be with 1/2" of each other to prevent traction control errors																

2004-07 CTS-V

6x115, M12x1.5 lug nuts, Sigma Platform

	Size	Vehicle Location	Weld Offset	Weld B/S	S70 Black Ctr Part Number	S70 All Polished Part Number	S71 Black Ctr Part Number	S71 All Polished Part Number	S72 Black Ctr Part Number	S72 All Polished Part Number	S76 Black Ctr Part Number	S76 All Polished Part Number	S77 Black Ctr Part Number	S77 All Polished Part Number	S79 Black Ctr Part Number	S79 All Polished Part Number
18"	18x5.0	Front	-23	2.1	-	-	-	-	-	-	-	-	77HB8050M21A	77HP8050M21A	79HB8050M21A	79HP8050M21A
	18x8.5	Front	21	5.6	-	-	-	-	-	-	-	-	77HB8085M56A	77HP8085M56A	79HB8085M56A	79HP8085M56A
	18x10.0	Rear only	41	7.1	-	-	-	-	-	-	-	-	77HB8100M71A	77HP8100M71A	79HB8100M71A	79HP8100M71A
Front/Rear tire heights must be with 1/2" of each other to prevent traction control errors																
Front fitment will stick out past fender 3/8"																

800-788-9353

6600 Stadium Drive, Kansas City, MO 64129

weldwheels.com

RELEASED - May 2021

WELD

DODGE

This fitment guide applies to vehicles with OE suspension, wheel wells, and brakes unless otherwise noted.

Other sizes and offsets are available, please call the Sales and Tech Department for more information at 800-788-9353

Challenger Hellcat Widebody/Redeye/Scat Pack Widebody

2021+ Hellcats Front 15.7" Brembo Brakes, Rear 13.8" Brembo, 20x11 305/35ZR20's

5x115mm [W] 14mmX1.5 lugs. Conical Lugs required

Wheel Diameter	Pad Height	Size	Vehicle Location	Offset	Back Space	S70 Black Ctr Part Number	S70 All Polished Part Number	S71 All Polished Part Number	S71 Black Ctr Part Number	S72 Black Ctr Part Number	S72 All Polished Part Number	S76 Black Ctr Part Number	S76 All Polished Part Number	S77 Black Ctr Part Number	S77 All Polished Part Number	S79 Black Ctr Part Number	S79 All Polished Part Number
15"	Medium	15X11.33	Rear Only	22	6.5	70MB-511W65C ^{AA}	70MP-511W65C ^{AA}	71MP-511W65C ^{AA}	71MB-511W65C ^{AA}	72MB-511W65C ^{AA}	72MP-511W65C ^{AA}	76MB-511W65C ^{AA}	76MP-511W65C ^{AA}	77MB-511W65C ^{AA}	77MP-511W65C ^{AA}	79MB-511W65C ^{AA}	79MP-511W65C ^{AA}

^{AA}Will require brake/suspension modifications. This size will not fit O.E. brake package.

17"	High	17x10.0	Rear Only	-8	5.2	70HB7100W52A	70HP7100W52A	71HP7100W52A	71HB7100W52A	72HB7100W52A	72HP7100W52A	76HB7100W52A	76HP7100W52A	77HB7100W52A	77HP7100W52A	79HB7100W52A	79HP7100W52A
	High	17x10.5	Rear Only	-1	5.7	70HB7105W57A	70HP7105W57A	71HP7105W57A	71HB7105W57A	72HB7105W57A	72HP7105W57A	76HB7105W57A	76HP7105W57A	77HB7105W57A	77HP7105W57A	79HB7105W57A	79HP7105W57A
	High	17x11.0	Rear Only	5	6.2	70HB7110W62A	70HP7110W62A	71HP7110W62A	71HB7110W62A	72HB7110W62A	72HP7110W62A	76HB7110W62A	76HP7110W62A	77HB7110W62A	77HP7110W62A	79HB7110W62A	79HP7110W62A
	Medium	17x11.0	Rear Only	-5	5.8	70MB7110W58A	70MP7110W58A	71MP7110W58A	71MB7110W58A	72MB7110W58A	72MP7110W58A	76MB7110W58A	76MP7110W58A	77MB7110W58A	77MP7110W58A	79MB7110W58A	79MP7110W58A

18"	High	18X10.0	Rear	-10	5.1	70HB8100W51A	70HB8100W51A	70HB8100W51A	70HB8100W51A	70HB8100W51A	70HB8100W51A	70HB8100W51A	70HB8100W51A	70HB8100W51A	70HB8100W51A	70HB8100W51A	70HB8100W51A
	High	18x10.5	Rear	-4	5.6	70HB8105W56A	70HB8105W56A	70HB8105W56A	70HB8105W56A	70HB8105W56A	70HB8105W56A	70HB8105W56A	70HB8105W56A	70HB8105W56A	70HB8105W56A	70HB8105W56A	70HB8105W56A
	High	18X11.0	Rear	2.5	6.1	70HB8110W61A	70HB8110W61A	70HB8110W61A	70HB8110W61A	70HB8110W61A	70HB8110W61A	70HB8110W61A	70HB8110W61A	70HB8110W61A	70HB8110W61A	70HB8110W61A	70HB8110W61A

20"	High	20x7.0	Front	-32	2.75"	70HB0070W28A*	70HP0070W28A*	71HP0070W28A*	71HB0070W28A*	72HB0070W28A*	72HP0070W28A*	76HB0070W28A*	76HP0070W28A*	77HB0070W28A*	77HP0070W28A*	79HB0070W28A*	79HP0070W28A*
	High	20x10.0	Frt/Rear	-19	4.75	70HB0100W48A*	70HP0100W48A*	71HP0100W48A*	71HB0100W48A*	72HB0100W48A*	72HP0100W48A*	76HB0100W48A*	76HP0100W48A*	77HB0100W48A*	77HP0100W48A*	79HB0100W48A*	79HP0100W48A*
	High	20x10.5	Frt/Rear	-13	5.25	70HB0105W53A*	70HP0105W53A*	71HP0105W53A*	71HB0105W53A*	72HB0105W53A*	72HP0105W53A*	76HB0105W53A*	76HP0105W53A*	77HB0105W53A*	77HP0105W53A*	79HB0105W53A*	79HP0105W53A*
	High	20x11.0	Frt/Rear	-6	5.75	70HB0110W58A*	70HP0110W58A*	71HP0110W58A*	71HB0110W58A*	72HB0110W58A*	72HP0110W58A*	76HB0110W58A*	76HP0110W58A*	77HB0110W58A*	77HP0110W58A*	79HB0110W58A*	79HP0110W58A*

*Requires 3-5mm spacer for front brake clearance
*Flush with the fender

Challenger Hellcat Widebody/Redeye/Scat Pack Widebody

2018-2020 Hellcats Front 15.4" Brembo Brakes, Rear 13.8" Brembo, 20x11 305/35ZR20's

5x115mm [W] 14mmX1.5 lugs. Conical Lugs required

Wheel Diameter	Pad Height	Size	Vehicle Location	Offset	Back Space	S70 Black Ctr Part Number	S70 All Polished Part Number	S71 All Polished Part Number	S71 Black Ctr Part Number	S72 Black Ctr Part Number	S72 All Polished Part Number	S76 Black Ctr Part Number	S76 All Polished Part Number	S77 Black Ctr Part Number	S77 All Polished Part Number	S79 Black Ctr Part Number	S79 All Polished Part Number
15"	Medium	15X11.33	Rear Only	22	6.5	70MB-511W65C ^{AA}	70MP-511W65C ^{AA}	71MP-511W65C ^{AA}	71MB-511W65C ^{AA}	72MB-511W65C ^{AA}	72MP-511W65C ^{AA}	76MB-511W65C ^{AA}	76MP-511W65C ^{AA}	77MB-511W65C ^{AA}	77MP-511W65C ^{AA}	79MB-511W65C ^{AA}	79MP-511W65C ^{AA}

^{AA}Will require brake/suspension modifications. This size will not fit O.E. brake package.

17"	High	17x10.0	Rear Only	-8	5.2	70HB7100W52A	70HP7100W52A	71HP7100W52A	71HB7100W52A	72HB7100W52A	72HP7100W52A	76HB7100W52A	76HP7100W52A	77HB7100W52A	77HP7100W52A	79HB7100W52A	79HP7100W52A
	High	17x10.5	Rear Only	-1	5.7	70HB7105W57A	70HP7105W57A	71HP7105W57A	71HB7105W57A	72HB7105W57A	72HP7105W57A	76HB7105W57A	76HP7105W57A	77HB7105W57A	77HP7105W57A	79HB7105W57A	79HP7105W57A
	High	17x11.0	Rear Only	5	6.2	70HB7110W62A	70HP7110W62A	71HP7110W62A	71HB7110W62A	72HB7110W62A	72HP7110W62A	76HB7110W62A	76HP7110W62A	77HB7110W62A	77HP7110W62A	79HB7110W62A	79HP7110W62A
	Medium	17x11.0	Rear Only	-5	5.8	70MB7110W58A	70MP7110W58A	71MP7110W58A	71MB7110W58A	72MB7110W58A	72MP7110W58A	76MB7110W58A	76MP7110W58A	77MB7110W58A	77MP7110W58A	79MB7110W58A	79MP7110W58A

18"	High	18X10.0	Rear	-10	5.1	70HB8100W51A	70HB8100W51A	71HB8100W51A	71HB8100W51A	72HB8100W51A	72HB8100W51A	76HB8100W51A	76HB8100W51A	77HB8100W51A	77HB8100W51A	79HB8100W51A	79HB8100W51A
	High	18x10.5	Rear	-4	5.6	70HB8105W56A	70HB8105W56A	71HB8105W56A	71HB8105W56A	72HB8105W56A	72HB8105W56A	76HB8105W56A	76HB8105W56A	77HB8105W56A	77HB8105W56A	79HB8105W56A	79HB8105W56A
	High	18X11.0	Rear	2.5	6.1	70HB8110W61A	70HB8110W61A	71HB8110W61A	71HB8110W61A	72HB8110W61A	72HB8110W61A	76HB8110W61A	76HB8110W61A	77HB8110W61A	77HB8110W61A	79HB8110W61A	79HB8110W61A

20"	High	20x7.0	Front	-32	2.75"	70HB0070W28A*	70HP0070W28A*	71HP0070W28A*	71HB0070W28A*	72HB0070W28A*	72HP0070W28A*	76HB0070W28A*	76HP0070W28A*	77HB0070W28A*	77HP0070W28A*	79HB0070W28A*	79HP0070W28A*
	High	20x10.0	Frt/Rear	-19	4.75	70HB0100W48A*	70HP0100W48A*	71HP0100W48A*	71HB0100W48A*	72HB0100W48A*	72HP0100W48A*	76HB0100W48A*	76HP0100W48A*	77HB0100W48A*	77HP0100W48A*	79HB0100W48A*	79HP0100W48A*
	High	20x10.5	Frt/Rear	-13	5.25	70HB0105W53A*	70HP0105W53A*	71HP0105W53A*	71HB0105W53A*	72HB0105W53A*	72HP0105W53A*	76HB0105W53A*	76HP0105W53A*	77HB0105W53A*	77HP0105W53A*	79HB0105W53A*	79HP0105W53A*
	High	20x11.0	Frt/Rear	-6	5.75	70HB0110W58A*	70HP0110W58A*	71HP0110W58A*	71HB0110W58A*	72HB0110W58A*	72HP0110W58A*	76HB0110W58A*	76HP0110W58A*	77HB0110W58A*	77HP0110W58A*	79HB0110W58A*	79HP0110W58A*

*Requires 3-5mm spacer for front brake clearance
*Flush with the fender

Challenger Demon (widebody) & 2021+ Super Stock

2018+ Demon Front 14.2" Brembo Brakes, Rear 13.8" Brembo, 18x11 315/40WR18

5x115mm [W] 14mmX1.5 lugs. Conical Lugs required

Wheel Diameter	Pad Height	Size	Vehicle Location	Offset	Back Space	S70 Black Ctr Part Number	S70 All Polished Part Number	S71 All Polished Part Number	S71 Black Ctr Part Number	S72 Black Ctr Part Number	S72 All Polished Part Number	S76 Black Ctr Part Number	S76 All Polished Part Number	S77 Black Ctr Part Number	S77 All Polished Part Number	S79 Black Ctr Part Number	S79 All Polished Part Number
15"	Medium	15X11.33	Rear Only	22	6.5	70MB-511W65C ^{AA}	70MP-511W65C ^{AA}	71MP-511W65C ^{AA}	71MB-511W65C ^{AA}	72MB-511W65C ^{AA}	72MP-511W65C ^{AA}	76MB-511W65C ^{AA}	76MP-511W65C ^{AA}	77MB-511W65C ^{AA}	77MP-511W65C ^{AA}	79MB-511W65C ^{AA}	79MP-511W65C ^{AA}

^{AA}Will require brake/suspension modifications. This size will not fit O.E. brake package.

17"	High	17x5.2	Front	-30	1.9"	70HB7050W19A	70HP7050W19A	71HP7050W19A	71HB7050W19A	72HB7050W19A	72HP7050W19A	76HB7050W19A	76HP7050W19A	77HB7050W19A	77HP7050W19A	79HB7050W19A	79HP7050W19A
	High	17x7.0	Front	-46	2.2"	70HB7070W22A	70HP7070W22A	71HP7070W22A	71HB7070W22A	72HB7070W22A	72HP7070W22A	76HB7070W22A	76HP7070W22A	77HB7070W22A	77HP7070W22A	79HB7070W22A	79HP7070W22A
	High	17x10.0	Rear Only	-8	5.2	70HB7100W52A	70HP7100W52A	71HP7100W52A	71HB7100W52A	72HB7100W52A	72HP7100W52A	76HB7100W52A	76HP7100W52A	77HB7100W52A	77HP7100W52A	79HB7100W52A	79HP7100W52A
	High	17x10.5	Rear Only	-1	5.7	70HB7105W57A	70HP7105W57A	71HP7105W57A	71HB7105W57A	72HB7105W57A	72HP7105W57A	76HB7105W57A	76HP7105W57A	77HB7105W57A	77HP7105W57A	79HB7105W57A	79HP7105W57A
	High	17x11.0	Rear Only	5	6.2	70HB7110W62A	70HP7110W62A	71HP7110W62A	71HB7110W62A	72HB7110W62A	72HP7110W62A	76HB7110W62A	76HP7110W62A	77HB7110W62A	77HP7110W62A	79HB7110W62A	79HP7110W62A
	Medium	17x11.0	Rear Only	-5	5.8	70MB7110W58A	70MP7110W58A	71MP7110W58A	71MB7110W58A	72MB7110W58A	72MP7110W58A	76MB7110W58A	76MP7110W58A	77MB7110W58A	77MP7110W58A	79MB7110W58A	79MP7110W58A

*17inch Front has a max of 2.25s

18"	High	18x5.0	Front	-23	2.1"	70HB8050W16A	70HP8050W16A	71HP8050W16A	71HB8050W16A	72HB8050W16A	72HP8050W16A	76HB8050W16A	76HP8050W16A	77HB8050W16A	77HP8050W16A	79HB8050W16A	79HP8050W16A
	High	18x7.0	Front	-48	2.1"	70HB8070W21A	70HP8070W21A	71HP8070W21A	71HB8070W21A	72HB8070W21A	72HP8070W21A	76HB8070W21A	76HP8070W21A	77HB8070W21A	77HP8070W21A	79HB8070W21A	79HP8070W21A
	High	18x10.0	Frt/Rear	-10	5.1"	70HB8100W51A*	70HP8100W51A*	71HP8100W51A*	71HB8100W51A*	72HB8100W51A*	72HP8100W51A*	76HB8100W51A*	76HP8100W51A*	77HB8100W51A*	77HP8100W51A*	79HB8100W51A*	79HP8100W51A*
	High	18x10.5	Frt/Rear	-4	5.6"	70HB8105W56A*	70HP8105W56A*	71HP8105W56A*	71HB8105W56A*	72HB8105W56A*	72HP8105W56A*	76HB8105W56A*	76HP8105W56A*	77HB8105W56A*	77HP8105W56A*	79HB8105W56A*	79HP8105W56A*
	High	18X11.0	Frt/Rear	2.5	6.1"	70HB8110W61A*	70HP8110W61A*	71HP8110W61A*	71HB8110W61A*	72HB8110W61A*	72HP8110W61A*	76HB8110W61A*	76HP8110W61A*	77HB8110W61A*	77HP8110W61A*	79HB8110W61A*	79HP8110W61A*

*18inch Front has a max of 2.1", prior to 7/1/2019
*18in Big Red letters now clear on wheels made after 7/1/2019

20"	High	20x7.0	Front	-32	2.75	70HB0070W28A	70HP0070W28A	71HP0070W28A	71HB0070W28A	72HB0070W28A	72HP0070W28A	76HB0070W28A	76HP0070W28A	77HB0070W28A	77HP0070W28A	79HB0070W28A	79HP0070W28A
	High	20x10.0	Frt/Rear	-19	4.75	70HB0100W48A	70HP0100W48A	71HP0100W48A	71HB0100W48A	72HB0100W48A	72HP0100W48A	76HB0100W48A	76HP0100W48A	77HB0100W48A	77HP0100W48A	79HB0100W48A	79HP0100W48A
	High	20x10.5	Frt/Rear	-13	5.25	70HB0105W53A	70HP0105W53A	71HP0105W53A	71HB0105W53A	72HB0105W53A	72HP0105W53A	76HB0105W53A	76HP0105W53A	77HB0105W53A	77HP0105W53A	79HB0105W53A	79HP0105W53A
	High	20x11.0	Frt/Rear	-6	5.75	70HB0110W58A	70HP0110W58A	71HP0110W58A	71HB0110W58A	72HB0110W58A	72HP0110W58A	76HB0110W58A	76HP0110W58A	77HB0110W58A	77HP0110W58A	79HB0110W58A	79HP0110W58A

*Flush with the fender but wrong offset and scrub radius
*Correct offset but sits in 2" from fender

800-788-9353

6600 Stadium Drive, Kansas City, MO 64129

weldwheels.com

RELEASED - September 2021

WELD

Challenger/ Charger Hellcat SRT8

2021+

Front 15.7" Brembo Brakes, Rear 13.8" Brembo

5x115mm (W) 14mmX1.5 lugs. Conical Lugs required

Wheel Diameter	Pad Height	Size	Vehicle Location	Offset	Back Space	S70 Black Ctr Part Number	S70 All Polished Part Number	S71 All Polished Part Number	S71 Black Ctr Part Number	S72 Black Ctr Part Number	S72 All Polished Part Number	S76 Black Ctr Part Number	S76 All Polished Part Number	S77 Black Ctr Part Number	S77 All Polished Part Number	S79 Black Ctr Part Number	S79 All Polished Part Number
15"	Medium	15X10.33	Rear Only	22	6.5	70MB-510W65C ^{AA}	70MP-510W65C ^{AA}	71MP-510W65C ^{AA}	71MB-510W65C ^{AA}	72MB-510W65C ^{AA}	72MP-510W65C ^{AA}	76MB-510W65C ^{AA}	76MP-510W65C ^{AA}	77MB-510W65C ^{AA}	77MP-510W65C ^{AA}	79MB-510W65C ^{AA}	79MP-510W65C ^{AA}
**Will require brake/suspension modifications. This size will not fit O.E. brake package.																	
17"	High	17x8.0	Rear Only	18	5.2	70HB7080W52A	70HP7080W52A	71HP7080W52A	71HB7080W52A	72HB7080W52A	72HP7080W52A	76HB7080W52A	76HP7080W52A	77HB7080W52A	77HP7080W52A	79HB7080W52A	79HP7080W52A
	High	17x9.0	Rear Only	30	6.2	70HB7090W62A	70HP7090W62A	71HP7090W62A	71HB7090W62A	72HB7090W62A	72HP7090W62A	76HB7090W62A	76HP7090W62A	77HB7090W62A	77HP7090W62A	79HB7090W62A	79HP7090W62A
	High	17x10.0	Rear Only	30	6.7	70HB7100W67A	70HP7100W67A	71HP7100W67A	71HB7100W67A	72HB7100W67A	72HP7100W67A	76HB7100W67A	76HP7100W67A	77HB7100W67A	77HP7100W67A	79HB7100W67A	79HP7100W67A
18"	High	18x8.0	Rear	15	5.1	70HB8080W51A	70HP8080W51A	71HP8080W51A	71HB8080W51A	72HB8080W51A	72HP8080W51A	76HB8080W51A	76HP8080W51A	77HB8080W51A	77HP8080W51A	79HB8080W51A	79HP8080W51A
	High	18x9.0	Rear	28	6.1	70HB8090W61A	70HP8090W61A	71HP8090W61A	71HB8090W61A	72HB8090W61A	72HP8090W61A	76HB8090W61A	76HP8090W61A	77HB8090W61A	77HP8090W61A	79HB8090W61A	79HP8090W61A
	High	18X10.0	Rear	28	6.6	70HB8100W66A	70HP8100W66A	71HP8100W66A	71HB8100W66A	72HB8100W66A	72HP8100W66A	76HB8100W66A	76HP8100W66A	77HB8100W66A	77HP8100W66A	79HB8100W66A	79HP8100W66A
20"	High	20x7.0	Front	5	4.2	70HB0070W43A [^]	70HP0070W43A [^]	71HP0070W43A [^]	71HB0070W43A [^]	72HB0070W43A [^]	72HP0070W43A [^]	76HB0070W43A [^]	76HP0070W43A [^]	77HB0070W43A [^]	77HP0070W43A [^]	79HB0070W43A [^]	79HP0070W43A [^]
	High	20x8.0	Frt/Rear	18	5.2	70HB0080W53A [^]	70HP0080W53A [^]	71HP0080W53A [^]	71HB0080W53A [^]	72HB0080W53A [^]	72HP0080W53A [^]	76HB0080W53A [^]	76HP0080W53A [^]	77HB0080W53A [^]	77HP0080W53A [^]	79HB0080W53A [^]	79HP0080W53A [^]
	High	20x9.0	Frt/Rear	30	6.2	70HB0090W63A [^]	70HP0090W63A [^]	71HP0090W63A [^]	71HB0090W63A [^]	72HB0090W63A [^]	72HP0090W63A [^]	76HB0090W63A [^]	76HP0090W63A [^]	77HB0090W63A [^]	77HP0090W63A [^]	79HB0090W63A [^]	79HP0090W63A [^]
	High	20x10.0	Rear Only	30	6.7	70HB0100W68A	70HP0100W68A	71HP0100W68A	71HB0100W68A	72HB0100W68A	72HP0100W68A	76HB0100W68A	76HP0100W68A	77HB0100W68A	77HP0100W68A	79HB0100W68A	79HP0100W68A
	High	20x10.5	Rear Only	36	7.2	70HB0105W73A [^]	70HP0105W73A [^]	71HP0105W73A [^]	71HB0105W73A [^]	72HB0105W73A [^]	72HP0105W73A [^]	76HB0105W73A [^]	76HP0105W73A [^]	77HB0105W73A [^]	77HP0105W73A [^]	79HB0105W73A [^]	79HP0105W73A [^]
*may require fenn spacer depending on tire size **Requires 3-5mm spacer for brake clearance																	

Challenger/ Charger Hellcat SRT8

2015-2020

Front 15.4" Brembo Brakes, Rear 13.8" Brembo

5x115mm (W) 14mmX1.5 lugs. Conical Lugs required

Wheel Diameter	Pad Height	Size	Vehicle Location	Offset	Back Space	S70 Black Ctr Part Number	S70 All Polished Part Number	S71 All Polished Part Number	S71 Black Ctr Part Number	S72 Black Ctr Part Number	S72 All Polished Part Number	S76 Black Ctr Part Number	S76 All Polished Part Number	S77 Black Ctr Part Number	S77 All Polished Part Number	S79 Black Ctr Part Number	S79 All Polished Part Number
15"	Medium	15X10.33	Rear Only	22	6.5	70MB-510W65C ^{AA}	70MP-510W65C ^{AA}	71MP-510W65C ^{AA}	71MB-510W65C ^{AA}	72MB-510W65C ^{AA}	72MP-510W65C ^{AA}	76MB-510W65C ^{AA}	76MP-510W65C ^{AA}	77MB-510W65C ^{AA}	77MP-510W65C ^{AA}	79MB-510W65C ^{AA}	79MP-510W65C ^{AA}
**Will require brake/suspension modifications. This size will not fit O.E. brake package.																	
17"	High	17x8.0	Rear Only	18	5.2	70HB7080W52A	70HP7080W52A	71HP7080W52A	71HB7080W52A	72HB7080W52A	72HP7080W52A	76HB7080W52A	76HP7080W52A	77HB7080W52A	77HP7080W52A	79HB7080W52A	79HP7080W52A
	High	17x9.0	Rear Only	30	6.2	70HB7090W62A	70HP7090W62A	71HP7090W62A	71HB7090W62A	72HB7090W62A	72HP7090W62A	76HB7090W62A	76HP7090W62A	77HB7090W62A	77HP7090W62A	79HB7090W62A	79HP7090W62A
	High	17x10.0	Rear Only	30	6.7	70HB7100W67A	70HP7100W67A	71HP7100W67A	71HB7100W67A	72HB7100W67A	72HP7100W67A	76HB7100W67A	76HP7100W67A	77HB7100W67A	77HP7100W67A	79HB7100W67A	79HP7100W67A
18"	High	18x8.0	Rear	15	5.1	70HB8080W51A	70HP8080W51A	71HP8080W51A	71HB8080W51A	72HB8080W51A	72HP8080W51A	76HB8080W51A	76HP8080W51A	77HB8080W51A	77HP8080W51A	79HB8080W51A	79HP8080W51A
	High	18x9.0	Rear	28	6.1	70HB8090W61A	70HP8090W61A	71HP8090W61A	71HB8090W61A	72HB8090W61A	72HP8090W61A	76HB8090W61A	76HP8090W61A	77HB8090W61A	77HP8090W61A	79HB8090W61A	79HP8090W61A
	High	18X10.0	Rear	28	6.6	70HB8100W66A	70HP8100W66A	71HP8100W66A	71HB8100W66A	72HB8100W66A	72HP8100W66A	76HB8100W66A	76HP8100W66A	77HB8100W66A	77HP8100W66A	79HB8100W66A	79HP8100W66A
20"	High	20x7.0	Front	5	4.2	70HB0070W43A [^]	70HP0070W43A [^]	71HP0070W43A [^]	71HB0070W43A [^]	72HB0070W43A [^]	72HP0070W43A [^]	76HB0070W43A [^]	76HP0070W43A [^]	77HB0070W43A [^]	77HP0070W43A [^]	79HB0070W43A [^]	79HP0070W43A [^]
	High	20x8.0	Frt/Rear	18	5.2	70HB0080W53A [^]	70HP0080W53A [^]	71HP0080W53A [^]	71HB0080W53A [^]	72HB0080W53A [^]	72HP0080W53A [^]	76HB0080W53A [^]	76HP0080W53A [^]	77HB0080W53A [^]	77HP0080W53A [^]	79HB0080W53A [^]	79HP0080W53A [^]
	High	20x9.0	Frt/Rear	30	6.2	70HB0090W63A [^]	70HP0090W63A [^]	71HP0090W63A [^]	71HB0090W63A [^]	72HB0090W63A [^]	72HP0090W63A [^]	76HB0090W63A [^]	76HP0090W63A [^]	77HB0090W63A [^]	77HP0090W63A [^]	79HB0090W63A [^]	79HP0090W63A [^]
	High	20x10.0	Rear Only	30	6.7	70HB0100W68A	70HP0100W68A	71HP0100W68A	71HB0100W68A	72HB0100W68A	72HP0100W68A	76HB0100W68A	76HP0100W68A	77HB0100W68A	77HP0100W68A	79HB0100W68A	79HP0100W68A
	High	20x10.5	Rear Only	36	7.2	70HB0105W73A [^]	70HP0105W73A [^]	71HP0105W73A [^]	71HB0105W73A [^]	72HB0105W73A [^]	72HP0105W73A [^]	76HB0105W73A [^]	76HP0105W73A [^]	77HB0105W73A [^]	77HP0105W73A [^]	79HB0105W73A [^]	79HP0105W73A [^]
*may require fenn spacer depending on tire size **Requires 3-5mm spacer for brake clearance																	

Challenger/Charger/Magnum SRT8

2015+ Scat Pack and Scat Pack 1320

2008-14 Charger SRT8 14.2" Brembo & 2005-08 Magnum SRT8, Includes Chrysler 300 SRT8

2005-08 Magnum SRT8

5x115mm (W) 14mmX1.5 lugs. Conical Lugs required

Wheel Diameter	Pad Height	Size	Vehicle Location	Offset	Back Space	S70 Black Ctr Part Number	S70 All Polished Part Number	S71 All Polished Part Number	S71 Black Ctr Part Number	S72 Black Ctr Part Number	S72 All Polished Part Number	S76 Black Ctr Part Number	S76 All Polished Part Number	S77 Black Ctr Part Number	S77 All Polished Part Number	S79 Black Ctr Part Number	S79 All Polished Part Number
15"	Medium	15X10.33	Rear Only	22	6.5	70MB-510W65C ^{AA}	70MP-510W65C ^{AA}	71MP-510W65C ^{AA}	71MB-510W65C ^{AA}	72MB-510W65C ^{AA}	72MP-510W65C ^{AA}	76MB-510W65C ^{AA}	76MP-510W65C ^{AA}	77MB-510W65C ^{AA}	77MP-510W65C ^{AA}	79MB-510W65C ^{AA}	79MP-510W65C ^{AA}
**Will require brake/suspension modifications. This size will not fit R.O. brake package.																	
17"	High	17x5.0	Front	-20	2.2	70HB7050W22A	70HP7050W22A	71HP7050W22A	71HB7050W22A	72HB7050W22A	72HP7050W22A	76HB7050W22A	76HP7050W22A	77HB7050W22A	77HP7050W22A	79HB7050W22A	79HP7050W22A
	High	17x7.0	Front	5	4.2	70HB7070W42A	70HP7070W42A	71HP7070W42A	71HB7070W42A	72HB7070W42A	72HP7070W42A	76HB7070W42A	76HP7070W42A	77HB7070W42A	77HP7070W42A	79HB7070W42A	79HP7070W42A
	High	17x8.0	Frt/Rear	18	5.2	70HB7080W52A	70HP7080W52A	71HP7080W52A	71HB7080W52A	72HB7080W52A	72HP7080W52A	76HB7080W52A	76HP7080W52A	77HB7080W52A	77HP7080W52A	79HB7080W52A	79HP7080W52A
	High	17x9.0	Frt/Rear	30	6.2	70HB7090W62A ^{AA}	70HP7090W62A ^{AA}	71HP7090W62A ^{AA}	71HB7090W62A ^{AA}	72HB7090W62A ^{AA}	72HP7090W62A ^{AA}	76HB7090W62A ^{AA}	76HP7090W62A ^{AA}	77HB7090W62A ^{AA}	77HP7090W62A ^{AA}	79HB7090W62A ^{AA}	79HP7090W62A ^{AA}
	High	17x10.0	Rear Only	30	6.7	70HB7100W67A*	70HP7100W67A*	71HP7100W67A*	71HB7100W67A*	72HB7100W67A*	72HP7100W67A*	76HB7100W67A*	76HP7100W67A*	77HB7100W67A*	77HP7100W67A*	79HB7100W67A*	79HP7100W67A*
**Requires fenn spacer; *Install wheel at ride height for clear sway bar during installation.																	
18"	High	18X5.0	Front	-23	2.1	70HB8050W21A ^{AA}	70HP8050W21A ^{AA}	71HP8050W21A ^{AA}	71HB8050W21A ^{AA}	72HB8050W21A ^{AA}	72HP8050W21A ^{AA}	76HB8050W21A ^{AA}	76HP8050W21A ^{AA}	77HB8050W21A ^{AA}	77HP8050W21A ^{AA}	79HB8050W21A ^{AA}	79HP8050W21A ^{AA}
	High	18x7.0	Front	3	4.1	70HB8070W41A ^{AA}	70HP8070W41A ^{AA}	71HP8070W41A ^{AA}	71HB8070W41A ^{AA}	72HB8070W41A ^{AA}	72HP8070W41A ^{AA}	76HB8070W41A ^{AA}	76HP8070W41A ^{AA}	77HB8070W41A ^{AA}	77HP8070W41A ^{AA}	79HB8070W41A ^{AA}	79HP8070W41A ^{AA}
	High	18x8.0	Frt/Rear	15	5.1	70HB8080W51A ^{AA}	70HP8080W51A ^{AA}	71HP8080W51A ^{AA}	71HB8080W51A ^{AA}	72HB8080W51A ^{AA}	72HP8080W51A ^{AA}	76HB8080W51A ^{AA}	76HP8080W51A ^{AA}	77HB8080W51A ^{AA}	77HP8080W51A ^{AA}	79HB8080W51A ^{AA}	79HP8080W51A ^{AA}
	High	18x9.0	Frt/Rear	28	6.1	70HB8090W61A ^{AA}	70HP8090W61A ^{AA}	71HP8090W61A ^{AA}	71HB-8090W61A ^{AA}	72HB-8090W61A ^{AA}	72HP-8090W61A ^{AA}	76HB8090W61A ^{AA}	76HP-8090W61A ^{AA}	77HB8090W61A ^{AA}	77HP8090W61A ^{AA}	79HB8090W61A ^{AA}	79HP8090W61A ^{AA}
	High	18X10.0	Rear Only	28	6.6	70HB8100W66A	70HP8100W66A	71HP8100W66A	71HB8100W66A	72HB8100W66A	72HP8100W66A	76HB8100W66A	76HP8100W66A	77HB8100W66A	77HP8100W66A	79HB8100W66A	79HP8100W66A
**Requires fenn spacer.																	
20"	High	20x7.0	Front	5	4.2	70HB0070W43A	70HP0070W43A	71HP0070W43A	71HB0070W43A	72HB0070W43A	72HP0070W43A	76HB0070W43A	76HP0070W43A	77HB0070W43A	77HP0070W43A	79HB0070W43A	79HP0070W43A
	High	20x8.0	Frt/Rear	15	5.1	70HB0080W51A	70HP0080W51A	71HP0080W51A	71HB0080W51A	72HB0080W51A	72HP0080W51A	76HB0080W51A	76HP0080W51A	77HB0080W51A	77HP0080W51A	79HB0080W51A	79HP0080W51A
	High	20x9.0	Frt/Rear	28	6.1	70HB0090W61A	70HP0090W61A	71HP0090W61A	71HB0090W61A	72HB0090W61A	72HP0090W61A	76HB0090W61A	76HP0090W61A	77HB0090W61A	77HP0090W61A	79HB0090W61A	79HP0090W61A
	High	20x10.0	Rear Only	28	6.6	70HB0100W66A	70HP0100W66A	71HP0100W66A	71HB0100W66A	72HB0100W66A	72HP0100W66A	76HB0100W66A	76HP0100W66A	77HB0100W66A	77HP0100W66A	79HB0100W66A	79HP0100W66A
	**Requires fenn spacer.																

WELD

Challenger R/T Super Track Pack

2009+

5x115mm (W) 14mm X 1.5 lugs. Conical Lugs required.

Wheel Diameter	Pad Height	Size	Vehicle Location	Offset	Back Space	S70 Black Ctr Part Number	S70 All Polished Part Number	S71 All Polished Part Number	S71 Black Ctr Part Number	S72 Black Ctr Part Number	S72 All Polished Part Number	S76 Black Ctr Part Number	S76 All Polished Part Number	S77 Black Ctr Part Number	S77 All Polished Part Number	S79 Black Ctr Part Number	S79 All Polished Part Number
17"	Medium	17x5.0	Front	8	3.3	70MB7050W33A	70MP7050W33A	71MP7050W33A	71MB7050W33A	72MB7050W33A	72MP7050W33A	76MB7050W33A	76MP7050W33A	77MB7050W33A	77MP7050W33A	79MB7050W33A	79MP7050W33A
	Medium	17x7.0	Front	33	5.3	70MB7070W53A	70MP7070W53A	71MP7070W53A	71MB7070W53A	72MB7070W53A	72MP7070W53A	76MB7070W53A	76MP7070W53A	77MB7070W53A	77MP7070W53A	79MB7070W53A	79MP7070W53A
	Medium	17x8.0	Frt/Rear	46	6.3	70MB7080W63A	70MP7080W63A	71MP7080W63A	71MB7080W63A	72MB7080W63A	72MP7080W63A	76MB7080W63A	76MP7080W63A	77MB7080W63A	77MP7080W63A	79MB7080W63A	79MP7080W63A
	Medium	17x9.0	Frt/Rear	20	5.8	70MB7090W58A	70MP7090W58A	71MP7090W58A	71MB7090W58A	72MB7090W58A	72MP7090W58A	76MB7090W58A	76MP7090W58A	77MB7090W58A	77MP7090W58A	79MB7090W58A	79MP7090W58A

17x5.0 or 17x10.0 wheel requires more back space which will cause interference with the larger rear stabilizer bar on this model

18"	Medium	18x5.0	Front	-20	2.2	70MB8050W22A	70MP8050W22A	71MP8050W22A	71MB8050W22A	72MB8050W22A	72MP8050W22A	76MB8050W22A	76MP8050W22A	77MB8050W22A	77MP8050W22A	79MB8050W22A	79MP8050W22A
	Medium	18x7.0	Front	5	4.2	70MB8070W42A	70MP8070W42A	71MP8070W42A	71MB8070W42A	72MB8070W42A	72MP8070W42A	76MB8070W42A	76MP8070W42A	77MB8070W42A	77MP8070W42A	79MB8070W42A	79MP8070W42A
	Medium	18x8.0	Frt/Rear	18	5.2	70MB8080W52A	70MP8080W52A	71MP8080W52A	71MB8080W52A	72MB8080W52A	72MP8080W52A	76MB8080W52A	76MP8080W52A	77MB8080W52A	77MP8080W52A	79MB8080W52A	79MP8080W52A
	Medium	18x9.0	Frt/Rear	30	6.2	70MB8090W62A**	70MP8090W62A**	71MP8090W62A**	71MB8090W62A**	72MB8090W62A**	72MP8090W62A**	76MB8090W62A**	76MP8090W62A**	77MB8090W62A**	77MP8090W62A**	79MB8090W62A**	79MP8090W62A**

**Requires 6mm spacer

20"	Medium	20x7.0	Front	10	4.4	70MB0070W44A	70MP0070W44A	71MP0070W44A	71MB0070W44A	72MB0070W44A	72MP0070W44A	76MB0070W44A	76MP0070W44A	77MB0070W44A	77MP0070W44A	79MB0070W44A	79MP0070W44A
	Medium	20x8.0	Frt/Rear	23	5.4	70MB0080W54A	70MP0080W54A	71MP0080W54A	71MB0080W54A	72MB0080W54A	72MP0080W54A	76MB0080W54A	76MP0080W54A	77MB0080W54A	77MP0080W54A	79MB0080W54A	79MP0080W54A
	Medium	20x9.0	Frt/Rear	23	5.9	70MB0090W59A	70MP0090W59A	71MP0090W59A	71MB0090W59A	72MB0090W59A	72MP0090W59A	76MB0090W59A	76MP0090W59A	77MB0090W59A	77MP0090W59A	79MB0090W59A	79MP0090W59A
	Medium	20x10.0	Rear Only	23	6.4	70MB0100W64A	70MP0100W64A	71MP0100W64A	71MB0100W64A	72MB0100W64A	72MP0100W64A	76MB0100W64A	76MP0100W64A	77MB0100W64A	77MP0100W64A	79MB0100W64A	79MP0100W64A

Challenger & R/T

2009+

5x115mm (W) 14mm X 1.5 lugs. Conical Lugs required.

Wheel Diameter	Pad Height	Size	Vehicle Location	Offset	Back Space	S70 Black Ctr Part Number	S70 All Polished Part Number	S71 All Polished Part Number	S71 Black Ctr Part Number	S72 Black Ctr Part Number	S72 All Polished Part Number	S76 Black Ctr Part Number	S76 All Polished Part Number	S77 Black Ctr Part Number	S77 All Polished Part Number	S79 Black Ctr Part Number	S79 All Polished Part Number
15"	Medium	15X10.33	Rear Only	22	6.5	70MB-510W65C**	70MP-510W65C**	71MP-510W65C**	71MB-510W65C**	72MB-510W65C**	72MP-510W65C**	76MB-510W65C**	76MP-510W65C**	77MB-510W65C**	77MP-510W65C**	79MB-510W65C**	79MP-510W65C**

**Will require brake/suspension modifications. This size will not fit O.E. brake package

17"	Medium	17x5.0	Front	8	3.3	70MB7050W33A	70MP7050W33A	71MP7050W33A	71MB7050W33A	72MB7050W33A	72MP7050W33A	76MB7050W33A	76MP7050W33A	77MB7050W33A	77MP7050W33A	79MB7050W33A	79MP7050W33A
	Medium	17x7.0	Front	8	4.3	70MB7070W43A	70MP7070W43A	71MP7070W43A	71MB7070W43A	72MB7070W43A	72MP7070W43A	76MB7070W43A	76MP7070W43A	77MB7070W43A	77MP7070W43A	79MB7070W43A	79MP7070W43A
	Medium	17x8.0	Frt/Rear	20	5.3	70MB7080W53A	70MP7080W53A	71MP7080W53A	71MB7080W53A	72MB7080W53A	72MP7080W53A	76MB7080W53A	76MP7080W53A	77MB7080W53A	77MP7080W53A	79MB7080W53A	79MP7080W53A
	Medium	17x9.0	Frt/Rear	33	6.3	70MB7090W63A**	70MP7090W63A**	71MP7090W63A**	71MB7090W63A**	72MB7090W63A**	72MP7090W63A**	76MB7090W63A**	76MP7090W63A**	77MB7090W63A**	77MP7090W63A**	79MB7090W63A**	79MP7090W63A**
	Medium	17x9.5	Rear Only	27	6.3	70MB7095W63A	70MP7095W63A	71MP7095W63A	71MB7095W63A	72MB7095W63A	72MP7095W63A	76MB7095W63A	76MP7095W63A	77MB7095W63A	77MP7095W63A	79MB7095W63A	79MP7095W63A

**Requires 6mm spacer

18"	Medium	18x5.0	Front	-20	2.2	70MB8050W22A	70MP8050W22A	71MP8050W22A	71MB8050W22A	72MB8050W22A	72MP8050W22A	76MB8050W22A	76MP8050W22A	77MB8050W22A	77MP8050W22A	79MB8050W22A	79MP8050W22A
	Medium	18x7.0	Front	5	4.2	70MB8070W42A	70MP8070W42A	71MP8070W42A	71MB8070W42A	72MB8070W42A	72MP8070W42A	76MB8070W42A	76MP8070W42A	77MB8070W42A	77MP8070W42A	79MB8070W42A	79MP8070W42A
	Medium	18x8.0	Frt/Rear	18	5.2	70MB8080W52A	70MP8080W52A	71MP8080W52A	71MB8080W52A	72MB8080W52A	72MP8080W52A	76MB8080W52A	76MP8080W52A	77MB8080W52A	77MP8080W52A	79MB8080W52A	79MP8080W52A
	Medium	18x9.0	Frt/Rear	30	6.2	70MB8090W62A**	70MP8090W62A**	71MP8090W62A**	71MB8090W62A**	72MB8090W62A**	72MP8090W62A**	76MB8090W62A**	76MP8090W62A**	77MB8090W62A**	77MP8090W62A**	79MB8090W62A**	79MP8090W62A**

**Requires 6mm spacer

20"	Medium	20x7.0	Front	10	4.4	70MB0070W44A	70MP0070W44A	71MP0070W44A	71MB0070W44A	72MB0070W44A	72MP0070W44A	76MB0070W44A	76MP0070W44A	77MB0070W44A	77MP0070W44A	79MB0070W44A	79MP0070W44A
	Medium	20x8.0	Frt/Rear	23	5.4	70MB0080W54A	70MP0080W54A	71MP0080W54A	71MB0080W54A	72MB0080W54A	72MP0080W54A	76MB0080W54A	76MP0080W54A	77MB0080W54A	77MP0080W54A	79MB0080W54A	79MP0080W54A
	Medium	20x9.0	Frt/Rear	23	5.9	70MB0090W59A	70MP0090W59A	71MP0090W59A	71MB0090W59A	72MB0090W59A	72MP0090W59A	76MB0090W59A	76MP0090W59A	77MB0090W59A	77MP0090W59A	79MB0090W59A	79MP0090W59A

WELD

Charger & R/T RWD Only

2005-2008

5x115mm [W] 14mm X 1.5 lugs. Conical Lugs required

Wheel Diameter	Pad Height	Size	Vehicle Location	Offset	Back Space	S70 Black Ctr Part Number	S70 All Polished Part Number	S71 All Polished Part Number	S71 Black Ctr Part Number	S72 Black Ctr Part Number	S72 All Polished Part Number	S76 Black Ctr Part Number	S76 All Polished Part Number	S77 Black Ctr Part Number	S77 All Polished Part Number	S79 Black Ctr Part Number	S79 All Polished Part Number
15"	Medium	15X10.33	Rear Only	22	6.5	70MB-510W65C ^{AA}	70MP-510W65C ^{AA}	71MP-510W65C ^{AA}	71MB-510W65C ^{AA}	72MB-510W65C ^{AA}	72MP-510W65C ^{AA}	76MB-510W65C ^{AA}	76MP-510W65C ^{AA}	77MB-510W65C ^{AA}	77MP-510W65C ^{AA}	79MB-510W65C ^{AA}	79MP-510W65C ^{AA}

^{AA}Will require brake/suspension modifications. This size will not fit O.E. brake package.

17"	Medium	17x5.0	Front	8	3.3	70MB7050W33A	70MP7050W33A	71MP7050W33A	71MB7050W33A	72MB7050W33A	72MP7050W33A	76MB7050W33A	76MP7050W33A	77MB7050W33A	77MP7050W33A	79MB7050W33A	79MP7050W33A
	Medium	17x7.0	Front	8	4.3	70MB7070W43A	70MP7070W43A	71MP7070W43A	71MB7070W43A	72MB7070W43A	72MP7070W43A	76MB7070W43A	76MP7070W43A	77MB7070W43A	77MP7070W43A	79MB7070W43A	79MP7070W43A
	Medium	17x8.0	Frt/Rear	20	5.3	70MB7080W53A	70MP7080W53A	71MP7080W53A	71MB7080W53A	72MB7080W53A	72MP7080W53A	76MB7080W53A	76MP7080W53A	77MB7080W53A	77MP7080W53A	79MB7080W53A	79MP7080W53A
	Medium	17x9.0	Front Only	33	6.3	70MB7090W63A	70MP7090W63A	71MP7090W63A	71MB7090W63A	72MB7090W63A	72MP7090W63A	76MB7090W63A	76MP7090W63A	77MB7090W63A	77MP7090W63A	79MB7090W63A	79MP7090W63A
	Medium	17x10.0	Rear Only	33	6.8	70MB7100W68A*	70MP7100W68A*	71MP7100W68A*	71MB7100W68A*	72MB7100W68A*	72MP7100W68A*	76MB7100W68A*	76MP7100W68A*	77MB7100W68A*	77MP7100W68A*	79MB7100W68A*	79MP7100W68A*

*Will not fit cars that have a large rear stabilizer bar

18"	Medium	18x5.0	Front	-20	2.2	70MB8050W22A	70MP8050W22A	71MP8050W22A	71MB8050W22A	72MB8050W22A	72MP8050W22A	76MB8050W22A	76MP8050W22A	77MB8050W22A	77MP8050W22A	79MB8050W22A	79MP8050W22A
	Medium	18x7.0	Front	5	4.2	70MB8070W42A	70MP8070W42A	71MP8070W42A	71MB8070W42A	72MB8070W42A	72MP8070W42A	76MB8070W42A	76MP8070W42A	77MB8070W42A	77MP8070W42A	79MB8070W42A	79MP8070W42A
	Medium	18x8.0	Frt/Rear	18	5.2	70MB8080W52A	70MP8080W52A	71MP8080W52A	71MB8080W52A	72MB8080W52A	72MP8080W52A	76MB8080W52A	76MP8080W52A	77MB8080W52A	77MP8080W52A	79MB8080W52A	79MP8080W52A
	Medium	18x9.0	Frt/Rear	30	6.2	70MB8090W62A	70MP8090W62A	71MP8090W62A	71MB8090W62A	72MB8090W62A	72MP8090W62A	76MB8090W62A	76MP8090W62A	77MB8090W62A	77MP8090W62A	79MB8090W62A	79MP8090W62A
	Medium	18x10.0	Rear Only	30	6.7	70MB8100W67A	70MP8100W67A	71MP8100W67A	71MB8100W67A	72MB8100W67A	72MP8100W67A	76MB8100W67A	76MP8100W67A	77MB8100W67A	77MP8100W67A	79MB8100W67A	79MP8100W67A

20"	Medium	20X7.0	Front	10	4.4	70MB0070W44A	70MP0070W44A	71MP0070W44A	71MB0070W44A	72MB0070W44A	72MP0070W44A	76MB0070W44A	76MP0070W44A	77MB0070W44A	77MP0070W44A	79MB0070W44A	79MP0070W44A
	Medium	20X8.0	Frt/Rear	23	5.4	70MB0080W54A	70MP0080W54A	71MP0080W54A	71MB0080W54A	72MB0080W54A	72MP0080W54A	76MB0080W54A	76MP0080W54A	77MB0080W54A	77MP0080W54A	79MB0080W54A	79MP0080W54A
	Medium	20x9.0	Frt/Rear	23	5.9	70MB0090W59A	70MP0090W59A	71MP0090W59A	71MB0090W59A	72MB0090W59A	72MP0090W59A	76MB0090W59A	76MP0090W59A	77MB0090W59A	77MP0090W59A	79MB0090W59A	79MP0090W59A
	Medium	20x10.0	Rear Only	23	6.4	70MB0100W64A	70MP0100W64A	71MP0100W64A	71MB0100W64A	72MB0100W64A	72MP0100W64A	76MB0100W64A	76MP0100W64A	77MB0100W64A	77MP0100W64A	79MB0100W64A	79MP0100W64A

Magnum & R/T RWD Only

2005-2008

5x115mm [W] 14mm X 1.5 lugs. Conical Lugs required.

Wheel Diameter	Pad Height	Size	Vehicle Location	Offset	Back Space	S70 Black Ctr Part Number	S70 All Polished Part Number	S71 All Polished Part Number	S71 Black Ctr Part Number	S72 Black Ctr Part Number	S72 All Polished Part Number	S76 Black Ctr Part Number	S76 All Polished Part Number	S77 Black Ctr Part Number	S77 All Polished Part Number	S79 Black Ctr Part Number	S79 All Polished Part Number
15"	Medium	15X10.33	Rear Only	22	6.5	70MB-510W65C ^{AA}	70MP-510W65C ^{AA}	71MP-510W65C ^{AA}	71MB-510W65C ^{AA}	72MB-510W65C ^{AA}	72MP-510W65C ^{AA}	76MB-510W65C ^{AA}	76MP-510W65C ^{AA}	77MB-510W65C ^{AA}	77MP-510W65C ^{AA}	79MB-510W65C ^{AA}	79MP-510W65C ^{AA}

^{AA}Will require brake/suspension modifications. This size will not fit O.E. brake package.

17"	Medium	17x5.0	Front	8	3.3	70MB7050W33A	70MP7050W33A	71MP7050W33A	71MB7050W33A	72MB7050W33A	72MP7050W33A	76MB7050W33A	76MP7050W33A	77MB7050W33A	77MP7050W33A	79MB7050W33A	79MP7050W33A
	Medium	17x7.0	Front	8	4.3	70MB7070W43A	70MP7070W43A	71MP7070W43A	71MB7070W43A	72MB7070W43A	72MP7070W43A	76MB7070W43A	76MP7070W43A	77MB7070W43A	77MP7070W43A	79MB7070W43A	79MP7070W43A
	Medium	17x8.0	Frt/Rear	20	5.3	70MB7080W53A	70MP7080W53A	71MP7080W53A	71MB7080W53A	72MB7080W53A	72MP7080W53A	76MB7080W53A	76MP7080W53A	77MB7080W53A	77MP7080W53A	79MB7080W53A	79MP7080W53A
	Medium	17x9.0	Frt/Rear	20	5.8	70MB7090W58A	70MP7090W58A	71MP7090W58A	71MB7090W58A	72MB7090W58A	72MP7090W58A	76MB7090W58A	76MP7090W58A	77MB7090W58A	77MP7090W58A	79MB7090W58A	79MP7090W58A
	Medium	17x10.0	Rear Only	33	6.8	70MB7100W68A	70MP7100W68A	71MP7100W68A	71MB7100W68A	72MB7100W68A	72MP7100W68A	76MB7100W68A	76MP7100W68A	77MB7100W68A	77MP7100W68A	79MB7100W68A	79MP7100W68A

18"	Medium	18x5.0	Front	-20	2.2	70MB8050W22A	70MP8050W22A	71MP8050W22A	71MB8050W22A	72MB8050W22A	72MP8050W22A	76MB8050W22A	76MP8050W22A	77MB8050W22A	77MP8050W22A	79MB8050W22A	79MP8050W22A
	Medium	18x7.0	Front	5	4.2	70MB8070W42A	70MP8070W42A	71MP8070W42A	71MB8070W42A	72MB8070W42A	72MP8070W42A	76MB8070W42A	76MP8070W42A	77MB8070W42A	77MP8070W42A	79MB8070W42A	79MP8070W42A
	Medium	18x8.0	Frt/Rear	18	5.2	70MB8080W52A	70MP8080W52A	71MP8080W52A	71MB8080W52A	72MB8080W52A	72MP8080W52A	76MB8080W52A	76MP8080W52A	77MB8080W52A	77MP8080W52A	79MB8080W52A	79MP8080W52A
	Medium	18x9.0	Frt/Rear	30	6.2	70MB8090W62A	70MP8090W62A	71MP8090W62A	71MB8090W62A	72MB8090W62A	72MP8090W62A	76MB8090W62A	76MP8090W62A	77MB8090W62A	77MP8090W62A	79MB8090W62A	79MP8090W62A
	Medium	18x10.0	Rear Only	30	6.7	70MB8100W67A	70MP8100W67A	71MP8100W67A	71MB8100W67A	72MB8100W67A	72MP8100W67A	76MB8100W67A	76MP8100W67A	77MB8100W67A	77MP8100W67A	79MB8100W67A	79MP8100W67A

20"	Medium	20X7.0	Front	10	4.4	70MB0070W44A	70MP0070W44A	71MP0070W44A	71MB0070W44A	72MB0070W44A	72MP0070W44A	76MB0070W44A	76MP0070W44A	77MB0070W44A	77MP0070W44A	79MB0070W44A	79MP0070W44A
	Medium	20X8.0	Frt/Rear	23	5.4	70MB0080W54A	70MP0080W54A	71MP0080W54A	71MB0080W54A	72MB0080W54A	72MP0080W54A	76MB0080W54A	76MP0080W54A	77MB0080W54A	77MP0080W54A	79MB0080W54A	79MP0080W54A
	Medium	20x9.0	Frt/Rear	23	5.9	70MB0090W59A	70MP0090W59A	71MP0090W59A	71MB0090W59A	72MB0090W59A	72MP0090W59A	76MB0090W59A	76MP0090W59A	77MB0090W59A	77MP0090W59A	79MB0090W59A	79MP0090W59A
	Medium	20x10.0	Rear Only	23	6.4	70MB0100W64A	70MP0100W64A	71MP0100W64A	71MB0100W64A	72MB0100W64A	72MP0100W64A	76MB0100W64A	76MP0100W64A	77MB0100W64A	77MP0100W64A	79MB0100W64A	79MP0100W64A

Dodge Aspen/Dart

1965-1976

5X4" Bolt Pattern

Nothing to offer for this bolt pattern in any Weld Racing wheel style

800-788-9353

6600 Stadium Drive, Kansas City, MO 64129

weldwheels.com

RELEASED - September 2021

15" RT-S - Short mag shank lug & 5/8 drive stud acceptable. Conical Lugs required 17"/18"/20"

17"	Low	17x4.5	Front	-2	1.7	70LB70M5A17A	70LP70M5A17A	71LP70M5A17A	71LB70M5A17A	72LB70M5A17A	72LP70M5A17A	76LB70M5A17A	76LP70M5A17A	77LB70M5A17A	77LP70M5A17A	79LB70M5A17A	79LP70M5A17A
	Low	17x7.0	Front	-3	1.9	70LB70T0A40A	70LP70T0A40A	71LP70T0A40A	71LB70T0A40A	72LP70T0A40A	72LP70T0A40A	76LB70T0A40A	76LP70T0A40A	77LP70T0A40A	77LP70T0A40A	79LB70T0A40A	79LP70T0A40A
	Low	17x8.0	Frt/Rear	10	4.9	70LB70R0A50A	70LP70R0A50A	71LP70R0A50A	71LB70R0A50A	72LP70R0A50A	72LP70R0A50A	76LB70R0A50A	76LP70R0A50A	77LP70R0A50A	77LP70R0A50A	79LB70R0A50A	79LP70R0A50A
	Low	17x9.0	Rear Only	-15	4.4	70LB70R0A45A	70LP70R0A45A	71LP70R0A45A	71LB70R0A45A	72LP70R0A45A	72LP70R0A45A	76LB70R0A45A	76LP70R0A45A	77LP70R0A45A	77LP70R0A45A	79LB70R0A45A	79LP70R0A45A
	Low	17x10.0	Rear Only	-3	5.4	70LB7100A55A	70LP7100A55A	71LP7100A55A	71LB7100A55A	72LP7100A55A	72LP7100A55A	76LB7100A55A	76LP7100A55A	77LB7100A55A	77LP7100A55A	79LB7100A55A	79LP7100A55A
18"	Low	18x5.0	Front	-8	2.7	70LB80S0A27A	70LP80S0A27A	71LP80S0A27A	71LB80S0A27A	72LP80S0A27A	72LP80S0A27A	76LB80S0A27A	76LP80S0A27A	77LB80S0A27A	77LP80S0A27A	79LB80S0A27A	79LP80S0A27A
	Low	18x7.0	Front	-8	3.7	70LB80T0A37A	70LP80T0A37A	71LP80T0A37A	71LB80T0A37A	72LP80T0A37A	72LP80T0A37A	76LB80T0A37A	76LP80T0A37A	77LP80T0A37A	77LP80T0A37A	79LB80T0A37A	79LP80T0A37A
	Low	18x8.0	Frt/Rear	8	4.7	70LB80R0A47A	70LP80R0A47A	71LP80R0A47A	71LB80R0A47A	72LP80R0A47A	72LP80R0A47A	76LB80R0A47A	76LP80R0A47A	77LP80R0A47A	77LP80R0A47A	79LB80R0A47A	79LP80R0A47A
	Low	18x9.0	Rear Only	-8	4.7	70LB80Q0A47A	70LP80Q0A47A	71LP80Q0A47A	71LB80Q0A47A	72LP80Q0A47A	72LP80Q0A47A	76LB80Q0A47A	76LP80Q0A47A	77LP80Q0A47A	77LP80Q0A47A	79LB80Q0A47A	79LP80Q0A47A
	Low	18x10.0	Rear Only	5	5.7	70LB8100A57A	70LP8100A57A	71LP8100A57A	71LB8100A57A	72LP8100A57A	72LP8100A57A	76LB8100A57A	76LP8100A57A	77LB8100A57A	77LP8100A57A	79LB8100A57A	79LP8100A57A
20"	Low	20x9.5	Rear Only	-6	5	70LB00P9A50A	70LP00P9A50A	71LP00P9A50A	71LB00P9A50A	72LP00P9A50A	72LP00P9A50A	76LB00P9A50A	76LP00P9A50A	77LP00P9A50A	77LP00P9A50A	79LB00P9A50A	79LP00P9A50A
	Low	20x10.0	Rear Only	0	5.5	70LB0100A55A	70LP0100A55A	71LP0100A55A	71LB0100A55A	72LP0100A55A	72LP0100A55A	76LB0100A55A	76LP0100A55A	77LP0100A55A	77LP0100A55A	79LB0100A55A	79LP0100A55A

1965-1970 5x4.5" [A] 1/2" Lugs
15" RT-S - Short mag shank lug & 5/8 drive stud acceptable. Conical Lugs required 17"/18"/20"

15°	Low	18x5.0	Front	-2	2.2	70LB80Y0A22A	70LP80S0A0A22A	71LP80S0A0A22A	71LB80S0A0A22A	72LB80S0A0A22A	72LP80S0A0A22A	76LB80S0A0A22A	76LP80S0A0A22A	77LB80S0A0A22A	77LP80S0A0A22A	79LB80S0A0A22A	79LP80S0A0A22A
	Low	18x7.0	Front	-8	3.7	70LB80Y0A37A	70LP80S0A0A37A	71LP80S0A0A37A	71LB80S0A0A37A	72LB80S0A0A37A	72LP80S0A0A37A	76LB80S0A0A37A	76LP80S0A0A37A	77LB80S0A0A37A	77LP80S0A0A37A	79LB80S0A0A37A	79LP80S0A0A37A
	Low	18x8.0	Front	5	4.7	70LB80B0A47A	70LP80B0A0A47A	71LP80B0A0A47A	71LB80B0A0A47A	72LB80B0A0A47A	72LP80B0A0A47A	76LB80B0A0A47A	76LP80B0A0A47A	77LB80B0A0A47A	77LP80B0A0A47A	79LB80B0A0A47A	79LP80B0A0A47A
	Low	18x9.0	Rear Only	0	4.7	70LB80B0A47A	70LP80B0A0A47A	71LP80B0A0A47A	71LB80B0A0A47A	72LB80B0A0A47A	72LP80B0A0A47A	76LB80B0A0A47A	76LP80B0A0A47A	77LB80B0A0A47A	77LP80B0A0A47A	79LB80B0A0A47A	79LP80B0A0A47A
	Low	18x10.0	Rear Only	-5	5.7	70LB81B0A57A	70LP81B0A0A57A	71LP81B0A0A57A	71LB81B0A0A57A	72LB81B0A0A57A	72LP81B0A0A57A	76LB81B0A0A57A	76LP81B0A0A57A	77LB81B0A0A57A	77LP81B0A0A57A	79LB81B0A0A57A	79LP81B0A0A57A
	Low	20x9.0	Rear Only	-6	5	70LB0095A50A	70LP0095A50A	71LP0095A50A	71LB0095A50A	72LB0095A50A	72LP0095A50A	76LB0095A50A	76LP0095A50A	77LB0095A50A	77LP0095A50A	79LB0095A50A	79LP0095A50A
20°	Low	20x10.0	Rear Only	0	5.5	70LB0100A55A	70LP0100A55A	71LP0100A55A	71LB0100A55A	72LB0100A55A	72LP0100A55A	76LB0100A55A	76LP0100A55A	77LB0100A55A	77LP0100A55A	79LB0100A55A	79LP0100A55A

1971-1974 5x4.5" [A] 1/2" Lugs
15" RT-S - Short mag shank lug & 5/8 drive stud acceptable. Conical Lugs req'd 17"/18"/20"

15°	Low	17x4.5	Front	-27	1.7	70LB870A17A	70LP70A5417A	71LP70A5417A	71LB70A5417A	72LB70A5417A	72LP70A5417A	76LB70A5417A	76LP70A5417A	77LB70A5417A	77LP70A5417A	79LB70A5417A	79LP70A5417A
	Low	17x6.0	Front	-15	2.9	70LB7060A30A	70LP7060A30A	71LP7060A30A	71LB7060A30A	72LB7060A30A	72LP7060A30A	76LB7060A30A	76LP7060A30A	77LB7060A30A	77LP7060A30A	79LB7060A30A	79LP7060A30A
	Low	17x7.0	Front	-28	4.9	70LB7070A30A	70LP7070A30A	71LP7070A30A	71LB7070A30A	72LB7070A30A	72LP7070A30A	76LB7070A30A	76LP7070A30A	77LB7070A30A	77LP7070A30A	79LB7070A30A	79LP7070A30A
	Low	17x8.0	Fr/Rear	-3	2.9	70LB7080A45A	70LP7080A45A	71LP7080A45A	71LB7080A45A	72LB7080A45A	72LP7080A45A	76LB7080A45A	76LP7080A45A	77LB7080A45A	77LP7080A45A	79LB7080A45A	79LP7080A45A
	Low	17x9.0	Rear Only	-3	4.9	70LB7090A50A	70LP7090A50A	71LP7090A50A	71LB7090A50A	72LB7090A50A	72LP7090A50A	76LB7090A50A	76LP7090A50A	77LB7090A50A	77LP7090A50A	79LB7090A50A	79LP7090A50A
18°	Low	17x10.0	Rear Only	0	5.9	70LB7100A60A	70LP7100A60A	71LP7100A60A	71LB7100A60A	72LB7100A60A	72LP7100A60A	76LB7100A60A	76LP7100A60A	77LB7100A60A	77LP7100A60A	79LB7100A60A	79LP7100A60A
	Low	18x5.0	Front	-20	2.2	70LB8050A22A	70LP8050A22A	71LP8050A22A	71LB8050A22A	72LB8050A22A	72LP8050A22A	76LB8050A22A	76LP8050A22A	77LB8050A22A	77LP8050A22A	79LB8050A22A	79LP8050A22A
	Low	18x7.0	Front	-8	3.7	70LB8070A37A	70LP8070A37A	71LP8070A37A	71LB8070A37A	72LB8070A37A	72LP8070A37A	76LB8070A37A	76LP8070A37A	77LB8070A37A	77LP8070A37A	79LB8070A37A	79LP8070A37A
	Low	18x8.0	Fr/Rear	-5	4.7	70LB8080A47A	70LP8080A47A	71LP8080A47A	71LB8080A47A	72LB8080A47A	72LP8080A47A	76LB8080A47A	76LP8080A47A	77LB8080A47A	77LP8080A47A	79LB8080A47A	79LP8080A47A
	Low	18x9.0	Rear Only	-8	4.7	70LB8090A47A	70LP8090A47A	71LP8090A47A	71LB8090A47A	72LB8090A47A	72LP8090A47A	76LB8090A47A	76LP8090A47A	77LB8090A47A	77LP8090A47A	79LB8090A47A	79LP8090A47A
20°	Low	18x10.0	Rear Only	5	5.7	70LB8100A57A	70LP8100A57A	71LP8100A57A	71LB8100A57A	72LB8100A57A	72LP8100A57A	76LB8100A57A	76LP8100A57A	77LB8100A57A	77LP8100A57A	79LB8100A57A	79LP8100A57A
	Low	20x9.5	Rear Only	-6	5	70LB0095A50A	70LP0095A50A	71LP0095A50A	71LB0095A50A	72LB0095A50A	72LP0095A50A	76LB0095A50A	76LP0095A50A	77LB0095A50A	77LP0095A50A	79LB0095A50A	79LP0095A50A
20°	Low	20x10.0	Rear Only	0	5.5	70LB0100A55A	70LP0100A55A	71LP0100A55A	71LB0100A55A	72LB0100A55A	72LP0100A55A	76LB0100A55A	76LP0100A55A	77LB0100A55A	77LP0100A55A	79LB0100A55A	79LP0100A55A

WELD

Dodge Challenger (E Body)

1970-1974 5x4.5" [A] 1/2" Lugs

15" RT-S - Short mag shank lug & 5/8 drive stud acceptable. Conical Lugs req'd 17"/18"/20"

Wheel Diameter	Pad Height	Size	Vehicle Location	Offset	Back Space	S70 Black Ctr Part Number	S70 All Polished Part Number	S71 All Polished Part Number	S71 Black Ctr Part Number	S72 Black Ctr Part Number	S72 All Polished Part Number	S76 Black Ctr Part Number	S76 All Polished Part Number	S77 Black Ctr Part Number	S77 All Polished Part Number	S79 Black Ctr Part Number	S79 All Polished Part Number
15"	Low	15x4	Front	-21	1.63	70LB-504A16A	70LP-504A16A	71LP-504A16A	71LB-504A16A	72LB-504A16A	72LP-504A16A	76LB-504A16A	76LP-504A16A	77LB-504A16A	77LP-504A16A	79LB-504A16A	79LP-504A16A
	Low	15x5.33	Front	-16	2.5	70LB-505A25A	70LP-505A25A	71LP-505A25A	71LB-505A25A	72LB-505A25A	72LP-505A25A	76LB-505A25A	76LP-505A25A	77LB-505A25A	77LP-505A25A	79LB-505A25A	79LP-505A25A
	Low	15x6.33	Front	-3	3.5	70LB-506A35A	70LP-506A35A	71LP-506A35A	71LB-506A35A	72LB-506A35A	72LP-506A35A	76LB-506A35A	76LP-506A35A	77LB-506A35A	77LP-506A35A	79LB-506A35A	79LP-506A35A
	Low	15x7.33	Front	-16	3.5	70LB-507A35A	70LP-507A35A	71LP-507A35A	71LB-507A35A	72LB-507A35A	72LP-507A35A	76LB-507A35A	76LP-507A35A	77LB-507A35A	77LP-507A35A	79LB-507A35A	79LP-507A35A
	Low	15x8.33	Frt/Rear	-3	4.5	70LB-508A45A	70LP-508A45A	71LP-508A45A	71LB-508A45A	72LB-508A45A	72LP-508A45A	76LB-508A45A	76LP-508A45A	77LB-508A45A	77LP-508A45A	79LB-508A45A	79LP-508A45A
	Low	15x9.33	Rear Only	-16	4.5	70LB-509A45A	70LP-509A45A	71LP-509A45A	71LB-509A45A	72LB-509A45A	72LP-509A45A	76LB-509A45A	76LP-509A45A	77LB-509A45A	77LP-509A45A	79LB-509A45A	79LP-509A45A
	Low	15x10.33	Rear Only	-3	5.5	70LB-510A55A	70LP-510A55A	71LP-510A55A	71LB-510A55A	72LB-510A55A	72LP-510A55A	76LB-510A55A	76LP-510A55A	77LB-510A55A	77LP-510A55A	79LB-510A55A	79LP-510A55A

17"	Low	17x4.5	Front	-27	1.7	70LB7045A17A	70LP7045A17A	71LP7045A17A	71LB7045A17A	72LB7045A17A	72LP7045A17A	76LB7045A17A	76LP7045A17A	77LB7045A17A	77LP7045A17A	79LB7045A17A	79LP7045A17A
	Low	17x7.0	Front	-28	2.9	70LB7070A30A	70LP7070A30A	71LP7070A30A	71LB7070A30A	72LB7070A30A	72LP7070A30A	76LB7070A30A	76LP7070A30A	77LB7070A30A	77LP7070A30A	79LB7070A30A	79LP7070A30A
	Low	17x8.0	Frt/Rear	-3	4.4	70LB7080A45A	70LP7080A45A	71LP7080A45A	71LB7080A45A	72LB7080A45A	72LP7080A45A	76LB7080A45A	76LP7080A45A	77LB7080A45A	77LP7080A45A	79LB7080A45A	79LP7080A45A
	Low	17x9.0	Rear Only	-3	4.9	70LB7090A50A	70LP7090A50A	71LP7090A50A	71LB7090A50A	72LB7090A50A	72LP7090A50A	76LB7090A50A	76LP7090A50A	77LB7090A50A	77LP7090A50A	79LB7090A50A	79LP7090A50A
	Low	17x10.0	Rear Only	10	5.9	70LB7100A60A	70LP7100A60A	71LP7100A60A	71LB7100A60A	72LB7100A60A	72LP7100A60A	76LB7100A60A	76LP7100A60A	77LB7100A60A	77LP7100A60A	79LB7100A60A	79LP7100A60A

18"	Low	18x5.0	Front	-20	2.2	70LB8050A22A	70LP8050A22A	71LP8050A22A	71LB8050A22A	72LB8050A22A	72LP8050A22A	76LB8050A22A	76LP8050A22A	77LB8050A22A	77LP8050A22A	79LB8050A22A	79LP8050A22A
	Low	18x7.0	Front	-8	3.7	70LB8070A37A	70LP8070A37A	71LP8070A37A	71LB8070A37A	72LB8070A37A	72LP8070A37A	76LB8070A37A	76LP8070A37A	77LB8070A37A	77LP8070A37A	79LB8070A37A	79LP8070A37A
	Low	18x8.0	Frt/Rear	-5	4.7	70LB8080A47A	70LP8080A47A	71LP8080A47A	71LB8080A47A	72LB8080A47A	72LP8080A47A	76LB8080A47A	76LP8080A47A	77LB8080A47A	77LP8080A47A	79LB8080A47A	79LP8080A47A
	Low	18x9.0	Rear Only	-8	4.7	70LB8090A47A	70LP8090A47A	71LP8090A47A	71LB8090A47A	72LB8090A47A	72LP8090A47A	76LB8090A47A	76LP8090A47A	77LB8090A47A	77LP8090A47A	79LB8090A47A	79LP8090A47A
	Low	18x10.0	Rear Only	5	5.7	70LB8100A57A	70LP8100A57A	71LP8100A57A	71LB8100A57A	72LB8100A57A	72LP8100A57A	76LB8100A57A	76LP8100A57A	77LB8100A57A	77LP8100A57A	79LB8100A57A	79LP8100A57A

20"	Low	20x9.5	Rear Only	-6	5	70LB0095A50A	70LP0095A50A	71LP0095A50A	71LB0095A50A	72LB0095A50A	72LP0095A50A	76LB0095A50A	76LP0095A50A	77LB0095A50A	77LP0095A50A	79LB0095A50A	79LP0095A50A
	Low	20x10.0	Rear Only	0	5.5	70LB0100A55A	70LP0100A55A	71LP0100A55A	71LB0100A55A	72LB0100A55A	72LP0100A55A	76LB0100A55A	76LP0100A55A	77LB0100A55A	77LP0100A55A	79LB0100A55A	79LP0100A55A

This fitment guide applies to vehicles with Q.E. suspension, wheel wells, and brakes unless otherwise noted.

Other sizes and offsets are available, please call the Sales and Tech Department for more information at 800-788-9353

300 & 300C RWD only

First Gen: 2005-2010. Second Gen: 2011-Present

5x115mm [W] 14mmX1.5 Lugs. Conical Lugs req'd 17"/18"/20"

Wheel Diameter	Pad Height	Size	Vehicle Location	Offset	Back Space	S70 Black Ctr Part Number	S70 All Polished Part Number	S71 All Polished Part Number	S71 Black Ctr Part Number	S72 Black Ctr Part Number	S72 All Polished Part Number	S76 Black Ctr Part Number	S76 All Polished Part Number	S77 Black Ctr Part Number	S77 All Polished Part Number	S79 Black Ctr Part Number	S79 All Polished Part Number
17"	Medium	17x5.0	Front	8	3.3	70MB7050W33A	70MP7050W33A	71MP7050W33A	71MB7050W33A	72MB7050W33A	72MP7050W33A	76MB7050W33A	76MP7050W33A	77MB7050W33A	77MP7050W33A	79MB7050W33A	79MP7050W33A
	Low	17x7.0	Front	8	4.3	70MB7070W43A	70MP7070W43A	71MP7070W43A	71MB7070W43A	72MB7070W43A	72MP7070W43A	76MB7070W43A	76MP7070W43A	77MB7070W43A	77MP7070W43A	79MB7070W43A	79MP7070W43A
	Medium	17x8.0	Frt/Rear	20	5.3	70MB7080W53A	70MP7080W53A	71MP7080W53A	71MB7080W53A	72MB7080W53A	72MP7080W53A	76MB7080W53A	76MP7080W53A	77MB7080W53A	77MP7080W53A	79MB7080W53A	79MP7080W53A
	Medium	17x9.0	Frt/Rear	33	6.3	70MB7090W63A**	70MP7090W63A**	71MP7090W63A**	71MB7090W63A**	72MB7090W63A**	72MP7090W63A**	76MB7090W63A**	76MP7090W63A**	77MB7090W63A**	77MP7090W63A**	79MB7090W63A**	79MP7090W63A**
	Medium	17x10.0	Rear Only	33	6.8	70MB7100W68A	70MP7100W68A	71MP7100W68A	71MB7100W68A	72MB7100W68A	72MP7100W68A	76MB7100W68A	76MP7100W68A	77MB7100W68A	77MP7100W68A	79MB7100W68A	79MP7100W68A

**Requires 6mm spacer

18"	Medium	18x5.0	Front	-20	2.2	70MB8050W22A	70MP8050W22A	71MP8050W22A	71MB8050W22A	72MB8050W22A	72MP8050W22A	76MB8050W22A	76MP8050W22A	77MB8050W22A	77MP8050W22A	79MB8050W22A	79MP8050W22A
	Medium	18x7.0	Front	5	4.2	70MB8070W42A	70MP8070W42A	71MP8070W42A	71MB8070W42A	72MB8070W42A	72MP8070W42A	76MB8070W42A	76MP8070W42A	77MB8070W42A	77MP8070W42A	79MB8070W42A	79MP8070W42A
	Medium	18x8.0	Frt/Rear	18	5.2	70MB8080W52A	70MP8080W52A	71MP8080W52A	71MB8080W52A	72MB8080W52A	72MP8080W52A	76MB8080W52A	76MP8080W52A	77MB8080W52A	77MP8080W52A	79MB8080W52A	79MP8080W52A
	Medium	18x9.0	Frt/Rear	30	6.2	70MB8090W62A**	70MP8090W62A**	71MP8090W62A**	71MB8090W62A**	72MB8090W62A**	72MP8090W62A**	76MB8090W62A**	76MP8090W62A**	77MB8090W62A**	77MP8090W62A**	79MB8090W62A**	79MP8090W62A**
	Medium	18x10.0	Rear Only	30	6.7	70MB8100W67A	70MP8100W67A	71MP8100W67A	71MB8100W67A	72MB8100W67A	72MP8100W67A	76MB8100W67A	76MP8100W67A	77MB8100W67A	77MP8100W67A	79MB8100W67A	79MP8100W67A

**Requires 6mm spacer

20"	Medium	20x7.0	Front	10	4.4	70MB0070W44A	70MP0070W44A	71MP0070W44A	71MB0070W44A	72MB0070W44A	72MP0070W44A	76MB0070W44A	76MP0070W44A	77MB0070W44A	77MP0070W44A	79MB0070W44A	79MP0070W44A
	Medium	20x8.0	Frt/Rear	23	5.4	70MB0080W54A	70MP0080W54A	71MP0080W54A	71MB0080W54A	72MB0080W54A	72MP0080W54A	76MB0080W54A	76MP0080W54A	77MB0080W54A	77MP0080W54A	79MB0080W54A	79MP0080W54A
	Medium	20x9.0	Frt/Rear	36	6.4	70MB0090W64A	70MP0090W64A	71MP0090W64A	71MB0090W64A	72MB0090W64A	72MP0090W64A	76MB0090W64A	76MP0090W64A	77MB0090W64A	77MP0090W64A	79MB0090W64A	79MP0090W64A
	Medium	20x10.0	Rear Only	36	6.9	70MB0100W69A	70MP0100W69A	71MP0100W69A	71MB0100W69A	72MB0100W69A	72MP0100W69A	76MB0100W69A	76MP0100W69A	77MB0100W69A	77MP0100W69A	79MB0100W69A	79MP0100W69A

300 SRT8

same as 2005+ Charger SRT8 & Magnum SRT8

5x115mm [W] 14mmX1.5 Lugs

Wheel Diameter	Pad Height	Size	Vehicle Location	Offset	Back Space	S70 Black Ctr Part Number	S70 All Polished Part Number	S71 All Polished Part Number	S71 Black Ctr Part Number	S72 Black Ctr Part Number	S72 All Polished Part Number	S76 Black Ctr Part Number	S76 All Polished Part Number	S77 Black Ctr Part Number	S77 All Polished Part Number	S79 Black Ctr Part Number	S79 All Polished Part Number
17"	High	17x5.0	Front	-20	2.2	70HB7050W22A	70HP7050W22A	71HP7050W22A	71HB7050W22A	72HP7050W22A	72HB7050W22A	76HP7050W22A	76HB7050W22A	77HP7050W22A	77HB7050W22A	79HP7050W22A	79HB7050W22A
	High	17x7.0	Front	5	4.2	70HB7070W42A	70HP7070W42A	71HP7070W42A	71HB7070W42A	72HP7070W42A	72HB7070W42A	76HP7070W42A	76HB7070W42A	77HP7070W42A	77HB7070W42A	79HP7070W42A	79HB7070W42A
	High	17x8.0	Frt/Rear	18	5.2	70HB7080W52A	70HP7080W52A	71HP7080W52A	71HB7080W52A	72HP7080W52A	72HB7080W52A	76HP7080W52A	76HB7080W52A	77HP7080W52A	77HB7080W52A	79HP7080W52A	79HB7080W52A
	High	17x9.0	Frt/Rear	30	6.2	70HB7090W62A**	70HP7090W62A**	71HP7090W62A**	71HB7090W62A**	72HP7090W62A**	72HB7090W62A**	76HP7090W62A**	76HB7090W62A**	77HP7090W62A**	77HB7090W62A**	79HP7090W62A**	79HB7090W62A**
	High	17x10.0	Rear Only	30	6.7	70HB7100W67A*	70HP7100W67A*	71HP7100W67A*	71HB7100W67A*	72HP7100W67A*	72HB7100W67A*	76HP7100W67A*	76HB7100W67A*	77HP7100W67A*	77HB7100W67A*	79HP7100W67A*	79HB7100W67A*

*Requires 6mm spacer; **Nutsal wheel at ride height to clear sway bar during installation.

18"	High	18x5.0	Front	-23	2.1	70HB8050W21A	70HP8050W21A	71HP8050W21A	71HB8050W21A	72HP8050W21A	72HB8050W21A	76HP8050W21A	76HB8050W21A	77HP8050W21A	77HB8050W21A	79HP8050W21A	79HB8050W21A
	High	18x7.0	Front	3	4.1	70HB8070W41A	70HP8070W41A	71HP8070W41A	71HB8070W41A	72HP8070W41A	72HB8070W41A	76HP8070W41A	76HB8070W41A	77HP8070W41A	77HB8070W41A	79HP8070W41A	79HB8070W41A
	High	18x8.0	Frt/Rear	15	5.1	70HB8080W51A	70HP8080W51A	71HP8080W51A	71HB8080W51A	72HP8080W51A	72HB8080W51A	76HP8080W51A	76HB8080W51A	77HP8080W51A	77HB8080W51A	79HP8080W51A	79HB8080W51A
	High	18x9.0	Frt/Rear	28	6.1	70HB8090W61A**	70HP8090W61A**	71HP8090W61A**	71HB8090W61A**	72HP8090W61A**	72HB8090W61A**	76HP8090W61A**	76HB8090W61A**	77HP8090W61A**	77HB8090W61A**	79HP8090W61A**	79HB8090W61A**
	High	18x10.0	Rear Only	28	6.6	70HB8100W66A	70HP8100W66A	71HP8100W66A	71HB8100W66A	72HP8100W66A	72HB8100W66A	76HP8100W66A	76HB8100W66A	77HP8100W66A	77HB8100W66A	79HP8100W66A	79HB8100W66A

**Requires 6mm spacer

20"	High	20x7.0	Front	5	4.2	70HB0070W42A	70HP0070W42A	71HP0070W42A	71HB0070W42A	72HP0070W42A	72
-----	------	--------	-------	---	-----	--------------	--------------	--------------	--------------	--------------	----

RT-S Application Guide FORD

This fitment guide applies to vehicles with O.E. suspension/wheel wells/and brakes unless otherwise noted.

Other sizes and offsets are available/please call the Sales and Tech Department for more information

DISCLAIMER: DO NOT FIT 2015+ GT350 MUSTANG or 2020 GT500 Mustang

Mustang 2015+ GT with Brembo

15" Front Rotors, 5x4.5 [A] bolt circle

14mmx1.5 Stud and lug nuts. Conical Lugs req'd 17"/18"/20"

	Pad Height	Wheel Size	Vehicle Location	Weld Offset	Back Space	S70 Black Ctr Part Number	S70 All Polished Part Number	S71 Black Ctr Part Number	S71 All Polished Part Number	S72 Black Ctr Part Number	S72 All Polished Part Number	S76 Black Ctr Part Number	S76 All Polished Part Number	S77 Black Ctr Part Number	S77 All Polished Part Number	S79 Black Ctr Part Number	S79 All Polished Part Number
17"	Low	17x10.0	Rear only	64	8	70LB7100A80A	70LP7100A80A	71LB7100A80A	71LP7100A80A	72LB7100A80A	72LP7100A80A	76LB7100A80A	76LP7100A80A	77LB7100A80A	77LP7100A80A	79LB7100A80A	79LP7100A80A
	Low	17x10.5	Rear only	57	8	70LB7105A80A*	70LP7105A80A*	71LB7105A80A*	71LP7105A80A*	72LB7105A80A*	72LP7105A80A*	76LB7105A80A*	76LP7105A80A*	77LB7105A80A*	77LP7105A80A*	79LB7105A80A*	79LP7105A80A*

*Extremely aggressive fitment, watch tire size

18"	High	18x5.0	Front	-23	2.1	70HB8050A21A	70HP8050A21A	71HB8050A21A	71HP8050A21A	72HB8050A21A	72HP8050A21A	76HB8050A21A	76HP8050A21A	77HB8050A21A	77HP8050A21A	79HB8050A21A	79HP8050A21A
	High	18x8.0	Front	15	5.1	70HB8080A51A	70HP8080A51A	71HB8080A51A	71HP8080A51A	72HB8080A51A	72HP8080A51A	76HB8080A51A	76HP8080A51A	77HB8080A51A	77HP8080A51A	79HB8080A51A	79HP8080A51A
	High	18x9.0	Front	28	6.1	70HB8090A61A	70HP8090A61A	71HB8090A61A	71HP8090A61A	72HB8090A61A	72HP8090A61A	76HB8090A61A	76HP8090A61A	77HB8090A61A	77HP8090A61A	79HB8090A61A	79HP8090A61A
	High	18x9.5	Front	50	6.6	70HB8095A66A	70HP8095A66A	71HB8095A66A	71HP8095A66A	72HB8095A66A	72HP8095A66A	76HB8095A66A	76HP8095A66A	77HB8095A66A	77HP8095A66A	79HB8095A66A	79HP8095A66A
	Low	18x9.5	Rear only	50	7.2	70LB8095A72A	70LP8095A72A	71LB8095A72A	71LP8095A72A	72LB8095A72A	72LP8095A72A	76LB8095A72A	76LP8095A72A	77LB8095A72A	77LP8095A72A	79LB8095A72A	79LP8095A72A
	Low	18x10.0	Rear only	56	7.7	70LB8100A77A	70LP8100A77A	71LB8100A77A	71LP8100A77A	72LB8100A77A	72LP8100A77A	76LB8100A77A	76LP8100A77A	77LB8100A77A	77LP8100A77A	79LB8100A77A	79LP8100A77A
	Low	18x11.0	Rear only	43	7.7	70LB8110A77A	70LP8110A77A	71LB8110A77A	71LP8110A77A	72LB8110A77A	72LP8110A77A	76LB8110A77A	76LP8110A77A	77LB8110A77A	77LP8110A77A	79LB8110A77A	79LP8110A77A
	High	18x11.0	Frt/Rear	53	8.1	70HB8110A81A*	70HP8110A81A*	71HB8110A81A*	71HP8110A81A*	72HB8110A81A*	72HP8110A81A*	76HB8110A81A*	76HP8110A81A*	77HB8110A81A*	77HP8110A81A*	79HB8110A81A*	79HP8110A81A*

*Square setup Requires long studs, 10-15mm spacer on front depending on strut

20"	High	20x7.0	Front	6	4.25	70HB0070A43A	70HP0070A43A	71HB0070A43A	71HP0070A43A	72HB0070A43A	72HP0070A43A	76HB0070A43A	76HP0070A43A	77HB0070A43A	77HP0070A43A	79HB0070A43A	79HP0070A43A
	High	20x8.0	Front	19	5.25	70HB0080A53A	70HP0080A53A	71HB0080A53A	71HP0080A53A	72HB0080A53A	72HP0080A53A	76HB0080A53A	76HP0080A53A	77HB0080A53A	77HP0080A53A	79HB0080A53A	79HP0080A53A
	High	20x9.0	Front	32	6.25	70HB0090A63A	70HP0090A63A	71HB0090A63A	71HP0090A63A	72HB0090A63A	72HP0090A63A	76HB0090A63A	76HP0090A63A	77HB0090A63A	77HP0090A63A	79HB0090A63A	79HP0090A63A
	Low	20x10.5	Rear only	43	7.5	70LB0105A75A	70LP0105A75A	71LB0105A75A	71LP0105A75A	72LB0105A75A	72LP0105A75A	76LB0105A75A	76LP0105A75A	77LB0105A75A	77LP0105A75A	79LB0105A75A	79LP0105A75A

20"	Low	20x11.0	Rear only	50	8	70LB0110A80A	70LP0110A80A	71LB0110A80A	71LP0110A80A	72LB0110A80A	72LP0110A80A	76LB0110A80A	76LP0110A80A	77LB0110A80A	77LP0110A80A	79LB0110A80A	79LP0110A80A
-----	-----	---------	-----------	----	---	--------------	--------------	--------------	--------------	--------------	--------------	--------------	--------------	--------------	--------------	--------------	--------------

Mustang 2015+ base and GT with std 14" rotors.

5x4.5 [A] bolt circle

14mmx1.5 Stud and lug nuts. Conical Lugs req'd 17"/18"/20"

	Pad Height	Wheel Size	Vehicle Location	Weld Offset	Back Space	S70 Black Ctr Part Number	S70 All Polished Part Number	S71 Black Ctr Part Number	S71 All Polished Part Number	S72 Black Ctr Part Number	S72 All Polished Part Number	S76 Black Ctr Part Number	S76 All Polished Part Number	S77 Black Ctr Part Number	S77 All Polished Part Number	S79 Black Ctr Part Number	S79 All Polished Part Number
15"	Medium	15x4	Front	-27	1.5	70MB-504A15A*	70MP-504A15A*	71MB-504A15A*	71MP-504A15A*	72MB-504A15A*	72MP-504A15A*	76MB-504A15A*	76MP-504A15A*	77MB-504A15A*	77MP-504A15A*	79MB-504A15A*	79MP-504A15A*
	Medium	15x9	Rear only	37	6.5	70MB-509A65A*	70MP-509A65A*	71MB-509A65A*	71MP-509A65A*	72MB-509A65A*	72MP-509A65A*	76MB-509A65A*	76MP-509A65A*	77MB-509A65A*	77MP-509A65A*	79MB-509A65A*	79MP-509A65A*

*Denotes: Requires Rear brake conversion and Rear Sway bar Relocation Brackets required; Lower control arm bolt will need to be shaved down for clearance

*Requires small brake kit

17"	High	17x5.0	Front	-21	2.2	70HB7050A22A	70HP7050A22A	71HB7050A22A	71HP7050A22A	72HB7050A22A	72HP7050A22A	76HB7050A22A	76HP7050A22A	77HB7050A22A	77HP7050A22A	79HB7050A22A	79HP7050A22A
	High	17x8.0	Front	18	5.2	70HB7080A52A	70HP7080A52A	71HB7080A52A	71HP7080A52A	72HB7080A52A	72HP7080A52A	76HB7080A52A	76HP7080A52A	77HB7080A52A	77HP7080A52A	79HB7080A52A	79HP7080A52A
	High	17x9.0	Front	31	6.2	70HB7090A62A	70HP7090A62A	71HB7090A62A	71HP7090A62A	72HB7090A62A	72HP7090A62A	76HB7090A62A	76HP7090A62A	77HB7090A62A	77HP7090A62A	79HB7090A62A	79HP7090A62A
	High	17x9.5	Front	37	6.7	70HB7095A67A	70HP7095A67A	71HB7095A67A	71HP7095A67A	72HB7095A67A	72HP7095A67A	76HB7095A67A	76HP7095A67A	77HB7095A67A	77HP7095A67A	79HB7095A67A	79HP7095A67A
	Low	17x9.5	Rear only	44.5	7	70LB7095A70A	70LP7095A70A	71LB7095A70A	71LP7095A70A	72LB7095A70A	72LP7095A70A	76LB7095A70A	76LP7095A70A	77LB7095A70A	77LP7095A70A	79LB7095A70A	79LP7095A70A
	Low	17x10.0	Rear only	64	8	70LB7100A80A	70LP7100A80A	71LB7100A80A	71LP7100A80A	72LB7100A80A	72LP7100A80A	76LB7100A80A	76LP7100A80A	77LB7100A80A	77LP7100A80A	79LB7100A80A	79LP7100A80A

17"	Low	17x10.5	Rear only	57	8	70LB7105A80A	70LP7105A80A	71LB7105A80A	71LP7105A80A	72LB7105A80A	72LP7105A80A	76LB7105A80A	76LP7105A80A	77LB7105A80A	77LP7105A80A	79LB7105A80A	79LP7105A80A
-----	-----	---------	-----------	----	---	--------------	--------------	--------------	--------------	--------------	--------------	--------------	--------------	--------------	--------------	--------------	--------------

18"	High	18x5.0	Front	-23	2.1	70HB8050A21A	70HP8050A21A	71HB8050A21A	71HP8050A21A	72HB8050A21A	72HP8050A21A	76HB8050A21A	76HP8050A21A	77HB8050A21A	77HP8050A21A	79HB8050A21A	79HP8050A21A
	High	18x8.0	Front	15	5.1	70HB8080A51A	70HP8080A51A	71HB8080A51A	71HP8080A51A	72HB8080A51A	72HP8080A51A	76HB8080A51A	76HP8080A51A	77HB8080A51A	77HP8080A51A	79HB8080A51A	79HP8080A51A
	High	18x9.0	Front	28	6.1	70HB8090A61A	70HP8090A61A	71HB8090A61A	71HP8090A61A	72HB8090A61A	72HP8090A61A	76HB8090A61A	76HP8090A61A	77HB8090A61A	77HP8090A61A	79HB8090A61A	79HP8090A61A
	High	18x9.5	Front	50	6.6	70HB8095A66A	70HP8095A66A	71HB8095A66A	71HP8095A66A	72HB8095A66A	72HP8095A66A	76HB8095A66A	76HP8095A66A	77HB8095A66A	77HP8095A66A	79HB8095A66A	79HP8095A66A
	Low	18x10	Rear only	31	6.7	70LB8100A67A	70LP8100A67A	71LB8100A67A	71LP8100A67A	72LB8100A67A	72LP8100A67A	76LB8100A67A	76LP8100A67A	77LB8100A67A	77LP8100A67A	79LB8100A67A	79LP8100A67A
	Low	18x11.0	Rear only	43	7.7	70LB8110A77A	70LP8110A77A	71LB8110A77A	71LP8110A77A	72LB8110A77A	72LP8110A77A	76LB8110A77A	76LP8110A77A	77LB8110A77A	77LP8110A77A	79LB8110A77A	79LP8110A77A
	High	18x11.0	Frt/Rear	53	8.1	70HB8110A81A*	70HP8110A81A*	71HB8110A81A*	71HP8110A81A*	72HB8110A81A*	72HP8110A81A*	76HB8110A81A*	76HP8110A81A*	77HB8110A81A*	77HP8110A81A*	79HB8110A81A*	79HP8110A81A*

*Square setup Requires long studs, 10-15mm spacer on front depending on strut

20"	High	20x7.0	Front	6	4.25	70HB0070A43A	70HP0070A43A	71HB0070A43A	71HP0070A43A	72HB0070A43A	72HP0070A43A	76HB0070A43A	76HP0070A43A	77HB0070A43A	77HP0070A43A	79HB0070A43A	79HP0070A43A
	High	20x8.0	Front	19	5.25	70HB0080A53A	70HP0080A53A	71HB0080A53A	71HP0080A53A	72HB0080A53A	72HP0080A53A	76HB0080A53A	76HP0080A53A	77HB0080A53A	77HP0080A53A	79HB0080A53A	79HP0080A53A
	High	20x9.0	Front	32	6.25	70HB0090A63A	70HP0090A63A	71HB0090A63A	71HP0090A63A	72HB0090A63A	72HP0090A63A	76HB0090A63A	76HP0090A63A	77HB0090A63A	77HP0090A63A	79HB0090A63A	79HP0090A63A
	Low	20x10.5	Rear only	43	7.5	70LB0105A75A	70LP0105A75A	71LB0105A75A	71LP0105A75A	72LB0105A75A	72LP0105A75A	76LB0105A75A	76LP0105A75A	77LB0105A75A	77LP0105A75A	79LB0105A75A	79LP0105A75A

20"	Low	20x11.0	Rear only	50	8	70LB0110A80A	70LP0110A80A	71LB0110A80A	71LP0110A80A	72LB0110A80A	72LP0110A80A	76LB0110A80A	76LP0110A80A	77LB0110A80A	77LP0110A80A	79LB0110A80A	79LP0110A80A
-----	-----	---------	-----------	----	---	--------------	--------------	--------------	--------------	--------------	--------------	--------------	--------------	--------------	--------------	--------------	--------------

WELD

Mustang GT500 (S197) 2013, 2014

5x4.5 (A) bolt circle

Conical Lugs req'd 17"/18"/20"

	Pad Height	Wheel Size	Vehicle Location	Weld Offset	Back Space	S70 Black Ctr Part Number	S70 All Polished Part Number	S71 Black Ctr Part Number	S71 All Polished Part Number	S72 Black Ctr Part Number	S72 All Polished Part Number	S76 Black Ctr Part Number	S76 All Polished Part Number	S77 Black Ctr Part Number	S77 All Polished Part Number	S79 Black Ctr Part Number	S79 All Polished Part Number
17"	Low	17x9.5	Rear only	42	7	70LB7095A70A	70LB7095A70A	71LB7095A70A	71LP7095A70A	72LB7095A70A	72LP7095A70A	76LB7095A70A	76LP7095A70A	77LB7095A70A	77LP7095A70A	79LB7095A70A	79LP7095A70A
	Low	17x10.0	Rear only	48	7.5	70LB7100A75A	70LB7100A75A	71LB7100A75A	71LP7100A75A	72LB7100A75A	72LP7100A75A	76LB7100A75A	76LP7100A75A	77LB7100A75A	77LP7100A75A	79LB7100A75A	79LP7100A75A
	Low	17x10.5	Rear only	42	7.5	70LB7105A75A	70LB7105A75A	71LB7105A75A	71LP7105A75A	72LB7105A75A	72LP7105A75A	76LB7105A75A	76LP7105A75A	77LB7105A75A	77LP7105A75A	79LB7105A75A	79LP7105A75A

18"	High	18x5.0	Front	-23	2.1	70HB8050A21A*	70HB8050A21A*	71HB8050A21A*	71HP8050A21A*	72HB8050A21A*	72HP8050A21A*	76HB8050A21A*	76HP8050A21A*	77HB8050A21A*	77HP8050A21A*	79HB8050A21A*	79HP8050A21A*
	High	18x7.0	Front	3	4.1	70HB8070A41A*	70HB8070A41A*	71HB8070A41A*	71HP8070A41A*	72HB8070A41A*	72HP8070A41A*	76HB8070A41A*	76HP8070A41A*	77HB8070A41A*	77HP8070A41A*	79HB8070A41A*	79HP8070A41A*
	High	18x8.0	Front	15	5.1	70HB8080A51A*	70HB8080A51A*	71HB8080A51A*	71HP8080A51A*	72HB8080A51A*	72HP8080A51A*	76HB8080A51A*	76HP8080A51A*	77HB8080A51A*	77HP8080A51A*	79HB8080A51A*	79HP8080A51A*
	High	18x10.0	Frt/Rear	41	7.1	70HB8100A71A*	70HB8100A71A*	71HB8100A71A*	71HP8100A71A*	72HB8100A71A*	72HP8100A71A*	76HB8100A71A*	76HP8100A71A*	77HB8100A71A*	77HP8100A71A*	79HB8100A71A*	79HP8100A71A*
	Low	18x10.0	Rear only	56	7.7	70LB8100A77A	70LB8100A77A	71LB8100A77A	71LP8100A77A	72LB8100A77A	72LP8100A77A	76LB8100A77A	76LP8100A77A	77LB8100A77A	77LP8100A77A	79LB8100A77A	79LP8100A77A
	Low	18x10.5	Rear only	50	7.7	70LB8105A77A	70LB8105A77A	71LB8105A77A	71LP8105A77A	72LB8105A77A	72LP8105A77A	76LB8105A77A	76LP8105A77A	77LB8105A77A	77LP8105A77A	79LB8105A77A	79LP8105A77A

*Denotes: Front side of caliper on the outer piston will contact the back of the wheel spoke. 3-4mm Wheel spacer is required

*Front High pad fitments with 18" Big Bell shells, after 7/1/18

20"	High	20x7.0	Front	6	4.25	70HB0070A43A	70HB0070A43A	71HB0070A43A	71HP0070A43A	72HB0070A43A	72HP0070A43A	76HB0070A43A	76HP0070A43A	77HB0070A43A	77HP0070A43A	79HB0070A43A	79HP0070A43A
	High	20x8.0	Frt/Rear	19	5.25	70HB0080A53A	70HB0080A53A	71HB0080A53A	71HP0080A53A	72HB0080A53A	72HP0080A53A	76HB0080A53A	76HP0080A53A	77HB0080A53A	77HP0080A53A	79HB0080A53A	79HP0080A53A
	High	20x9.0	Frt/Rear	32	6.25	70HB0090A63A	70HB0090A63A	71HB0090A63A	71HP0090A63A	72HB0090A63A	72HP0090A63A	76HB0090A63A	76HP0090A63A	77HB0090A63A	77HP0090A63A	79HB0090A63A	79HP0090A63A
	High	20x10.0	Frt/Rear	43	7.25	70HB0100A73A	70HB0100A73A	71HB0100A73A	71HP0100A73A	72HB0100A73A	72HP0100A73A	76HB0100A73A	76HP0100A73A	77HB0100A73A	77HP0100A73A	79HB0100A73A	79HP0100A73A
	High	20x10.5	Rear only	50	7.75	70HB0105A78A	70HB0105A78A	71HB0105A78A	71HP0105A78A	72HB0105A78A	72HP0105A78A	76HB0105A78A	76HP0105A78A	77HB0105A78A	77HP0105A78A	79HB0105A78A	79HP0105A78A

Mustang GT500 (S197) 2006-2012

Brembo front brakes - 14" rotor, 5x4.5 (A) bolt circle

15" RT-S uses .50" long mag shank lug & 5/8 drive stud acceptable. Conical Lugs req'd 17"/18"/20"

	Pad Height	Wheel Size	Vehicle Location	Weld Offset	Back Space	S70 Black Ctr Part Number	S70 All Polished Part Number	S71 Black Ctr Part Number	S71 All Polished Part Number	S72 Black Ctr Part Number	S72 All Polished Part Number	S76 Black Ctr Part Number	S76 All Polished Part Number	S77 Black Ctr Part Number	S77 All Polished Part Number	S79 Black Ctr Part Number	S79 All Polished Part Number
15"	Medium	15x4	Front	-27	1.5	70MB-S04A15A*	70MP-S04A15A*	71MB-S04A15A*	71MP-S04A15A*	72MB-S04A15A*	72MP-S04A15A*	76MB-S04A15A*	76MP-S04A15A*	77MB-S04A15A*	77MP-S04A15A*	79MB-S04A15A*	79MP-S04A15A*
	Medium	15x9	Rear only	37	6.5	70MB-S09A65A*	70MP-S09A65A*	71MB-S09A65A*	71MP-S09A65A*	72MB-S09A65A*	72MP-S09A65A*	76MB-S09A65A*	76MP-S09A65A*	77MB-S09A65A*	77MP-S09A65A*	79MB-S09A65A*	79MP-S09A65A*
	Medium	15x10	Rear only	50	7.5	70MB-S10A75A*	70MP-S10A75A*	71MB-S10A75A*	71MP-S10A75A*	72MB-S10A75A*	72MP-S10A75A*	76MB-S10A75A*	76MP-S10A75A*	77MB-S10A75A*	77MP-S10A75A*	79MB-S10A75A*	79MP-S10A75A*

*Denotes: Steeda or BMR Rear Sway bar Relocation Brackets required

*Requires small brake kit

17"	High	17x5.0	Front	-21	2.2	70HB7050A22A	70HP7050A22A	71HB7050A22A	71HP7050A22A	72HB7050A22A	72HP7050A22A	76HB7050A22A	76HP7050A22A	77HB7050A22A	77HP7050A22A	79HB7050A22A	79HP7050A22A
	High	17x7.0	Front	5	4.2	70HB7070A42A	70HP7070A42A	71HB7070A42A	71HP7070A42A	72HB7070A42A	72HP7070A42A	76HB7070A42A	76HP7070A42A	77HB7070A42A	77HP7070A42A	79HB7070A42A	79HP7070A42A
	High	17x8.0	Frt/Rear	18	5.2	70HB7080A52A	70HP7080A52A	71HB7080A52A	71HP7080A52A	72HB7080A52A	72HP7080A52A	76HB7080A52A	76HP7080A52A	77HB7080A52A	77HP7080A52A	79HB7080A52A	79HP7080A52A
	High	17x9.5	Frt/Rear	37	6.7	70HB7095A67A	70HP7095A67A	71HB7095A67A	71HP7095A67A	72HB7095A67A	72HP7095A67A	76HB7095A67A	76HP7095A67A	77HB7095A67A	77HP7095A67A	79HB7095A67A	79HP7095A67A
	Medium	17x10.0	Rear only	59	7.8	70MB7100A78A	70MP7100A78A	71MB7100A78A	71MP7100A78A	72MB7100A78A	72MP7100A78A	76MB7100A78A	76MP7100A78A	77MB7100A78A	77MP7100A78A	79MB7100A78A	79MP7100A78A

18"	High	18x5.0	Front	-23	2.1	70HB8050A21A*	70HP8050A21A*	71HB8050A21A*	71HP8050A21A*	72HB8050A21A*	72HP8050A21A*	76HB8050A21A*	76HP8050A21A*	77HB8050A21A*	77HP8050A21A*	79HB8050A21A*	79HP8050A21A*
	High	18x7.0	Front	3	4.1	70HB8070A41A*	70HP8070A41A*	71HB8070A41A*	71HP8070A41A*	72HB8070A41A*	72HP8070A41A*	76HB8070A41A*	76HP8070A41A*	77HB8070A41A*	77HP8070A41A*	79HB8070A41A*	79HP8070A41A*
	High	18x8.0	Front	15	5.1	70HB8080A51A*	70HP8080A51A*	71HB8080A51A*	71HP8080A51A*	72HB8080A51A*	72HP8080A51A*	76HB8080A51A*	76HP8080A51A*	77HB8080A51A*	77HP8080A51A*	79HB8080A51A*	79HP8080A51A*
	High	18x10.0	Frt/Rear	41	7.1	70HB8100A71A*	70HP8100A71A*	71HB8100A71A*	71HP8100A71A*	72HB8100A71A*	72HP8100A71A*	76HB8100A71A*	76HP8100A71A*	77HB8100A71A*	77HP8100A71A*	79HB8100A71A*	79HP8100A71A*
	Medium	18x10.0	Rear only	56	7.7	70MB8100A77A	70MP8100A77A	71MB8100A77A	71MP8100A77A	72MB8100A77A	72MP8100A77A	76MB8100A77A	76MP8100A77A	77MB8100A77A	77MP8100A77A	79MB8100A77A	79MP8100A77A

*Front high pad fitment with 18" Big Bell shells after 7/1/18 and requires 1/4" spacer

20"	High	20x7.0	Front	6	4.25	70HB0070A43A	70HP0070A43A	71HB0070A43A	71HP0070A43A	72HB0070A43A	72HP0070A43A	76HB0070A43A	76HP0070A43A	77HB0070A43A	77HP0070A43A	79HB0070A43A	79HP0070A43A
	High	20x8.0	Frt/Rear	19	5.25	70HB0080A53A	70HP0080A53A	71HB0080A53A	71HP0080A53A	72HB0080A53A	72HP0080A53A	76HB0080A53A	76HP0080A53A	77HB0080A53A	77HP0080A53A	79HB0080A53A	79HP0080A53A
	High	20x9.0	Frt/Rear	32	6.25	70HB0090A63A	70HP0090A63A	71HB0090A63A	71HP0090A63A	72HB0090A63A	72HP0090A63A	76HB0090A63A	76HP0090A63A	77HB0090A63A	77HP0090A63A	79HB0090A63A	79HP0090A63A
	High	20x10.0	Frt/Rear	44	7.25	70HB0100A73A	70HP0100A73A	71HB0100A73A	71HP0100A73A	72HB0100A73A	72HP0100A73A	76HB0100A73A	76HP0100A73A	77HB0100A73A	77HP0100A73A	79HB0100A73A	79HP0100A73A

WELD

Mustang GT (S197) 2011-2014

Brembo brakes - 14" front rotor, 5x4.5 (A) bolt circle|

15" RT-S uses .50" long mag shank lug & 5/8 drive stud acceptable. Conical Lugs req'd 17"/18"/20"

	Pad Height	Wheel Size	Vehicle Location	Weld Offset	Back Space	S70 Black Ctr Part Number	S70 All Polished Part Number	S71 Black Ctr Part Number	S71 All Polished Part Number	S72 Black Ctr Part Number	S72 All Polished Part Number	S76 Black Ctr Part Number	S76 All Polished Part Number	S77 Black Ctr Part Number	S77 All Polished Part Number	S79 Black Ctr Part Number	S79 All Polished Part Number
15"	Medium	15x9	Rear only	37	6.5	70MB-509A65A^	70MP-509A65A^	71MB-509A65A^	71MP-509A65A^	72MB-509A65A^	72MP-509A65A^	76MB-509A65A^	76MP-509A65A^	77MB-509A65A^	77MP-509A65A^	79MB-509A65A^	79MP-509A65A^
	Medium	15x10	Rear only	50	7.5	70MB-510A75A^	70MP-510A75A^	71MB-510A75A^	71MP-510A75A^	72MB-510A75A^	72MP-510A75A^	76MB-510A75A^	76MP-510A75A^	77MB-510A75A^	77MP-510A75A^	79MB-510A75A^	79MP-510A75A^
	Medium	15x10	Rear only	50	7.5	70MB-510A75SB^	70MP-510A75SP^	71MB-510A75SB^	71MP-510A75SB^	72MB-510A75SB^	72MP-510A75SP^	76MB-510A75SB^	76MP-510A75SP^	77MB-510A75SB^	77MP-510A75SP^	79MB-510A75SB^	79MP-510A75SP^

^Denotes: Steeda or BMR Rear Swaybar Relocation Brackets required

17"	High	17x5.0	Front	-21	2.2	70HB7050A22A	70HP7050A22A	71HB7050A22A	71HP7050A22A	72HB7050A22A	72HP7050A22A	76HB7050A22A	76HP7050A22A	77HB7050A22A	77HP7050A22A	79HB7050A22A	79HP7050A22A
	High	17x7.0	Front	5	4.2	70HB7070A42A	70HP7070A42A	71HB7070A42A	71HP7070A42A	72HB7070A42A	72HP7070A42A	76HB7070A42A	76HP7070A42A	77HB7070A42A	77HP7070A42A	79HB7070A42A	79HP7070A42A
	High	17x8.0	Frt/Rear	18	5.2	70HB7080A52A	70HP7080A52A	71HB7080A52A	71HP7080A52A	72HB7080A52A	72HP7080A52A	76HB7080A52A	76HP7080A52A	77HB7080A52A	77HP7080A52A	79HB7080A52A	79HP7080A52A
	High	17x9.5	Frt/Rear	37	6.7	70HB7095A67A	70HP7095A67A	71HB7095A67A	71HP7095A67A	72HB7095A67A	72HP7095A67A	76HB7095A67A	76HP7095A67A	77HB7095A67A	77HP7095A67A	79HB7095A67A	79HP7095A67A

18"	High	18x5.0	Front	-23	2.1	70HB8050A21A	70HP8050A21A	71HB8050A21A	71HP8050A21A	72HB8050A21A	72HP8050A21A	76HB8050A21A	76HP8050A21A	77HB8050A21A	77HP8050A21A	79HB8050A21A	79HP8050A21A
	High	18x7.0	Front	3	4.1	70HB8070A41A	70HP8070A41A	71HB8070A41A	71HP8070A41A	72HB8070A41A	72HP8070A41A	76HB8070A41A	76HP8070A41A	77HB8070A41A	77HP8070A41A	79HB8070A41A	79HP8070A41A
	High	18x8.0	Frt/Rear	15	5.1	70HB8080A51A	70HP8080A51A	71HB8080A51A	71HP8080A51A	72HB8080A51A	72HP8080A51A	76HB8080A51A	76HP8080A51A	77HB8080A51A	77HP8080A51A	79HB8080A51A	79HP8080A51A
	High	18x10.0	Frt/Rear	41	7.1	70HB8100A71A	70HP8100A71A	71HB8100A71A	71HP8100A71A	72HB8100A71A	72HP8100A71A	76HB8100A71A	76HP8100A71A	77HB8100A71A	77HP8100A71A	79HB8100A71A	79HP8100A71A

20"	High	20x7.0	Front	6	4.25	70HB0070A43A	70HP0070A43A	71HB0070A43A	71HP0070A43A	72HB0070A43A	72HP0070A43A	76HB0070A43A	76HP0070A43A	77HB0070A43A	77HP0070A43A	79HB0070A43A	79HP0070A43A
	High	20x8.0	Frt/Rear	19	5.25	70HB0080A53A	70HP0080A53A	71HB0080A53A	71HP0080A53A	72HB0080A53A	72HP0080A53A	76HB0080A53A	76HP0080A53A	77HB0080A53A	77HP0080A53A	79HB0080A53A	79HP0080A53A
	High	20x9.0	Frt/Rear	32	6.25	70HB0090A63A	70HP0090A63A	71HB0090A63A	71HP0090A63A	72HB0090A63A	72HP0090A63A	76HB0090A63A	76HP0090A63A	77HB0090A63A	77HP0090A63A	79HB0090A63A	79HP0090A63A
	High	20x10.0	Frt/Rear	44	7.25	70HB0100A73A	70HP0100A73A	71HB0100A73A	71HP0100A73A	72HB0100A73A	72HP0100A73A	76HB0100A73A	76HP0100A73A	77HB0100A73A	77HP0100A73A	79HB0100A73A	79HP0100A73A

Mustang GT (S197) 2011-2014

Standard Ford brakes - 13" front rotor 5x4.5 (A) bolt circle. A-Star/Magnum/& V-Series 17x4.5 front will also fit.

15" RT-S uses .50" long mag shank lug & 5/8 drive stud acceptable. Conical Lugs req'd 17"/18"/20"

	Pad Height	Wheel Size	Vehicle Location	Weld Offset	Back Space	S70 Black Ctr Part Number	S70 All Polished Part Number	S71 Black Ctr Part Number	S71 All Polished Part Number	S72 Black Ctr Part Number	S72 All Polished Part Number	S76 Black Ctr Part Number	S76 All Polished Part Number	S77 Black Ctr Part Number	S77 All Polished Part Number	S79 Black Ctr Part Number	S79 All Polished Part Number
15"	Medium	15x9	Rear only	37	6.5	70MB-509A65A^	70MP-509A65A^	71MB-509A65A^	71MP-509A65A^	72MB-509A65A^	72MP-509A65A^	76MB-509A65A^	76MP-509A65A^	77MB-509A65A^	77MP-509A65A^	79MB-509A65A^	79MP-509A65A^
	Medium	15x10	Rear only	50	7.5	70MB-510A75A^	70MP-510A75A^	71MB-510A75A^	71MP-510A75A^	72MB-510A75A^	72MP-510A75A^	76MB-510A75A^	76MP-510A75A^	77MB-510A75A^	77MP-510A75A^	79MB-510A75A^	79MP-510A75A^

^Denotes Steeda or BMR Rear Swaybar Relocation Brackets required

17"	Low	17x5.0	Front	-3	2.9	70LB7050A30A	70LP7050A30A	71LB7050A30A	71LP7050A30A	72LB7050A30A	72LP7050A30A	76LB7050A30A	76LP7050A30A	77LB7050A30A	77LP7050A30A	79LB7050A30A	79LP7050A30A
	Low	17x7.0	Front	10	4.4	70LB7070A45A	70LP7070A45A	71LB7070A45A	71LP7070A45A	72LB7070A45A	72LP7070A45A	76LB7070A45A	76LP7070A45A	77LB7070A45A	77LP7070A45A	79LB7070A45A	79LP7070A45A
	Low	17x8.0	Frt/Rear	23	5.4	70LB7080A55A	70LP7080A55A	71LB7080A55A	71LP7080A55A	72LB7080A55A	72LP7080A55A	76LB7080A55A	76LP7080A55A	77LB7080A55A	77LP7080A55A	79LB7080A55A	79LP7080A55A
	Low	17x9.5	Frt/Rear	42	6.9	70LB7095A70A	70LP7095A70A	71LB7095A70A	71LP7095A70A	72LB7095A70A	72LP7095A70A	76LB7095A70A	76LP7095A70A	77LB7095A70A	77LP7095A70A	79LB7095A70A	79LP7095A70A
	Low	17x10.0	Rear only	48	7.4	70LB7100A75A	70LP7100A75A	71LB7100A75A	71LP7100A75A	72LB7100A75A	72LP7100A75A	76LB7100A75A	76LP7100A75A	77LB7100A75A	77LP7100A75A	79LB7100A75A	79LP7100A75A

^Denotes edgy fit / watch tire width / test wheel on car before mounting tire

18"	Low	18x5.0	Front	-8	2.7	70LB8050A27A	70LP8050A27A	71LB8050A27A	71LP8050A27A	72LB8050A27A	72LP8050A27A	76LB8050A27A	76LP8050A27A	77LB8050A27A	77LP8050A27A	79LB8050A27A	79LP8050A27A
	Low	18x7.0	Front	18	4.7	70LB8070A47A	70LP8070A47A	71LB8070A47A	71LP8070A47A	72LB8070A47A	72LP8070A47A	76LB8070A47A	76LP8070A47A	77LB8070A47A	77LP8070A47A	79LB8070A47A	79LP8070A47A
	Low	18x8.0	Frt/Rear	30	5.7	70LB8080A57A	70LP8080A57A	71LB8080A57A	71LP8080A57A	72LB8080A57A	72LP8080A57A	76LB8080A57A	76LP8080A57A	77LB8080A57A	77LP8080A57A	79LB8080A57A	79LP8080A57A
	Low	18x9.0	Frt/Rear	44	6.7	70LB8090A67A	70LP8090A67A	71LB8090A67A	71LP8090A67A	72LB8090A67A	72LP8090A67A	76LB8090A67A	76LP8090A67A	77LB8090A67A	77LP8090A67A	79LB8090A67A	79LP8090A67A
	Low	18x10.0	Rear only	43	7.2	70LB8100A72A^	70LP8100A72A^	71LB8100A72A^	71LP8100A72A^	72LB8100A72A^	72LP8100A72A^	76LB8100A72A^	76LP8100A72A^	77LB8100A72A^	77LP8100A72A^	79LB8100A72A^	79LP8100A72A^

^Denotes edgy fit / watch tire width / test wheel on car before mounting tire

20"	Low	20x7.0	Front	13	4.5	70LB0070A45A	70LP0070A45A	71LB0070A45A	71LP0070A45A	72LB0070A45A	72LP0070A45A	76LB0070A45A	76LP0070A45A	77LB0070A45A	77LP0070A45A	79LB0070A45A	79LP0070A45A
	Low	20x8.0	Frt/Rear	25	5.5	70LB0080A55A	70LP0080A55A	71LB0080A55A	71LP0080A55A	72LB0080A55A	72LP0080A55A	76LB0080A55A	76LP0080A55A	77LB0080A55A	77LP0080A55A	79LB0080A55A	79LP0080A55A
	Low	20x9.0	Frt/Rear	39	6.5	70LB0090A65A	70LP0090A65A	71LB0090A65A	71LP0090A65A	72LB0090A65A	72LP0090A65A	76LB0090A65A	76LP0090A65A	77LB0090A65A	77LP0090A65A	79LB0090A65A	79LP0090A65A
	Low	20x9.5	Frt/Rear	45	7	70LB0095A70A	70LP0095A70A	71LB0095A70A	71LP0095A70A	72LB0095A70A	72LP0095A70A	76LB0095A70A	76LP0095A70A	77LB0095A70A	77LP0095A70A	79LB0095A70A	79LP0095A70A
	Low	20x10.0	Rear only	51	7.5	70LB0100A75A	70LP0100A75A	71LB0100A75A	71LP0100A75A	72LB0100A75A	72LP0100A75A	76LB0100A75A	76LP0100A75A	77LB0100A75A	77LP0100A75A	79LB0100A75A	79LP0100A75A

Low	20x10.5	Rear only	58	8	70LB0105A80A	70LP0105A80A	71LB0105A80A	71LP0105A80A	72LB0105A80A	72LP0105A80A	76LB0105A80A	76LP0105A80A	77LB0105A80A	77LP0105A80A	79LB0105A80A	79LP0105A80A
-----	---------	-----------	----	---	--------------	--------------	--------------	--------------	--------------	--------------	--------------	--------------	--------------	--------------	--------------	--------------

WELD

Mustang GT (S197) 2005-2010

Also Mustang GT 2011+ Base 5x4.5 [A] bolt circle 12.44" front rotor. 15" RT-S uses .50" long mag shank lug & 5/8 drive stud acceptable.

A'Star/Magnum/ & V-Series 17x4.5 front will also fit. Conical Lugs req'd 17"/18"/20"

	Pad Height	Wheel Size	Vehicle Location	Weld Offset	Back Space	S70 Black Ctr Part Number	S70 All Polished Part Number	S71 Black Ctr Part Number	S71 All Polished Part Number	S72 Black Ctr Part Number	S72 All Polished Part Number	S76 Black Ctr Part Number	S76 All Polished Part Number	S77 Black Ctr Part Number	S77 All Polished Part Number	S79 Black Ctr Part Number	S79 All Polished Part Number
15"	Medium	15x4	Front	-27	1.5	70MB-504A15A*	70MP-504A15A*	71MB-504A15A*	71MP-504A15A*	72MB-504A15A*	72MP-504A15A*	76MB-504A15A*	76MP-504A15A*	77MB-504A15A*	77MP-504A15A*	79MB-504A15A*	79MP-504A15A*
	Medium	15x8	Rear only	25	5.5	70MB-508A55A	70MP-508A55A	71MB-508A55A	71MP-508A55A	72MB-508A55A	72MP-508A55A	76MB-508A55A	76MP-508A55A	77MB-508A55A	77MP-508A55A	79MB-508A55A	79MP-508A55A
	Medium	15x9	Rear only	37	6.5	70MB-509A65A*	70MP-509A65A*	71MB-509A65A*	71MP-509A65A*	72MB-509A65A*	72MP-509A65A*	76MB-509A65A*	76MP-509A65A*	77MB-509A65A*	77MP-509A65A*	79MB-509A65A*	79MP-509A65A*
	Medium	15x10	Rear only	50	7.5	70MB-510A75A*	70MP-510A75A*	71MB-510A75A*	71MP-510A75A*	72MB-510A75A*	72MP-510A75A*	76MB-510A75A*	76MP-510A75A*	77MB-510A75A*	77MP-510A75A*	79MB-510A75A*	79MP-510A75A*

*A 15x4 Front wheel is the only option, any wider will hit the caliper.

*Denotes Steeda or BMR Rear Sway bar Relocation Brackets required

17"	Medium	17x4.7	Front	1	2.9	70MB7047A29A	70MP7047A29A	71MB7047A29A	71MP7047A29A	72MB7047A29A	72MP7047A29A	76MB7047A29A	76MP7047A29A	77MB7047A29A	77MP7047A29A	79MB7047A29A	79MP7047A29A
	Medium	17x7.0	Front	20	4.8	70MB7070A48A	70MP7070A48A	71MB7070A48A	71MP7070A48A	72MB7070A48A	72MP7070A48A	76MB7070A48A	76MP7070A48A	77MB7070A48A	77MP7070A48A	79MB7070A48A	79MP7070A48A
	Medium	17x8.0	Frt/Rear	33	5.8	70MB7080A58A	70MP7080A58A	71MB7080A58A	71MP7080A58A	72MB7080A58A	72MP7080A58A	76MB7080A58A	76MP7080A58A	77MB7080A58A	77MP7080A58A	79MB7080A58A	79MP7080A58A
	Medium	17x9.5	Frt/Rear	40	6.8	70MB7095A68A	70MP7095A68A	71MB7095A68A	71MP7095A68A	72MB7095A68A	72MP7095A68A	76MB7095A68A	76MP7095A68A	77MB7095A68A	77MP7095A68A	79MB7095A68A	79MP7095A68A
	Medium	17x10.0	Rear only	58	7.8	70MB7100A78A	70MP7100A78A	71MB7100A78A	71MP7100A78A	72MB7100A78A	72MP7100A78A	76MB7100A78A	76MP7100A78A	77MB7100A78A	77MP7100A78A	79MB7100A78A	79MP7100A78A
	Medium	17x10.5	Rear only	53	7.8	70MB7105A78A*	70MP7105A78A*	71MB7105A78A*	71MP7105A78A*	72MB7105A78A*	72MP7105A78A*	76MB7105A78A*	76MP7105A78A*	77MB7105A78A*	77MP7105A78A*	79MB7105A78A*	79MP7105A78A*

*Denotes edgy fit / watch tire width / test wheel on car before mounting tire

18"	Medium	18x5.0	Front	6	3.2	70MB8050A32A	70MP8050A32A	71MB8050A32A	71MP8050A32A	72MB8050A32A	72MP8050A32A	76MB8050A32A	76MP8050A32A	77MB8050A32A	77MP8050A32A	79MB8050A32A	79MP8050A32A
	Medium	18x7.0	Front	18	4.7	70MB8070A47A	70MP8070A47A	71MB8070A47A	71MP8070A47A	72MB8070A47A	72MP8070A47A	76MB8070A47A	76MP8070A47A	77MB8070A47A	77MP8070A47A	79MB8070A47A	79MP8070A47A
	Medium	18x8.0	Frt/Rear	30	5.7	70MB8080A57A	70MP8080A57A	71MB8080A57A	71MP8080A57A	72MB8080A57A	72MP8080A57A	76MB8080A57A	76MP8080A57A	77MB8080A57A	77MP8080A57A	79MB8080A57A	79MP8080A57A
	Medium	18x9.5	Frt/Rear	37	6.7	70MB8095A67A*	70MP8095A67A*	71MB8095A67A*	71MP8095A67A*	72MB8095A67A*	72MP8095A67A*	76MB8095A67A*	76MP8095A67A*	77MB8095A67A*	77MP8095A67A*	79MB8095A67A*	79MP8095A67A*
	Medium	18x10.0	Rear only	56	7.7	70MB8100A77A	70MP8100A77A	71MB8100A77A	71MP8100A77A	72MB8100A77A	72MP8100A77A	76MB8100A77A	76MP8100A77A	77MB8100A77A	77MP8100A77A	79MB8100A77A	79MP8100A77A
	Medium	18x10.5	Rear only	50	7.7	70MB8105A77A	70MP8105A77A	71MB8105A77A	71MP8105A77A	72MB8105A77A	72MP8105A77A	76MB8105A77A	76MP8105A77A	77MB8105A77A	77MP8105A77A	79MB8105A77A	79MP8105A77A

*Denotes edgy fit / watch tire width / test wheel on car before mounting tire

20"	Medium	20x7.0	Front	10	4.4	70MB0070A44A	70MP0070A44A	71MB0070A44A	71MP0070A44A	72MB0070A44A	72MP0070A44A	76MB0070A44A	76MP0070A44A	77MB0070A44A	77MP0070A44A	79MB0070A44A	79MP0070A44A
	Medium	20x8.0	Frt/Rear	23	5.4	70MB0080A54A	70MP0080A54A	71MB0080A54A	71MP0080A54A	72MB0080A54A	72MP0080A54A	76MB0080A54A	76MP0080A54A	77MB0080A54A	77MP0080A54A	79MB0080A54A	79MP0080A54A
	Medium	20x9.5	Frt/Rear	42	6.9	70MB0095A69A*	70MP0095A69A*	71MB0095A69A*	71MP0095A69A*	72MB0095A69A*	72MP0095A69A*	76MB0095A69A*	76MP0095A69A*	77MB0095A69A*	77MP0095A69A*	79MB0095A69A*	79MP0095A69A*
	Medium	20x10.0	Rear only	48	7.4	70MB0100A74A	70MP0100A74A	71MB0100A74A	71MP0100A74A	72MB0100A74A	72MP0100A74A	76MB0100A74A	76MP0100A74A	77MB0100A74A	77MP0100A74A	79MB0100A74A	79MP0100A74A
	Medium	20x11.0	Rear only	61	8.4	70MB0110A84A	70MP0110A84A	71MB0110A84A	71MP0110A84A	72MB0110A84A	72MP0110A84A	76MB0110A84A	76MP0110A84A	77MB0110A84A	77MP0110A84A	79MB0110A84A	79MP0110A84A

*Denotes edgy fit / watch tire width / test wheel on car before mounting tire

Mustang Base (S197) 2005-2010, 2011+ Base-use 2005-10 GT App

5x4.5 [A] bolt circle 11" front rotor 2005-2010.

15" RT-S uses .50" long mag shank lug & 5/8 drive stud acceptable. A'Star/Magnum/ & V-Series 17x4.5 front will also fit. Conical Lugs req'd 17"/18"/20"

	Pad Height	Wheel Size	Vehicle Location	Weld Offset	Back Space	S70 Black Ctr Part Number	S70 All Polished Part Number	S71 Black Ctr Part Number	S71 All Polished Part Number	S72 Black Ctr Part Number	S72 All Polished Part Number	S76 Black Ctr Part Number	S76 All Polished Part Number	S77 Black Ctr Part Number	S77 All Polished Part Number	S79 Black Ctr Part Number	S79 All Polished Part Number
15"	Medium	15x4	Front	-27	1.5	70MB-504A15A*	70MP-504A15A*	71MB-504A15A*	71MP-504A15A*	72MB-504A15A*	72MP-504A15A*	76MB-504A15A*	76MP-504A15A*	77MB-504A15A*	77MP-504A15A*	79MB-504A15A*	79MP-504A15A*
	Medium	15x8	Rear only	25	5.5	70MB-508A55A	70MP-508A55A	71MB-508A55A	71MP-508A55A	72MB-508A55A	72MP-508A55A	76MB-508A55A	76MP-508A55A	77MB-508A55A	77MP-508A55A	79MB-508A55A	79MP-508A55A
	Medium	15x9	Rear only	37	6.5	70MB-509A65A*	70MP-509A65A*	71MB-509A65A*	71MP-509A65A*	72MB-509A65A*	72MP-509A65A*	76MB-509A65A*	76MP-509A65A*	77MB-509A65A*	77MP-509A65A*	79MB-509A65A*	79MP-509A65A*
	Medium	15x10	Rear only	50	7.5	70MB-510A75A*	70MP-510A75A*	71MB-510A75A*	71MP-510A75A*	72MB-510A75A*	72MP-510A75A*	76MB-510A75A*	76MP-510A75A*	77MB-510A75A*	77MP-510A75A*	79MB-510A75A*	79MP-510A75A*

*A 15x4 Front wheel is the only option, any wider will hit the caliper.

*Denotes Steeda or BMR Rear Sway bar Relocation Brackets required

17"	Medium	17x4.7	Front	1	2.9	70MB7047A29A	70MP7047A29A	71MB7047A29A	71MP7047A29A	72MB7047A29A	72MP7047A29A	76MB7047A29A	76MP7047A29A	77MB7047A29A	77MP7047A29A	79MB7047A29A	79MP7047A29A
	Medium	17x7.0	Front	20	4.8	70MB7070A48A	70MP7070A48A	71MB7070A48A	71MP7070A48A	72MB7070A48A	72MP7070A48A	76MB7070A48A	76MP7070A48A	77MB7070A48A	77MP7070A48A	79MB7070A48A	79MP7070A48A
	Medium	17x8.0	Frt/Rear	33	5.8	70MB7080A58A	70MP7080A58A	71MB7080A58A	71MP7080A58A	72MB7080A58A	72MP7080A58A	76MB7080A58A	76MP7080A58A	77MB7080A58A	77MP7080A58A	79MB7080A58A	79MP7080A58A
	Medium	17x9.0	Frt/Rear	46	6.8	70MB7090A68A	70MP7090A68A	71MB7090A68A	71MP7090A68A	72MB7090A68A	72MP7090A68A	76MB7090A68A	76MP7090A68A	77MB7090A68A	77MP7090A68A	79MB7090A68A	79MP7090A68A
	Medium	17x9.5	Frt/Rear	40	6.8	70MB7095A68A	70MP7095A68A	71MB7095A68A	71MP7095A68A	72MB7095A68A	72MP7095A68A	76MB7095A68A	76MP7095A68A	77MB7095A68A	77MP7095A68A	79MB7095A68A	79MP7095A68A
	Medium	17x10.0	Rear only	58	7.8	70MB7100A78A	70MP7100A78A	71MB7100A78A	71MP7100A78A	72MB7100A78A	72MP7100A78A	76MB7100A78A	76MP7100A78A	77MB7100A78A	77MP7100A78A	79MB7100A78A	79MP7100A78A

*Denotes edgy fit / watch tire width / test wheel on car before mounting tire

18"	Medium	18x5.0	Front	6	3.2	70MB8050A32A	70MP8050A32A	71MB8050A32A	71MP8050A32A	72MB8050A32A	72MP8050A32A	76MB8050A32A	76MP8050A32A	77MB8050A32A	77MP8050A32A	79MB8050A32A	79MP8050A32A
	Medium	18x7.0	Front	18	4.7	70MB8070A47A	70MP8070A47A	71MB8070A47A	71MP8070A47A	72MB8070A47A	72MP8070A47A	76MB8070A47A	76MP8070A47A	77MB8070A47A	77MP8070A47A	79MB8070A47A	79MP8070A47A
	Medium	18x8.0	Frt/Rear	30	5.7	70MB8080A57A	70MP8080A57A	71MB8080A57A	71MP8080A57A	72MB8080A57A	72MP8080A57A	76MB8080A57A	76MP8080A57A	77MB8080A57A	77MP8080A57A	79MB8080A57A	79MP8080A57A
	Medium	18x9.0	Frt/Rear	44	6.7	70MB8090A67A	70MP8090A67A	71MB8090A67A	71MP8090A67A	72MB8090A67A	72MP8090A67A	76MB8090A67A	76MP8090A67A	77MB8090A67A	77MP8090A67A	79MB8090A67A	79MP8090A67A
	Medium	18x9.5	Frt/Rear	37	6.7	70MB8095A67A*	70MP8095A67A*	71MB8095A67A*	71MP8095A67A*	72MB8095A67A*	72MP8095A67A*	76MB8095A67A*	76MP8095A67A*	77MB8095A67A*	77MP8095A67A*	79MB8095A67A*	79MP8095A67A*
	Medium	18x10.0	Rear only	56	7.7	70MB8100A77A	70MP8100A77A	71MB8100A77A	71MP8100A77A	72MB8100A77A	72MP8100A77A	76MB8100A77A	76MP8100A77A	77MB8100A77A	77MP8100A77A	79MB8100A77A	79MP8100A77A

*Denotes edgy fit / watch tire width / test wheel on car before mounting tire

20"	Medium	20x7.0	Front	10	4.4	70MB0070A44A	70MP0070A44A	71MB0070A44A	71MP0070A44A	72MB0070A44A	72MP0070A44A	76MB0070A44A	76MP0070A44A	77MB0070A44A	77MP0070A44A	79MB0070A44A	79MP0070A44A
	Medium	20x8.0	Frt/Rear	23	5.4	70MB0080A54A	70MP0080A54A	71MB0080A54A	71MP0080A54A	72MB0080A54A	72MP0080A54A	76MB0080A54A	76MP0080A54A	77MB0080A54A	77MP0080A54A	79MB0080A54A	79MP0080A54A
	Medium	20x9.5	Frt/Rear	42	6.9	70MB0095A69A*	70MP0095A69A*	71MB0095A69A*	71MP0095A69A*	72MB0095A69A*	72MP0095A69A*	76MB0095A69A*	76MP0095A69A*	77MB0095A69A*	77MP0095A69A*	79MB0095A69A*	79MP0095A69A*
	Medium	20x10.0	Rear only	48	7.4	70MB0100A74A	70MP0100A74A	71MB0100A74A	71MP0100A74A	72MB0100A74A	72MP0100A74A	76MB0100A74A	76MP0100A74A	77MB0100A74A	77MP0100A74A	79MB0100A74A	79MP0100A74A
	Medium	20x10.5	Rear only	55	7.9	70MB0105A79A	70MP0105A79A	71MB0105A79A	71MP0105A79A	72MB0105A79A	72MP0105A79A	76MB0105A79A	76MP0105A79A	77MB0105A79A	77MP0105A79A	79MB0105A79A	79MP0105A79A

*Denotes edgy fit / watch tire width / test wheel on car before mounting tire

WELD

Mustang Cobra/Bullet/Mach1 1994-2004 (SN95)

5x4.5 (A) bolt circle - 13" front rotor. 15" RT-S uses .50" long mag shank lug & 5/8 drive stud acceptable.

A'Star/Magnum/ & V-Series 17x4.5 front will also fit. Conical Lugs req'd 17"/18"/20"

	Pad Height	Wheel Size	Vehicle Location	Weld Offset	Back Space	S70 Black Ctr Part Number	S70 All Polished Part Number	S71 Black Ctr Part Number	S71 All Polished Part Number	S72 Black Ctr Part Number	S72 All Polished Part Number	S76 Black Ctr Part Number	S76 All Polished Part Number	S77 Black Ctr Part Number	S77 All Polished Part Number	S79 Black Ctr Part Number	S79 All Polished Part Number
15"	Medium	15x8	Rear only	25	5.5	70MB-508A55A	70MP-508A55A	71MB-508A55A	71MP-508A55A	72MB-508A55A	72MP-508A55A	76MB-508A55A	76MP-508A55A	77MB-508A55A	77MP-508A55A	79MB-508A55A	79MP-508A55A
	Medium	15x9	Rear only	13	5.5	70MB-509A55A	70MP-509A55A	71MB-509A55A	71MP-509A55A	72MB-509A55A	72MP-509A55A	76MB-509A55A	76MP-509A55A	77MB-509A55A	77MP-509A55A	79MB-509A55A	79MP-509A55A
	Medium	15x10.33	Rear only	21	6.5	70MB-510A65A**	70MP-510A65A**	71MB-510A65A**	71MP-510A65A**	72MB-510A65A**	72MP-510A65A**	76MB-510A65A**	76MP-510A65A**	77MB-510A65A**	77MP-510A65A**	79MB-510A65A**	79MP-510A65A**

** Denotes that 1/2 wheel spacer is required with longer wheel studs plus caliper banjo fitting nut will need to reduced to half its current size & fitting itself rounded on corner closest to the wheel.

Stock rear outer tie rod will need to be replaced with aftermarket. Other mods may be required & will vary per car. Trial fit wheel before mounting tire.

17"	Medium	17x4.5	Front	-14	2.2	70MB7045A22A	70MP7045A22A	71MB7045A22A	71MP7045A22A	72MB7045A22A	72MP7045A22A	76MB7045A22A	76MP7045A22A	77MB7045A22A	77MP7045A22A	79MB7045A22A	79MP7045A22A
	Medium	17x7.0	Front	20	4.8	70MB7070A48A	70MP7070A48A	71MB7070A48A	71MP7070A48A	72MB7070A48A	72MP7070A48A	76MB7070A48A	76MP7070A48A	77MB7070A48A	77MP7070A48A	79MB7070A48A	79MP7070A48A
	Medium	17x8.0	Frt/Rear	33	5.8	70MB7080A58A	70MP7080A58A	71MB7080A58A	71MP7080A58A	72MB7080A58A	72MP7080A58A	76MB7080A58A	76MP7080A58A	77MB7080A58A	77MP7080A58A	79MB7080A58A	79MP7080A58A
	Medium	17x9.0	Rear only	20	5.8	70MB7090A58A	70MP7090A58A	71MB7090A58A	71MP7090A58A	72MB7090A58A	72MP7090A58A	76MB7090A58A	76MP7090A58A	77MB7090A58A	77MP7090A58A	79MB7090A58A	79MP7090A58A
	Medium	17x10.0	Rear only	21	6.3	70MB7100A63A^	70MP7100A63A^	71MB7100A63A^	71MP7100A63A^	72MB7100A63A^	72MP7100A63A^	76MB7100A63A^	76MP7100A63A^	77MB7100A63A^	77MP7100A63A^	79MB7100A63A^	79MP7100A63A^

^Denotes edge fit / watch tire width / test wheel on car before mounting tire

18"	Medium	18x5.0	Front	6	3.2	70MB8050A32A	70MP8050A32A	71MB8050A32A	71MP8050A32A	72MB8050A32A	72MP8050A32A	76MB8050A32A	76MP8050A32A	77MB8050A32A	77MP8050A32A	79MB8050A32A	79MP8050A32A
	Medium	18x7.0	Front	5	4.2	70MB8070A42A	70MP8070A42A	71MB8070A42A	71MP8070A42A	72MB8070A42A	72MP8070A42A	76MB8070A42A	76MP8070A42A	77MB8070A42A	77MP8070A42A	79MB8070A42A	79MP8070A42A
	Medium	18x8.0	Frt/Rear	18	5.2	70MB8080A52A	70MP8080A52A	71MB8080A52A	71MP8080A52A	72MB8080A52A	72MP8080A52A	76MB8080A52A	76MP8080A52A	77MB8080A52A	77MP8080A52A	79MB8080A52A	79MP8080A52A
	Medium	18x9.0	Frt/Rear	25	5.7	70MB8090A57A	70MP8090A57A	71MB8090A57A	71MP8090A57A	72MB8090A57A	72MP8090A57A	76MB8090A57A	76MP8090A57A	77MB8090A57A	77MP8090A57A	79MB8090A57A	79MP8090A57A
	Medium	18x10.0	Rear only	18	6.2	70MB8100A62A^	70MP8100A62A^	71MB8100A62A^	71MP8100A62A^	72MB8100A62A^	72MP8100A62A^	76MB8100A62A^	76MP8100A62A^	77MB8100A62A^	77MP8100A62A^	79MB8100A62A^	79MP8100A62A^

^Denotes edge fit / watch tire width / test wheel on car before mounting tire

20"	Medium	20x7.0	Front	10	4.4	70MB0070A44A	70MP0070A44A	71MB0070A44A	71MP0070A44A	72MB0070A44A	72MP0070A44A	76MB0070A44A	76MP0070A44A	77MB0070A44A	77MP0070A44A	79MB0070A44A	79MP0070A44A
	Medium	20x8.0	Frt/Rear	23	5.4	70MB0080A54A	70MP0080A54A	71MB0080A54A	71MP0080A54A	72MB0080A54A	72MP0080A54A	76MB0080A54A	76MP0080A54A	77MB0080A54A	77MP0080A54A	79MB0080A54A	79MP0080A54A
	Medium	20x9.0	Frt/Rear	30	5.9	70MB0090A59A	70MP0090A59A	71MB0090A59A	71MP0090A59A	72MB0090A59A	72MP0090A59A	76MB0090A59A	76MP0090A59A	77MB0090A59A	77MP0090A59A	79MB0090A59A	79MP0090A59A
	Medium	20x9.5	Rear only	29	6.4	70MB0095A64A	70MP0095A64A	71MB0095A64A	71MP0095A64A	72MB0095A64A	72MP0095A64A	76MB0095A64A	76MP0095A64A	77MB0095A64A	77MP0095A64A	79MB0095A64A	79MP0095A64A
	Medium	20x10.0	Rear only	23	6.4	70MB0100A64A^	70MP0100A64A^	71MB0100A64A^	71MP0100A64A^	72MB0100A64A^	72MP0100A64A^	76MB0100A64A^	76MP0100A64A^	77MB0100A64A^	77MP0100A64A^	79MB0100A64A^	79MP0100A64A^

^Denotes edge fit / watch tire width / test wheel on car before mounting tire

Mustang (SN95) GT & Base 1994-2004

5x4.5 (A) bolt circle

15" RT-S uses .50" long mag shank lug & 5/8 drive stud acceptable. Conical Lugs req'd 17"/18"/20"

	Pad Height	Wheel Size	Vehicle Location	Weld Offset	Back Space	S70 Black Ctr Part Number	S70 All Polished Part Number	S71 Black Ctr Part Number	S71 All Polished Part Number	S72 Black Ctr Part Number	S72 All Polished Part Number	S76 Black Ctr Part Number	S76 All Polished Part Number	S77 Black Ctr Part Number	S77 All Polished Part Number	S79 Black Ctr Part Number	S79 All Polished Part Number
15"	Medium	15x4	Front	-26	1.5	70MB-504A15A	70MP-504A15A	71MB-504A15A	71MP-504A15A	72MB-504A15A	72MP-504A15A	76MB-504A15A	76MP-504A15A	77MB-504A15A	77MP-504A15A	79MB-504A15A	79MP-504A15A
	Medium	15x5.33	Front	-16	2.5	70MB-505A25A	70MP-505A25A	71MB-505A25A	71MP-505A25A	72MB-505A25A	72MP-505A25A	76MB-505A25A	76MP-505A25A	77MB-505A25A	77MP-505A25A	79MB-505A25A	79MP-505A25A
	Medium	15x6.33	Front	-3	3.5	70MB-506A35A	70MP-506A35A	71MB-506A35A	71MP-506A35A	72MB-506A35A	72MP-506A35A	76MB-506A35A	76MP-506A35A	77MB-506A35A	77MP-506A35A	79MB-506A35A	79MP-506A35A
	Medium	15x7.33	Front	10	4.5	70MB-507A45A	70MP-507A45A	71MB-507A45A	71MP-507A45A	72MB-507A45A	72MP-507A45A	76MB-507A45A	76MP-507A45A	77MB-507A45A	77MP-507A45A	79MB-507A45A	79MP-507A45A
	Medium	15x8	Frt/Rear	25	5.5	70MB-508A55A	70MP-508A55A	71MB-508A55A	71MP-508A55A	72MB-508A55A	72MP-508A55A	76MB-508A55A	76MP-508A55A	77MB-508A55A	77MP-508A55A	79MB-508A55A	79MP-508A55A
	Medium	15x9	Rear only	25	6.5	70MB-509A65A	70MP-509A65A	71MB-509A65A	71MP-509A65A	72MB-509A65A	72MP-509A65A	76MB-509A65A	76MP-509A65A	77MB-509A65A	77MP-509A65A	79MB-509A65A	79MP-509A65A
	Medium	15x10.33	Rear only	21	6.5	70MB-510A65A^	70MP-510A65A^	71MB-510A65A^	71MP-510A65A^	72MB-510A65A^	72MP-510A65A^	76MB-510A65A^	76MP-510A65A^	77MB-510A65A^	77MP-510A65A^	79MB-510A65A^	79MP-510A65A^

^Denotes edge fit / watch tire width / test wheel on car before mounting tire

17"	Medium	17x4.5	Front	-14	2.2	70MB7045A22A	70MP7045A22A	71MB7045A22A	71MP7045A22A	72MB7045A22A	72MP7045A22A	76MB7045A22A	76MP7045A22A	77MB7045A22A	77MP7045A22A	79MB7045A22A	79MP7045A22A
	Medium	17x7.0	Front	20	4.8	70MB7070A48A	70MP7070A48A	71MB7070A48A	71MP7070A48A	72MB7070A48A	72MP7070A48A	76MB7070A48A	76MP7070A48A	77MB7070A48A	77MP7070A48A	79MB7070A48A	79MP7070A48A
	Medium	17x8.0	Frt/Rear	33	5.8	70MB7080A58A	70MP7080A58A	71MB7080A58A	71MP7080A58A	72MB7080A58A	72MP7080A58A	76MB7080A58A	76MP7080A58A	77MB7080A58A	77MP7080A58A	79MB7080A58A	79MP7080A58A
	Medium	17x9.0	Rear only	20	5.8	70MB7090A58A	70MP7090A58A	71MB7090A58A	71MP7090A58A	72MB7090A58A	72MP7090A58A	76MB7090A58A	76MP7090A58A	77MB7090A58A	77MP7090A58A	79MB7090A58A	79MP7090A58A

^Denotes edge fit / watch tire width / test wheel on car before mounting tire

18"	Medium	18x5.0	Front	6	3.2	70MB8050A32A	70MP8050A32A	71MB8050A32A	71MP8050A32A	72MB8050A32A	72MP8050A32A	76MB8050A32A	76MP8050A32A	77MB8050A32A	77MP8050A32A	79MB8050A32A	79MP8050A32A
	Medium	18x7.0	Front	5	4.2	70MB8070A42A	70MP8070A42A	71MB8070A42A	71MP8070A42A	72MB8070A42A	72MP8070A42A	76MB8070A42A	76MP8070A42A	77MB8070A42A	77MP8070A42A	79MB8070A42A	79MP8070A42A
	Medium	18x8.0	Frt/Rear	18	5.2	70MB8080A52A	70MP8080A52A	71MB8080A52A	71MP8080A52A	72MB8080A52A	72MP8080A52A	76MB8080A52A	76MP8080A52A	77MB8080A52A	77MP8080A52A	79MB8080A52A	79MP8080A52A
	Medium	18x9.0	Frt/Rear	25	5.7	70MB8090A57A	70MP8090A57A	71MB8090A57A	71MP8090A57A	72MB8090A57A	72MP8090A57A	76MB8090A57A	76MP8090A57A	77MB8090A57A	77MP8090A57A	79MB8090A57A	79MP8090A57A

^Denotes edge fit / watch tire width / test wheel on car before mounting tire

20"	Medium	20x7.0	Front	10	4.4	70MB0070A44A	70MP0070A44A	71MB0070A44A	71MP0070A44A	72MB0070A44A	72MP0070A44A	76MB0070A44A	76MP0070A44A	77MB0070A44A	77MP0070A44A	79MB0070A44A	79MP0070A44A
	Medium	20x8.0	Frt/Rear	23	5.4	70MB0080A54A	70MP0080A54A	71MB0080A54A	71MP0080A54A	72MB0080A54A	72MP0080A54A	76MB0080A54A	76MP0080A54A	77MB0080A54A	77MP0080A54A	79MB0080A54A	79MP0080A54A
	Medium	20x9.0	Frt/Rear	30	5.9	70MB0090A59A	70MP0090A59A	71MB0090A59A	71MP0090A59A	72MB0090A59A	72MP0090A59A	76MB0090A59A	76MP0090A59A	77MB0090A59A	77MP0090A59A	79MB0090A59A	79MP0090A59A
	Medium	20x10.0	Rear only	23	6.4	70MB0100A64A^	70MP0100A64A^	71MB0100A64A^	71MP0100A64A^	72MB0100A64A^	72MP0100A64A^	76MB0100A64A^	76MP0100A64A^	77MB0100A64A^	77MP0100A64A^	79MB0100A64A^	79MP0100A64A^

^Denotes edge fit / watch tire width / test wheel on car before mounting tire

WELD

Mustang Fox Cobra R 1993

5x4.5 (A) bolt circle

15" RT-S uses .50" long mag shank lug & 5/8 drive stud acceptable. Conical Lugs req'd 17"/18"/20"

	Pad Height	Wheel Size	Vehicle Location	Weld Offset	Back Space	S70 Black Ctr Part Number	S70 All Polished Part Number	S71 Black Ctr Part Number	S71 All Polished Part Number	S72 Black Ctr Part Number	S72 All Polished Part Number	S76 Black Ctr Part Number	S76 All Polished Part Number	S77 Black Ctr Part Number	S77 All Polished Part Number	S79 Black Ctr Part Number	S79 All Polished Part Number
15"	Medium	15X8	Rear only	25	5.5	70MB-508A55A	70MP-508A55A	71MB-508A55A	71MP-508A55A	72MB-508A55A	72MP-508A55A	76MB-508A55A	76MP-508A55A	77MB-508A55A	77MP-508A55A	79MB-508A55A	79MP-508A55A
	Medium	15X9	Rear only	25	6.5	70MB-509A65A*	70MP-509A65A*	71MB-509A65A*	71MP-509A65A*	72MB-509A65A*	72MP-509A65A*	76MB-509A65A*	76MP-509A65A*	77MB-509A65A*	77MP-509A65A*	79MB-509A65A*	79MP-509A65A*

*Denotes exhaust modification and removal of quad shocks are required

17"	Medium	17x4.5	Front	-14	2.2	70MB7045A22A	70MP7045A22A	71MB7045A22A	71MP7045A22A	72MB7045A22A	72MP7045A22A	76MB7045A22A	76MP7045A22A	77MB7045A22A	77MP7045A22A	79MB7045A22A	79MP7045A22A
	Medium	17x7.0	Front	20	4.8	70MB7070A48A	70MP7070A48A	71MB7070A48A	71MP7070A48A	72MB7070A48A	72MP7070A48A	76MB7070A48A	76MP7070A48A	77MB7070A48A	77MP7070A48A	79MB7070A48A	79MP7070A48A
	Medium	17x8.0	Frt/Rear	33	5.8	70MB7080A58A	70MP7080A58A	71MB7080A58A	71MP7080A58A	72MB7080A58A	72MP7080A58A	76MB7080A58A	76MP7080A58A	77MB7080A58A	77MP7080A58A	79MB7080A58A	79MP7080A58A

18"	Medium	18x5.0	Front	6	3.2	70MB8050A32A	70MP8050A32A	71MB8050A32A	71MP8050A32A	72MB8050A32A	72MP8050A32A	76MB8050A32A	76MP8050A32A	77MB8050A32A	77MP8050A32A	79MB8050A32A	79MP8050A32A
	Medium	18x7.0	Front	5	4.2	70MB8070A42A	70MP8070A42A	71MB8070A42A	71MP8070A42A	72MB8070A42A	72MP8070A42A	76MB8070A42A	76MP8070A42A	77MB8070A42A	77MP8070A42A	79MB8070A42A	79MP8070A42A
	Medium	18x8.0	Frt/Rear	18	5.2	70MB8080A52A	70MP8080A52A	71MB8080A52A	71MP8080A52A	72MB8080A52A	72MP8080A52A	76MB8080A52A	76MP8080A52A	77MB8080A52A	77MP8080A52A	79MB8080A52A	79MP8080A52A
	Medium	18x9.0	Frt/Rear	25	5.7	70MB8090A57A	70MP8090A57A	71MB8090A57A	71MP8090A57A	72MB8090A57A	72MP8090A57A	76MB8090A57A	76MP8090A57A	77MB8090A57A	77MP8090A57A	79MB8090A57A	79MP8090A57A

20"	Medium	20x7.0	Front	10	4.4	70MB0070A44A	70MP0070A44A	71MB0070A44A	71MP0070A44A	72MB0070A44A	72MP0070A44A	76MB0070A44A	76MP0070A44A	77MB0070A44A	77MP0070A44A	79MB0070A44A	79MP0070A44A
	Medium	20x8.0	Frt/Rear	23	5.4	70MB0080A54A	70MP0080A54A	71MB0080A54A	71MP0080A54A	72MB0080A54A	72MP0080A54A	76MB0080A54A	76MP0080A54A	77MB0080A54A	77MP0080A54A	79MB0080A54A	79MP0080A54A
	Medium	20x9.0	Frt/Rear	30	5.9	70MB0085A59A	70MP0085A59A	71MB0085A59A	71MP0085A59A	72MB0085A59A	72MP0085A59A	76MB0085A59A	76MP0085A59A	77MB0085A59A	77MP0085A59A	79MB0085A59A	79MP0085A59A

Mustang FOX Base/GT/LX/Cobra Pace Car & Capri 1979-1993

4x4.25 (P) bolt circle. Conical Lugs required

1/2"RH20 Studs

	Pad Height	Wheel Size	Vehicle Location	Weld Offset	Back Space	S70 Black Ctr Part Number	S70 All Polished Part Number	S71 Black Ctr Part Number	S71 All Polished Part Number	S72 Black Ctr Part Number	S72 All Polished Part Number	S76 Black Ctr Part Number	S76 All Polished Part Number	S77 Black Ctr Part Number	S77 All Polished Part Number	S79 Black Ctr Part Number	S79 All Polished Part Number
15"	Low	15x4	Front	0	2.5	N/A	N/A	71LB-504P25C	71LP-504P25C	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	Low	15x5	Front	13	2.5	N/A	N/A	71LB-505P35C	71LP-505P35C	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	Low	15x6.33	Front	-4	3.5	N/A	N/A	71LB-506P35C	71LP-506P35C	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	Low	15x7.33	Front	9	4.5	N/A	N/A	71LB-507P45C	71LP-507P45C	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	Low	15x8.33	Rear only	21	5.5	N/A	N/A	71LB-508P55C	71LP-508P55C	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	Low	15x9.33	Rear only	34	6.5	N/A	N/A	71LB-509P65C*	71LP-509P65C*	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	Low	15x10.33	Rear only	21	6.5	N/A	N/A	71LB-510P65C*	71LP-510P65C*	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	*Denotes removal of quad shocks, exhaust modifications, and roll fenders																

Mustang FOX Base/GT/LX/Cobra Pace Car & Capri 1979-1993

5x4.5 (A) bolt circle

15" RT-S uses .50" long mag shank lug & 5/8 drive stud acceptable. Conical Lugs req'd 17"/18"/20"

	Pad Height	Wheel Size	Vehicle Location	Weld Offset	Back Space	S70 Black Ctr Part Number	S70 All Polished Part Number	S71 Black Ctr Part Number	S71 All Polished Part Number	S72 Black Ctr Part Number	S72 All Polished Part Number	S76 Black Ctr Part Number	S76 All Polished Part Number	S77 Black Ctr Part Number	S77 All Polished Part Number	S79 Black Ctr Part Number	S79 All Polished Part Number
15"	Low	15x4	Front		2.5	70LB-504A25A	70LP-504A25A	71LB-504A25A	71LP-504A25A	72LB-504A25A	72LP-504A25A	76LB-504A25A	76LP-504A25A	77LB-504A25A	77LP-504A25A	79LB-504A25A	79LP-504A25A
	Low	15x5	Front	13	3.5	70LB-505A35A	70LP-505A35A	71LB-505A35A	71LP-505A35A	72LB-505A35A	72LP-505A35A	76LB-505A35A	76LP-505A35A	77LB-505A35A	77LP-505A35A	79LB-505A35A	79LP-505A35A
	Low	15x6.33	Front	-4	3.5	70LB-506A35A	70LP-506A35A	71LB-506A35A	71LP-506A35A	72LB-506A35A	72LP-506A35A	76LB-506A35A	76LP-506A35A	77LB-506A35A	77LP-506A35A	79LB-506A35A	79LP-506A35A
	Low	15x7.33	Front	9	4.5	70LB-507A35A	70LP-507A35A	71LB-507A35A	71LP-507A35A	72LB-507A35A	72LP-507A35A	76LB-507A35A	76LP-507A35A	77LB-507A35A	77LP-507A35A	79LB-507A35A	79LP-507A35A
	Low	15x8.33	Rear only	21	5.5	70LB-508A55A	70LP-508A55A	71LB-508A55A	71LP-508A55A	72LB-508A55A	72LP-508A55A	76LB-508A55A	76LP-508A55A	77LB-508A55A	77LP-508A55A	79LB-508A55A	79LP-508A55A
	Low	15x9.33	Rear only	34	6.5	70LB-509A65A*	70LP-509A65A*	71LB-509A65A*	71LP-509A65A*	72LB-509A55A*	72LP-509A55A*	76LB-509A55A*	76LP-509A55A*	77LB-509A55A*	77LP-509A55A*	79LB-509A55A*	79LP-509A55A*
	Low	15x10.33	Rear only	21	6.5	70LB-510A65A*	70LP-510A65A*	71LB-510A65A*	71LP-510A65A*	72LB-510A65A*	72LP-510A65A*	76LB-510A65A*	76LP-510A65A*	77LB-510A65A*	77LP-510A65A*	79LB-510A65A*	79LP-510A65A*

*Denotes removal of quad shocks, exhaust modifications, and roll fenders

17"	Low	17x4.5	Front	-27	1.7	70LB7045A17A	70LP7045A17A	71LB7045A17A	71LP7045A17A	72LB7045A17A	72LP7045A17A	76LB7045A17A	76LP7045A17A	77LB7045A17A	77LP7045A17A	79LB7045A17A	79LP7045A17A
	Low	17x7.0	Front	10	4.4	70LB7070A45A	70LP7070A45A	71LB7070A45A	71LP7070A45A	72LB7070A45A	72LP7070A45A	76LB7070A45A	76LP7070A45A	77LB7070A45A	77LP7070A45A	79LB7070A45A	79LP7070A45A
	Low	17x8.0	Frt/Rear	23	5.4	70LB7080A55A	70LP7080A55A	71LB7080A55A	71LP7080A55A	72LB7080A55A	72LP7080A55A	76LB7080A55A	76LP7080A55A	77LB7080A55A	77LP7080A55A	79LB7080A55A	79LP7080A55A

*Denotes removal of quad shocks and exhaust modifications

18"	Low	18x5.0	Front	-8	2.7	70LB8050A27A	70LP8050A27A	71LB8050A27A	71LP8050A27A	72LB8050A27A	72LP8050A27A	76LB8050A27A	76LP8050A27A	77LB8050A27A	77LP8050A27A	79LB8050A27A	79LP8050A27A
	Low	18x7.0	Front	5	4.2	70LB8070A42A	70LP8070A42A	71LB8070A42A	71LP8070A42A	72LB8070A42A	72LP8070A42A	76LB8070A42A	76LP8070A42A	77LB8070A42A	77LP8070A42A	79LB8070A42A	79LP8070A42A
	Low	18x8.0	Frt/Rear	18	5.2	70LB8080A52A	70LP8080A52A	71LB8080A52A	71LP8080A52A	72LB8080A52A	72LP8080A52A	76LB8080A52A	76LP8080A52A	77LB8080A52A	77LP8080A52A	79LB8080A52A	79LP8080A52A
	Low	18x9.0	Rear only	30	6.2	70LB8090A62A*	70LP8090A62A*	71LB8090A62A*	71LP8090A62A*	72LB8090A62A*	72LP8090A62A*	76LB8090A62A*	76LP8090A62A*	77LB8090A62A*	77LP8090A62A*	79LB8090A62A*	79LP8090A62A*

*Denotes removal of quad shocks and exhaust modifications

20"	Low	20x7.0	Front	0	4	70LB0070A40A	70LP0070A40A	71LB0070A40A	71LP0070A40A	72LB0070A40A	72LP0070A40A	76LB0070A40A	76LP0070A40A	77LB0070A40A	77LP0070A40A	79LB0070A40A	79LP0070A40A
	Low	20x8.0	Frt/Rear	38	5	70LB0080A50A	70LP0080A50A	71LB0080A50A	71LP0080A50A	72LB0080A50A	72LP0080A50A	76LB0080A50A	76LP0080A50A	77LB0080A50A	77LP0080A50A	79LB0080A50A	79LP0080A50A
	Low	20x9.0	Rear only	25	6	70LB0090A60A*	70LP0090A60A*	71LB0090A60A*	71LP0090A60A*	72LB0090A60A*	72LP0090A60A*	76LB0090A60A*	76LP0090A60A*	77LB0090A60A*	77LP0090A60A*	79LB0090A60A*	79LP0090A60A*

*Denotes removal of quad shocks and exhaust modifications

800-788-9353

6600 Stadium Drive, Kansas City, MO 64129

weldwheels.com

RELEASED - October 2020

WELD

Mustang Fox/SVO 1984-1986

Only 5 lug Fox body, 5x4.5 (A) bolt circle

15" RT-S uses .50" long mag shank lug & 5/8 drive stud acceptable. Conical Lugs req'd 17"/18"/20".

	Pad Height	Wheel Size	Vehicle Location	Weld Offset	Back Space	S70 Black Ctr Part Number	S70 All Polished Part Number	S71 Black Ctr Part Number	S71 All Polished Part Number	S72 Black Ctr Part Number	S72 All Polished Part Number	S76 Black Ctr Part Number	S76 All Polished Part Number	S77 Black Ctr Part Number	S77 All Polished Part Number	S79 Black Ctr Part Number	S79 All Polished Part Number
15"	Medium	15x4	Front	-26	1.5	70MB-504A15A	70MP-504A15A	71MB-504A15A	71MP-504A15A	72MB-504A15A	72MP-504A15A	76MB-504A15A	76MP-504A15A	77MB-504A15A	77MP-504A15A	79MB-504A15A	79MP-504A15A
	Medium	15x5.33	Front	-16	2.5	70MB-505A25A	70MP-505A25A	71MB-505A25A	71MP-505A25A	72MB-505A25A	72MP-505A25A	76MB-505A25A	76MP-505A25A	77MB-505A25A	77MP-505A25A	79MB-505A25A	79MP-505A25A
	Medium	15x6.33	Front	-3	3.5	70MB-506A35A	70MP-506A35A	71MB-506A35A	71MP-506A35A	72MB-506A35A	72MP-506A35A	76MB-506A35A	76MP-506A35A	77MB-506A35A	77MP-506A35A	79MB-506A35A	79MP-506A35A
	Medium	15x7.33	Front	10	4.5	70MB-507A45A	70MP-507A45A	71MB-507A45A	71MP-507A45A	72MB-507A45A	72MP-507A45A	76MB-507A45A	76MP-507A45A	77MB-507A45A	77MP-507A45A	79MB-507A45A	79MP-507A45A
	Medium	15X8	Frt/Rear	26	5.5	70MB-508A55A	70MP-508A55A	71MB-508A55A	71MP-508A55A	72MB-508A55A	72MP-508A55A	76MB-508A55A	76MP-508A55A	77MB-508A55A	77MP-508A55A	79MB-508A55A	79MP-508A55A
	Medium	15x9	Rear only	37	6.5	70MB-509A65A	70MP-509A65A	71MB-509A65A	71MP-509A65A	72MB-509A65A	72MP-509A65A	76MB-509A65A	76MP-509A65A	77MB-509A65A	77MP-509A65A	79MB-509A65A	79MP-509A65A
17"	Medium	17x4.5	Front	-14	2.2	70MB7045A22A	70MP7045A22A	71MB7045A22A	71MP7045A22A	72MB7045A22A	72MP7045A22A	76MB7045A22A	76MP7045A22A	77MB7045A22A	77MP7045A22A	79MB7045A22A	79MP7045A22A
	Medium	17x6.0	Front	8	3.8	70MB7070A38A	70MP7070A38A	71MB7070A38A	71MP7070A38A	72MB7070A38A	72MP7070A38A	76MB7070A38A	76MP7070A38A	77MB7070A38A	77MP7070A38A	79MB7070A38A	79MP7070A38A
	Medium	17x7.0	Front	20	4.8	70MB7070A48A	70MP7070A48A	71MB7070A48A	71MP7070A48A	72MB7070A48A	72MP7070A48A	76MB7070A48A	76MP7070A48A	77MB7070A48A	77MP7070A48A	79MB7070A48A	79MP7070A48A
	Medium	17x8.0	Frt/Rear	34	5.8	70MB7080A58A	70MP7080A58A	71MB7080A58A	71MP7080A58A	72MB7080A58A	72MP7080A58A	76MB7080A58A	76MP7080A58A	77MB7080A58A	77MP7080A58A	79MB7080A58A	79MP7080A58A
	Medium	17x9.0	Rear only	46	6.3	70MB7090A63A	70MP7090A63A	71MB7090A63A	71MP7090A63A	72MB7090A63A	72MP7090A63A	76MB7090A63A	76MP7090A63A	77MB7090A63A	77MP7090A63A	79MB7090A63A	79MP7090A63A
18"	Medium	18x5.0	Front	-8	2.7	70MB8050A27A	70MP8050A27A	71MB8050A27A	71MP8050A27A	72MB8050A27A	72MP8050A27A	76MB8050A27A	76MP8050A27A	77MB8050A27A	77MP8050A27A	79MB8050A27A	79MP8050A27A
	Medium	18x7.0	Front	18	4.7	70MB8070A47A	70MP8070A47A	71MB8070A47A	71MP8070A47A	72MB8070A47A	72MP8070A47A	76MB8070A47A	76MP8070A47A	77MB8070A47A	77MP8070A47A	79MB8070A47A	79MP8070A47A
	Medium	18x8.0	Frt/Rear	30	5.7	70MB8080A57A	70MP8080A57A	71MB8080A57A	71MP8080A57A	72MB8080A57A	72MP8080A57A	76MB8080A57A	76MP8080A57A	77MB8080A57A	77MP8080A57A	79MB8080A57A	79MP8080A57A
	Medium	18x9.0	Rear only	30	6.2	70MB8090A62A*	70MP8090A62A*	71MB8090A62A*	71MP8090A62A*	72MB8090A62A*	72MP8090A62A*	76MB8090A62A*	76MP8090A62A*	77MB8090A62A*	77MP8090A62A*	79MB8090A62A*	79MP8090A62A*
*Denotes removal of quad shocks and exhaust modifications																	
20"	Medium	20x7.0	Front	23	4.9	70MB0070A49A	70MP0070A49A	71MB0070A49A	71MP0070A49A	72MB0070A49A	72MP0070A49A	76MB0070A49A	76MP0070A49A	77MB0070A49A	77MP0070A49A	79MB0070A49A	79MP0070A49A
	Medium	20x8.0	Frt/Rear	36	5.9	70MB0080A59A	70MP0080A59A	71MB0080A59A	71MP0080A59A	72MB0080A59A	72MP0080A59A	76MB0080A59A	76MP0080A59A	77MB0080A59A	77MP0080A59A	79MB0080A59A	79MP0080A59A
	Medium	20x9.0	Rear only	36	6.4	70MB0090A64A*	70MP0090A64A*	71MB0090A64A*	71MP0090A64A*	72MB0090A64A*	72MP0090A64A*	76MB0090A64A*	76MP0090A64A*	77MB0090A64A*	77MP0090A64A*	79MB0090A64A*	79MP0090A64A*
*Denotes removal of quad shocks and exhaust modifications																	

Mustang (All) 1968-1973

5x4.5 (A) bolt circle

15" RT-S uses .50" long mag shank lug & 5/8 drive stud acceptable. Conical Lugs req'd 17"/18"/20"

	Pad Height	Wheel Size	Vehicle Location	Weld Offset	Back Space	S70 Black Ctr Part Number	S70 All Polished Part Number	S71 Black Ctr Part Number	S71 All Polished Part Number	S72 Black Ctr Part Number	S72 All Polished Part Number	S76 Black Ctr Part Number	S76 All Polished Part Number	S77 Black Ctr Part Number	S77 All Polished Part Number	S79 Black Ctr Part Number	S79 All Polished Part Number
15"	Low	15x4	Front	-2	2.5	70LB-504A25A	70LP-504A25A	71LB-504A25A	71LP-504A25A	72LB-504A25A	72LP-504A25A	76LB-504A25A	76LP-504A25A	77LB-504A25A	77LP-504A25A	79LB-504A25A	79LP-504A25A
	Low	15x5.33	Front	10	3.5	70LB-505A35A	70LP-505A35A	71LB-505A35A	71LP-505A35A	72LB-505A35A	72LP-505A35A	76LB-505A35A	76LP-505A35A	77LB-505A35A	77LP-505A35A	79LB-505A35A	79LP-505A35A
	Low	15x6.33	Front	-3	3.5	70LB-506A35A	70LP-506A35A	71LB-506A35A	71LP-506A35A	72LB-506A35A	72LP-506A35A	76LB-506A35A	76LP-506A35A	77LB-506A35A	77LP-506A35A	79LB-506A35A	79LP-506A35A
	Low	15x7.33	Front	10	4.5	70LB-507A45A	70LP-507A45A	71LB-507A45A	71LP-507A45A	72LB-507A45A	72LP-507A45A	76LB-507A45A	76LP-507A45A	77LB-507A45A	77LP-507A45A	79LB-507A45A	79LP-507A45A
	Low	15X8.33	Frt/Rear	-1	4.5	70LB-508A45A	70LP-508A45A	71LB-508A45A	71LP-508A45A	72LB-508A45A	72LP-508A45A	76LB-508A45A	76LP-508A45A	77LB-508A45A	77LP-508A45A	79LB-508A45A	79LP-508A45A
	Low	15X9.33	Rear only	12	5.5	70LB-509A55A^	70LP-509A55A^	71LB-509A55A^	71LP-509A55A^	72LB-509A55A^	72LP-509A55A^	76LB-509A55A^	76LP-509A55A^	77LB-509A55A^	77LP-509A55A^	79LB-509A55A^	79LP-509A55A^
^Denotes the need to relocate rear stabilizer bar, if equipped. Except on the Boss 429																	
17"	Low	17x4.5	Front	-27	1.7	70LB7045A17A	70LP7045A17A	71LB7045A17A	71LP7045A17A	72LB7045A17A	72LP7045A17A	76LB7045A17A	76LP7045A17A	77LB7045A17A	77LP7045A17A	79LB7045A17A	79LP7045A17A
	Low	17x7.0	Front	-3	3.9	70LB7070A40A	70LP7070A40A	71LB7070A40A	71LP7070A40A	72LB7070A40A	72LP7070A40A	76LB7070A40A	76LP7070A40A	77LB7070A40A	77LP7070A40A	79LB7070A40A	79LP7070A40A
	Low	17x8.0	Frt/Rear	10	4.9	70LB7080A50A	70LP7080A50A	71LB7080A50A	71LP7080A50A	72LB7080A50A	72LP7080A50A	76LB7080A50A	76LP7080A50A	77LB7080A50A	77LP7080A50A	79LB7080A50A	79LP7080A50A
	Low	17x9.0	Rear only	10	5.4	70LB7090A55A^	70LP7090A55A^	71LB7090A55A^	71LP7090A55A^	72LB7090A55A^	72LP7090A55A^	76LB7090A55A^	76LP7090A55A^	77LB7090A55A^	77LP7090A55A^	79LB7090A55A^	79LP7090A55A^
^Denotes the need to relocate rear stabilizer bar, if equipped. Except on the Boss 429																	
18"	Low	18X5.0	Front	-20	2.2	70LB8050A22A	70LP8050A22A	71LB8050A22A	71LP8050A22A	72LB8050A22A	72LP8050A22A	76LB8050A22A	76LP8050A22A	77LB8050A22A	77LP8050A22A	79LB8050A22A	79LP8050A22A
	Low	18x7.0	Front	-8	3.7	70LB8070A37A	70LP8070A37A	71LB8070A37A	71LP8070A37A	72LB8070A37A	72LP8070A37A	76LB8070A37A	76LP8070A37A	77LB8070A37A	77LP8070A37A	79LB8070A37A	79LP8070A37A
	Low	18x8.0	Frt/Rear	5	4.7	70LB8080A47A	70LP8080A47A	71LB8080A47A	71LP8080A47A	72LB8080A47A	72LP8080A47A	76LB8080A47A	76LP8080A47A	77LB8080A47A	77LP8080A47A	79LB8080A47A	79LP8080A47A
	Low	18x9.0	Rear only	5	5.2	70LB8090A52A^	70LP8090A52A^	71LB8090A52A^	71LP8090A52A^	72LB8090A52A^	72LP8090A52A^	76LB8090A52A^	76LP8090A52A^	77LB8090A52A^	77LP8090A52A^	79LB8090A52A^	79LP8090A52A^
^Denotes the need to relocate rear stabilizer bar, if equipped. Except on the Boss 429																	

WELD

Mustang (All) 1967-1968

5x4.5 (A) bolt circle

15" RT-S uses .50" long mag shank lug & 5/8 drive stud acceptable. Conical Lugs req'd 17"/18"/20"

	Pad Height	Wheel Size	Vehide Location	Weld Offset	Back Space	S70 Black Ctr Part Number	S70 All Polished Part Number	S71 Black Ctr Part Number	S71 All Polished Part Number	S72 Black Ctr Part Number	S72 All Polished Part Number	S76 Black Ctr Part Number	S76 All Polished Part Number	S77 Black Ctr Part Number	S77 All Polished Part Number	S79 Black Ctr Part Number	S79 All Polished Part Number
15"	Low	15x4	Front	0	2.5	70LB-504A25A	70LP-504A25A	71LB-504A25A	71LP-504A25A	72LB-504A25A	72LP-504A25A	76LB-504A25A	76LP-504A25A	77LB-504A25A	77LP-504A25A	79LB-504A25A	79LP-504A25A
	Low	15x5.33	Front	-17	2.5	70LB-505A25A	70LP-505A25A	71LB-505A25A	71LP-505A25A	72LB-505A25A	72LP-505A25A	76LB-505A25A	76LP-505A25A	77LB-505A25A	77LP-505A25A	79LB-505A25A	79LP-505A25A
	Low	15x6.33	Front	-4	3.5	70LB-506A35A	70LP-506A35A	71LB-506A35A	71LP-506A35A	72LB-506A35A	72LP-506A35A	76LB-506A35A	76LP-506A35A	77LB-506A35A	77LP-506A35A	79LB-506A35A	79LP-506A35A
	Low	15x7.33	Frt/Rear	9	4.5	70LB-507A45A	70LP-507A45A	71LB-507A45A	71LP-507A45A	72LB-507A45A	72LP-507A45A	76LB-507A45A	76LP-507A45A	77LB-507A45A	77LP-507A45A	79LB-507A45A	79LP-507A45A
17"	Low	15x8.33	Rear only	21	5.5	70LB-508A55A	70LP-508A55A	71LB-508A55A	71LP-508A55A	72LB-508A55A	72LP-508A55A	76LB-508A55A	76LP-508A55A	77LB-508A55A	77LP-508A55A	79LB-508A55A	79LP-508A55A
	Low	17x4.5	Front	-27	1.7	70LB7045A17A	70LP7045A17A	71LB7045A17A	71LP7045A17A	72LB7045A17A	72LP7045A17A	76LB7045A17A	76LP7045A17A	77LB7045A17A	77LP7045A17A	79LB7045A17A	79LP7045A17A
	Low	17x7.0	Front	10	4.4	70LB7070A45A	70LP7070A45A	71LB7070A45A	71LP7070A45A	72LB7070A45A	72LP7070A45A	76LB7070A45A	76LP7070A45A	77LB7070A45A	77LP7070A45A	79LB7070A45A	79LP7070A45A
	Low	17x8.0	Frt/Rear	10	4.9	70LB7080A50A	70LP7080A50A	71LB7080A50A	71LP7080A50A	72LB7080A50A	72LP7080A50A	76LB7080A50A	76LP7080A50A	77LB7080A50A	77LP7080A50A	79LB7080A50A	79LP7080A50A
18"	Low	17x9.0	Rear only	10	5.4	70LB7090A55A	70LP7090A55A	71LB7090A55A	71LP7090A55A	72LB7090A55A	72LP7090A55A	76LB7090A55A	76LP7090A55A	77LB7090A55A	77LP7090A55A	79LB7090A55A	79LP7090A55A
	Low	18x5.0	Front	-20	2.2	70LB8050A22A	70LP8050A22A	71LB8050A22A	71LP8050A22A	72LB8050A22A	72LP8050A22A	76LB8050A22A	76LP8050A22A	77LB8050A22A	77LP8050A22A	79LB8050A22A	79LP8050A22A
	Low	18x7.0	Front	-8	3.7	70LB8070A37A	70LP8070A37A	71LB8070A37A	71LP8070A37A	72LB8070A37A	72LP8070A37A	76LB8070A37A	76LP8070A37A	77LB8070A37A	77LP8070A37A	79LB8070A37A	79LP8070A37A
	Low	18x8.0	Frt/Rear	5	4.7	70LB8080A47A	70LP8080A47A	71LB8080A47A	71LP8080A47A	72LB8080A47A	72LP8080A47A	76LB8080A47A	76LP8080A47A	77LB8080A47A	77LP8080A47A	79LB8080A47A	79LP8080A47A
18"	Low	18x9.0	Rear only	5	5.2	70LB8090A52A*	70LP8090A52A*	71LB8090A52A*	71LP8090A52A*	72LB8090A52A*	72LP8090A52A*	76LB8090A52A*	76LP8090A52A*	77LB8090A52A*	77LP8090A52A*	79LB8090A52A*	79LP8090A52A*

*Denotes the need to relocate rear stabilizer bar, if equipped. Except on the Boss 429

Mustang (All) 1965-1966

5x4.5 (A) bolt circle

15" RT-S uses .50" long mag shank lug & 5/8 drive stud acceptable. Conical Lugs req'd 17"/18"/20"

	Pad Height	Wheel Size	Vehide Location	Weld Offset	Back Space	S70 Black Ctr Part Number	S70 All Polished Part Number	S71 Black Ctr Part Number	S71 All Polished Part Number	S72 Black Ctr Part Number	S72 All Polished Part Number	S76 Black Ctr Part Number	S76 All Polished Part Number	S77 Black Ctr Part Number	S77 All Polished Part Number	S79 Black Ctr Part Number	S79 All Polished Part Number
15"	Low	15x4	Front	0	2.5	70LB-504A25A	70LP-504A25A	71LB-504A25A	71LP-504A25A	72LB-504A25A	72LP-504A25A	76LB-504A25A	76LP-504A25A	77LB-504A25A	77LP-504A25A	79LB-504A25A	79LP-504A25A
	Low	15x5.33	Front	-17	2.5	70LB-505A25A	70LP-505A25A	71LB-505A25A	71LP-505A25A	72LB-505A25A	72LP-505A25A	76LB-505A25A	76LP-505A25A	77LB-505A25A	77LP-505A25A	79LB-505A25A	79LP-505A25A
	Low	15x7.33	Front	9	4.5	70LB-507A45A	70LP-507A45A	71LB-507A45A	71LP-507A45A	72LB-507A45A	72LP-507A45A	76LB-507A45A	76LP-507A45A	77LB-507A45A	77LP-507A45A	79LB-507A45A	79LP-507A45A
	Low	15x8.33	Rear only	-4	4.5	70LB-508A45A	70LP-508A45A	71LB-508A45A	71LP-508A45A	72LB-508A45A	72LP-508A45A	76LB-508A45A	76LP-508A45A	77LB-508A45A	77LP-508A45A	79LB-508A45A	79LP-508A45A
17"	Low	17x4.5	Front	-27	1.7	70LB7045A17A	70LP7045A17A	71LB7045A17A	71LP7045A17A	72LB7045A17A	72LP7045A17A	76LB7045A17A	76LP7045A17A	77LB7045A17A	77LP7045A17A	79LB7045A17A	79LP7045A17A
	Low	17x7.0	Frt/Rear	10	4.4	70LB7070A45A	70LP7070A45A	71LB7070A45A	71LP7070A45A	72LB7070A45A	72LP7070A45A	76LB7070A45A	76LP7070A45A	77LB7070A45A	77LP7070A45A	79LB7070A45A	79LP7070A45A
	Low	17x8.0	Rear only	-3	4.4	70LB7080A45A	70LP7080A45A	71LB7080A45A	71LP7080A45A	72LB7080A45A	72LP7080A45A	76LB7080A45A	76LP7080A45A	77LB7080A45A	77LP7080A45A	79LB7080A45A	79LP7080A45A
	Low	18x5.0	Front	-20	2.2	70LB8050A22A	70LP8050A22A	71LB8050A22A	71LP8050A22A	72LB8050A22A	72LP8050A22A	76LB8050A22A	76LP8050A22A	77LB8050A22A	77LP8050A22A	79LB8050A22A	79LP8050A22A
18"	Low	18x7.0	Front	-8	3.7	70LB8070A37A	70LP8070A37A	71LB8070A37A	71LP8070A37A	72LB8070A37A	72LP8070A37A	76LB8070A37A	76LP8070A37A	77LB8070A37A	77LP8070A37A	79LB8070A37A	79LP8070A37A
	Low	18x8.0	Frt/Rear	5	4.7	70LB8080A47A	70LP8080A47A	71LB8080A47A	71LP8080A47A	72LB8080A47A	72LP8080A47A	76LB8080A47A	76LP8080A47A	77LB8080A47A	77LP8080A47A	79LB8080A47A	79LP8080A47A

Thunderbird/Base/LX/Turbo Coupe 1983-1988

5x4.5 (A) bolt circle

15" RT-S uses .50" long mag shank lug & 5/8 drive stud acceptable. Conical Lugs req'd 17"/18"/20"

	Pad Height	Wheel Size	Vehide Location	Weld Offset	Back Space	S70 Black Ctr Part Number	S70 All Polished Part Number	S71 Black Ctr Part Number	S71 All Polished Part Number	S72 Black Ctr Part Number	S72 All Polished Part Number	S76 Black Ctr Part Number	S76 All Polished Part Number	S77 Black Ctr Part Number	S77 All Polished Part Number	S79 Black Ctr Part Number	S79 All Polished Part Number
15"	Low	15x4	Front	-2	2.5	70LB-504A25A	70LP-504A25A	71LB-504A25A	71LP-504A25A	72LB-504A25A	72LP-504A25A	76LB-504A25A	76LP-504A25A	77LB-504A25A	77LP-504A25A	79LB-504A25A	79LP-504A25A
	Low	15x5.33	Front	10	3.5	70LB-505A35A	70LP-505A35A	71LB-505A35A	71LP-505A35A	72LB-505A35A	72LP-505A35A	76LB-505A35A	76LP-505A35A	77LB-505A35A	77LP-505A35A	79LB-505A35A	79LP-505A35A
	Low	15x6.33	Front	-3	3.5	70LB-506A35A	70LP-506A35A	71LB-506A35A	71LP-506A35A	72LB-506A35A	72LP-506A35A	76LB-506A35A	76LP-506A35A	77LB-506A35A	77LP-506A35A	79LB-506A35A	79LP-506A35A
	Low	15x7.33	Front	9	4.5	70LB-507A45A	70LP-507A45A	71LB-507A45A	71LP-507A45A	72LB-507A45A	72LP-507A45A	76LB-507A45A	76LP-507A45A	77LB-507A45A	77LP-507A45A	79LB-507A45A	79LP-507A45A
	Low	15x8.33	Frt/Rear	21	5.5	70LB-508A55A	70LP-508A55A	71LB-508A55A	71LP-508A55A	72LB-508A55A	72LP-508A55A	76LB-508A55A	76LP-508A55A	77LB-508A55A	77LP-508A55A	79LB-508A55A	79LP-508A55A
	Low	15x9.33	Rear only	34	6.5	70LB-509A65A^	70LP-509A65A^	71LB-509A65A^	71LP-509A65A^	72LB-509A65A^	72LP-509A65A^	76LB-509A65A^	76LP-509A65A^	77LB-509A65A^	77LP-509A65A^	79LB-509A65A^	79LP-509A65A^
17"	Low	17x4.5	Front	-27	1.7	70LB7045A17A	70LP7045A17A	71LB7045A17A	71LP7045A17A	72LB7045A17A	72LP7045A17A	76LB7045A17A	76LP7045A17A	77LB7045A17A	77LP7045A17A	79LB7045A17A	79LP7045A17A
	Low	17x7.0	Front	10	4.4	70LB7070A45A	70LP7070A45A	71LB7070A45A	71LP7070A45A	72LB7070A45A	72LP7070A45A	76LB7070A45A	76LP7070A45A	77LB7070A45A	77LP7070A45A	79LB7070A45A	79LP7070A45A
	Low	17x8.0	Frt/Rear	23	5.4	70LB7080A55A	70LP7080A55A	71LB7080A55A	71LP7080A55A	72LB7080A55A	72LP7080A55A	76LB7080A55A	76LP7080A55A	77LB7080A55A	77LP7080A55A	79LB7080A55A	79LP7080A55A
	Low	17x9.0	Rear only	23	5.9	70LB7090A60A^	70LP7090A60A^	71LB7090A60A^	71LP7090A60A^	72LB7090A60A^	72LP7090A60A^	76LB7090A60A^	76LP7090A60A^	77LB7090A60A^	77LP7090A60A^	79LB7090A60A^	79LP7090A60A^
	Low	18x5.0	Front	-13	2.2	70LB8050A22A	70LP8050A22A	71LB8050A22A	71LP8050A22A	72LB8050A22A	72LP8050A22A	76LB8050A22A	76LP8050A22A	77LB8050A22A	77LP8050A22A	79LB8050A22A	79LP8050A22A
	Low	18x7.0	Front	5	4.2	70LB8070A42A	70LP8070A42A	71LB8070A42A	71LP8070A42A	72LB8070A42A	72LP8070A42A	76LB8070A42A	76LP8070A42A	77LB8070A42A	77LP8070A42A	79LB8070A42A	79LP8070A42A
18"	Low	18x8.0	Frt/Rear	18	5.2	70LB8080A52A	70LP8080A52A	71LB8080A52A	71LP8080A52A	72LB8080A52A	72LP8080A52A	76LB8080A52A	76LP8080A52A	77LB8080A52A	77LP8080A52A	79LB8080A52A	79LP8080A52A
	Low	18x9.0	Rear only	30	6.2	70LB8090A62A^	70LP8090A62A^	71LB8090A62A^	71LP8090A62A^	72LB8090A62A^	72LP8090A62A^	76LB8090A62A^	76LP8090A62A^	77LB8090A62A^	77LP8090A62A^	79LB8090A62A^	79LP8090A62A^

^Denotes removal of quad shocks and exhaust modifications

WELD

LTD LX/Fox 1984-1985

5x4.5 [A] bolt circle

15" RT-S uses .50" long mag shank lug & 5/8 drive stud acceptable. Conical Lugs req'd 17"/18"/20"

	Pad Height	Wheel Size	Vehicle Location	Weld Offset	Back Space	S70 Black Ctr Part Number	S70 All Polished Part Number	S71 Black Ctr Part Number	S71 All Polished Part Number	S72 Black Ctr Part Number	S72 All Polished Part Number	S76 Black Ctr Part Number	S76 All Polished Part Number	S77 Black Ctr Part Number	S77 All Polished Part Number	S79 Black Ctr Part Number	S79 All Polished Part Number
15"	Low	15x4	Front	-2	2.5	70LB-504A25A	70LP-504A25A	71LB-504A25A	71LP-504A25A	72LB-504A25A	72LP-504A25A	76LB-504A25A	76LP-504A25A	77LB-504A25A	77LP-504A25A	79LB-504A25A	79LP-504A25A
	Low	15x5.33	Front	-17	2.5	70LB-505A25A	70LP-505A25A	71LB-505A25A	71LP-505A25A	72LB-505A25A	72LP-505A25A	76LB-505A25A	76LP-505A25A	77LB-505A25A	77LP-505A25A	79LB-505A25A	79LP-505A25A
	Low	15x6.33	Front	-3	3.5	70LB-506A35A	70LP-506A35A	71LB-506A35A	71LP-506A35A	72LB-506A35A	72LP-506A35A	76LB-506A35A	76LP-506A35A	77LB-506A35A	77LP-506A35A	79LB-506A35A	79LP-506A35A
	Low	15x8.33	Frt/Rear	21	5.5	70LB-508A55A	70LP-508A55A	71LB-508A55A	71LP-508A55A	72LB-508A55A	72LP-508A55A	76LB-508A55A	76LP-508A55A	77LB-508A55A	77LP-508A55A	79LB-508A55A	79LP-508A55A
	Low	15x9.33	Rear only	34	6.5	70LB-509A65A^	70LP-509A65A^	71LB-509A65A^	71LP-509A65A^	72LB-509A65A^	72LP-509A65A^	76LB-509A65A^	76LP-509A65A^	77LB-509A65A^	77LP-509A65A^	79LB-509A65A^	79LP-509A65A^

^Denotes removal of quad shocks and exhaust modifications

17"	Low	17x4.5	Front	-27	1.7	70LB7045A17A	70LP7045A17A	71LB7045A17A	71LP7045A17A	72LB7045A17A	72LP7045A17A	76LB7045A17A	76LP7045A17A	77LB7045A17A	77LP7045A17A	79LB7045A17A	79LP7045A17A
	Low	17x7.0	Front	10	4.4	70LB7070A45A	70LP7070A45A	71LB7070A45A	71LP7070A45A	72LB7070A45A	72LP7070A45A	76LB7070A45A	76LP7070A45A	77LB7070A45A	77LP7070A45A	79LB7070A45A	79LP7070A45A
	Low	17x8.0	Frt/Rear	23	5.4	70LB7080A55A	70LP7080A55A	71LB7080A55A	71LP7080A55A	72LB7080A55A	72LP7080A55A	76LB7080A55A	76LP7080A55A	77LB7080A55A	77LP7080A55A	79LB7080A55A	79LP7080A55A
	Low	17x9.0	Rear only	23	5.9	70LB7090A60A^	70LP7090A60A^	71LB7090A60A^	71LP7090A60A^	72LB7090A60A^	72LP7090A60A^	76LB7090A60A^	76LP7090A60A^	77LB7090A60A^	77LP7090A60A^	79LB7090A60A^	79LP7090A60A^

^Denotes removal of quad shocks and exhaust modifications

18"	Low	18x5.0	Front	-13	2.2	70LB8050A22A	70LP8050A22A	71LB8050A22A	71LP8050A22A	72LB8050A22A	72LP8050A22A	76LB8050A22A	76LP8050A22A	77LB8050A22A	77LP8050A22A	79LB8050A22A	79LP8050A22A
	Low	18x7.0	Front	5	4.2	70LB8070A42A	70LP8070A42A	71LB8070A42A	71LP8070A42A	72LB8070A42A	72LP8070A42A	76LB8070A42A	76LP8070A42A	77LB8070A42A	77LP8070A42A	79LB8070A42A	79LP8070A42A
	Low	18x7.5	Front	11	4.7	70LB8075A47A	70LP8075A47A	71LB8075A47A	71LP8075A47A	72LB8075A47A	72LP8075A47A	76LB8075A47A	76LP8075A47A	77LB8075A47A	77LP8075A47A	79LB8075A47A	79LP8075A47A
	Low	18x8.0	Frt/Rear	18	5.2	70LB8080A52A	70LP8080A52A	71LB8080A52A	71LP8080A52A	72LB8080A52A	72LP8080A52A	76LB8080A52A	76LP8080A52A	77LB8080A52A	77LP8080A52A	79LB8080A52A	79LP8080A52A
	Low	18x9.0	Rear only	30	6.2	70LB8090A62A^	70LP8090A62A^	71LB8090A62A^	71LP8090A62A^	72LB8090A62A^	72LP8090A62A^	76LB8090A62A^	76LP8090A62A^	77LB8090A62A^	77LP8090A62A^	79LB8090A62A^	79LP8090A62A^

^Denotes removal of quad shocks and exhaust modifications

Torino/Gran Torino/Elite 1972-1976. Ranchero 1972-1979

5x4.5 [A] bolt circle

15" RT-S uses .50" long mag shank lug & 5/8 drive stud acceptable. Conical Lugs req'd 17"/18"/20"

	Pad Height	Wheel Size	Vehicle Location	Weld Offset	Back Space	S70 Black Ctr Part Number	S70 All Polished Part Number	S71 Black Ctr Part Number	S71 All Polished Part Number	S72 Black Ctr Part Number	S72 All Polished Part Number	S76 Black Ctr Part Number	S76 All Polished Part Number	S77 Black Ctr Part Number	S77 All Polished Part Number	S79 Black Ctr Part Number	S79 All Polished Part Number
15"	Low	15x4	Front	-2	2.5	70LB-504A25A	70LP-504A25A	71LB-504A25A	71LP-504A25A	72LB-504A25A	72LP-504A25A	76LB-504A25A	76LP-504A25A	77LB-504A25A	77LP-504A25A	79LB-504A25A	79LP-504A25A
	Low	15x5.33	Front	10	3.5	70LB-505A35A	70LP-505A35A	71LB-505A35A	71LP-505A35A	72LB-505A35A	72LP-505A35A	76LB-505A35A	76LP-505A35A	77LB-505A35A	77LP-505A35A	79LB-505A35A	79LP-505A35A
	Low	15x6.33	Front	-3	3.5	70LB-506A35A	70LP-506A35A	71LB-506A35A	71LP-506A35A	72LB-506A35A	72LP-506A35A	76LB-506A35A	76LP-506A35A	77LB-506A35A	77LP-506A35A	79LB-506A35A	79LP-506A35A
	Low	15x7.33	Front	10	4.5	70LB-507A45A	70LP-507A45A	71LB-507A45A	71LP-507A45A	72LB-507A45A	72LP-507A45A	76LB-507A45A	76LP-507A45A	77LB-507A45A	77LP-507A45A	79LB-507A45A	79LP-507A45A
	Low	15x8.33	Frt/Rear	-1	4.5	70LB-508A45A	70LP-508A45A	71LB-508A45A	71LP-508A45A	72LB-508A45A	72LP-508A45A	76LB-508A45A	76LP-508A45A	77LB-508A45A	77LP-508A45A	79LB-508A45A	79LP-508A45A

17"	Low	17x4.5	Front	-27	1.7	70LB7045A17A	70LP7045A17A	71LB7045A17A	71LP7045A17A	72LB7045A17A	72LP7045A17A	76LB7045A17A	76LP7045A17A	77LB7045A17A	77LP7045A17A	79LB7045A17A	79LP7045A17A
	Low	17x7.0	Front	10	4.4	70LB7070A45A	70LP7070A45A	71LB7070A45A	71LP7070A45A	72LB7070A45A	72LP7070A45A	76LB7070A45A	76LP7070A45A	77LB7070A45A	77LP7070A45A	79LB7070A45A	79LP7070A45A
	Low	17x8.0	Frt/Rear	10	4.9	70LB7080A50A	70LP7080A50A	71LB7080A50A	71LP7080A50A	72LB7080A50A	72LP7080A50A	76LB7080A50A	76LP7080A50A	77LB7080A50A	77LP7080A50A	79LB7080A50A	79LP7080A50A

18"	Low	18x5.0	Front	-20	2.2	70LB8050A22A	70LP8050A22A	71LB8050A22A	71LP8050A22A	72LB8050A22A	72LP8050A22A	76LB8050A22A	76LP8050A22A	77LB8050A22A	77LP8050A22A	79LB8050A22A	79LP8050A22A
	Low	18x7.0	Front	-8	3.7	70LB8070A37A	70LP8070A37A	71LB8070A37A	71LP8070A37A	72LB8070A37A	72LP8070A37A	76LB8070A37A	76LP8070A37A	77LB8070A37A	77LP8070A37A	79LB8070A37A	79LP8070A37A
	Low	18x8.0	Frt/Rear	5	4.7	70LB8080A47A	70LP8080A47A	71LB8080A47A	71LP8080A47A	72LB8080A47A	72LP8080A47A	76LB8080A47A	76LP8080A47A	77LB8080A47A	77LP8080A47A	79LB8080A47A	79LP8080A47A
	Low	18x9.0	Rear only	-8	4.7	70LB8080A47A	70LP8080A47A	71LB8080A47A	71LP8080A47A	72LB8080A47A	72LP8080A47A	76LB8080A47A	76LP8080A47A	77LB8080A47A	77LP8080A47A	79LB8080A47A	79LP8080A47A
	Low	18x9.5	Rear only	-1	5.2	70LB8095A52A	70LP8095A52A	71LB8095A52A	71LP8095A52A	72LB8095A52A	72LP8095A52A	76LB8095A52A	76LP8095A52A	77LB8095A52A	77LP8095A52A	79LB8095A52A	79LP8095A52A

20"	Low	20x7.0	Front	0	4	70LB0070A40A	70LP0070A40A	71LB0070A40A	71LP0070A40A	72LB0070A40A	72LP0070A40A	76LB0070A40A	76LP0070A40A	77LB0070A40A	77LP0070A40A	79LB0070A40A	79LP0070A40A
	Low	20x8.0	Frt/Rear	13	5	70LB0080A50A	70LP0080A50A	71LB0080A50A	71LP0080A50A	72LB0080A50A	72LP0080A50A	76LB0080A50A	76LP0080A50A	77LB0080A50A	77LP0080A50A	79LB0080A50A	79LP0080A50A
	Low	20x9.0	Rear only	0	5	70LB0090A50A	70LP0090A50A	71LB0090A50A	71LP0090A50A	72LB0090A50A	72LP0090A50A	76LB0090A50A	76LP0090A50A	77LB0090A50A	77LP0090A50A	79LB0090A50A	79LP0090A50A
	Low	20x9.5	Rear only	6	5.5	70LB0095A55A	70LP0095A55A	71LB0095A55A	71LP0095A55A	72LB0095A55A	72LP0095A55A	76LB0095A55A	76LP0095A55A	77LB0095A55A	77LP0095A55A	79LB0095A55A	79LP0095A55A

WELD

Fairlane/Torino/GT/Cobra/Ranchero 1968-1971

5x4.5 [A] bolt circle

15" RT-S uses .50" long mag shank lug & 5/8 drive stud acceptable. Conical Lugs req'd 17"/18"/20"

	Pad Height	Wheel Size	Vehicle Location	Weld Offset	Back Space	S70 Black Ctr Part Number	S70 All Polished Part Number	S71 Black Ctr Part Number	S71 All Polished Part Number	S72 Black Ctr Part Number	S72 All Polished Part Number	S76 Black Ctr Part Number	S76 All Polished Part Number	S77 Black Ctr Part Number	S77 All Polished Part Number	S79 Black Ctr Part Number	S79 All Polished Part Number
15"	Low	15x4	Front	-2	2.5	70LB-504A25A	70LP-504A25A	71LB-504A25A	71LP-504A25A	72LB-504A25A	72LP-504A25A	76LB-504A25A	76LP-504A25A	77LB-504A25A	77LP-504A25A	79LB-504A25A	79LP-504A25A
	Low	15x5.33	Front	10	3.5	70LB-505A35A	70LP-505A35A	71LB-505A35A	71LP-505A35A	72LB-505A35A	72LP-505A35A	76LB-505A35A	76LP-505A35A	77LB-505A35A	77LP-505A35A	79LB-505A35A	79LP-505A35A
	Low	15x6.33	Front	-3	3.5	70LB-506A35A	70LP-506A35A	71LB-506A35A	71LP-506A35A	72LB-506A35A	72LP-506A35A	76LB-506A35A	76LP-506A35A	77LB-506A35A	77LP-506A35A	79LB-506A35A	79LP-506A35A
	Low	15x7.33	Front	10	4.5	70LB-507A45A	70LP-507A45A	71LB-507A45A	71LP-507A45A	72LB-507A45A	72LP-507A45A	76LB-507A45A	76LP-507A45A	77LB-507A45A	77LP-507A45A	79LB-507A45A	79LP-507A45A
	Low	15x8.33	Frt/Rear	-1	4.5	70LB-508A45A	70LP-508A45A	71LB-508A45A	71LP-508A45A	72LB-508A45A	72LP-508A45A	76LB-508A45A	76LP-508A45A	77LB-508A45A	77LP-508A45A	79LB-508A45A	79LP-508A45A
	Low	15x9.33	Rear only	12	5.5	70LB-509A55A	70LP-509A55A	71LB-509A55A	71LP-509A55A	72LB-509A55A	72LP-509A55A	76LB-509A55A	76LP-509A55A	77LB-509A55A	77LP-509A55A	79LB-509A55A	79LP-509A55A
17"	Low	17x4.5	Front	-27	1.7	70LB7045A17A	70LP7045A17A	71LB7045A17A	71LP7045A17A	72LB7045A17A	72LP7045A17A	76LB7045A17A	76LP7045A17A	77LB7045A17A	77LP7045A17A	79LB7045A17A	79LP7045A17A
	Low	17x7.0	Front	10	4.4	70LB7070A45A	70LP7070A45A	71LB7070A45A	71LP7070A45A	72LB7070A45A	72LP7070A45A	76LB7070A45A	76LP7070A45A	77LB7070A45A	77LP7070A45A	79LB7070A45A	79LP7070A45A
	Low	17x8.0	Frt/Rear	10	4.9	70LB7080A50A	70LP7080A50A	71LB7080A50A	71LP7080A50A	72LB7080A50A	72LP7080A50A	76LB7080A50A	76LP7080A50A	77LB7080A50A	77LP7080A50A	79LB7080A50A	79LP7080A50A
	Low	17x9.0	Rear only	10	5.4	70LB7090A55A	70LP7090A55A	71LB7090A55A	71LP7090A55A	72LB7090A55A	72LP7090A55A	76LB7090A55A	76LP7090A55A	77LB7090A55A	77LP7090A55A	79LB7090A55A	79LP7090A55A
18"	Low	18x5.0	Front	-20	2.2	70LB8050A22A	70LP8050A22A	71LB8050A22A	71LP8050A22A	72LB8050A22A	72LP8050A22A	76LB8050A22A	76LP8050A22A	77LB8050A22A	77LP8050A22A	79LB8050A22A	79LP8050A22A
	Low	18x7.0	Front	-8	3.7	70LB8070A37A	70LP8070A37A	71LB8070A37A	71LP8070A37A	72LB8070A37A	72LP8070A37A	76LB8070A37A	76LP8070A37A	77LB8070A37A	77LP8070A37A	79LB8070A37A	79LP8070A37A
	Low	18x8.0	Frt/Rear	5	4.7	70LB8080A47A	70LP8080A47A	71LB8080A47A	71LP8080A47A	72LB8080A47A	72LP8080A47A	76LB8080A47A	76LP8080A47A	77LB8080A47A	77LP8080A47A	79LB8080A47A	79LP8080A47A
	Low	18x9.0	Rear only	5	5.2	70LB8090A52A*	70LP8090A52A*	71LB8090A52A*	71LP8090A52A*	72LB8090A52A*	72LP8090A52A*	76LB8090A52A*	76LP8090A52A*	77LB8090A52A*	77LP8090A52A*	79LB8090A52A*	79LP8090A52A*

* Denotes the need to relocate rear stabilizer bar, if equipped. Except on the Box 429

Fairlane/Torino/Ranchero 1966-1967

5x4.5 [A] bolt circle

	Pad Height	Wheel Size	Vehicle Location	Weld Offset	Back Space	S70 Black Ctr Part Number	S70 All Polished Part Number	S71 Black Ctr Part Number	S71 All Polished Part Number	S72 Black Ctr Part Number	S72 All Polished Part Number	S76 Black Ctr Part Number	S76 All Polished Part Number	S77 Black Ctr Part Number	S77 All Polished Part Number	S79 Black Ctr Part Number	S79 All Polished Part Number
15"	Low	15x4	Front	-2	2.5	70LB-504A25A	70LP-504A25A	71LB-504A25A	71LP-504A25A	72LB-504A25A	72LP-504A25A	76LB-504A25A	76LP-504A25A	77LB-504A25A	77LP-504A25A	79LB-504A25A	79LP-504A25A
	Low	15x5.33	Front	10	3.5	70LB-505A35A	70LP-505A35A	71LB-505A35A	71LP-505A35A	72LB-505A35A	72LP-505A35A	76LB-505A35A	76LP-505A35A	77LB-505A35A	77LP-505A35A	79LB-505A35A	79LP-505A35A
	Low	15x7.33	Frt/Rear	15	3.5	70LB-507A35A	70LP-507A35A	71LB-507A35A	71LP-507A35A	72LB-507A35A	72LP-507A35A	76LB-507A35A	76LP-507A35A	77LB-507A35A	77LP-507A35A	79LB-507A35A	79LP-507A35A
	Low	15x8.33	Rear only	-5	4.5	70LB-508A45A	70LP-508A45A	71LB-508A45A	71LP-508A45A	72LB-508A45A	72LP-508A45A	76LB-508A45A	76LP-508A45A	77LB-508A45A	77LP-508A45A	79LB-508A45A	79LP-508A45A
17"	Low	17x4.5	Front	-27	1.7	70LB7045A17A	70LP7045A17A	71LB7045A17A	71LP7045A17A	72LB7045A17A	72LP7045A17A	76LB7045A17A	76LP7045A17A	77LB7045A17A	77LP7045A17A	79LB7045A17A	79LP7045A17A
	Low	17x7.0	Frt/Rear	11	4.4	70LB7070A45A	70LP7070A45A	71LB7070A45A	71LP7070A45A	72LB7070A45A	72LP7070A45A	76LB7070A45A	76LP7070A45A	77LB7070A45A	77LP7070A45A	79LB7070A45A	79LP7070A45A
	Low	17x8.0	Rear only	11	4.9	70LB7080A50A	70LP7080A50A	71LB7080A50A	71LP7080A50A	72LB7080A50A	72LP7080A50A	76LB7080A50A	76LP7080A50A	77LB7080A50A	77LP7080A50A	79LB7080A50A	79LP7080A50A
18"	Low	18x5.0	Front	-20	2.2	70LB8050A22A	70LP8050A22A	71LB8050A22A	71LP8050A22A	72LB8050A22A	72LP8050A22A	76LB8050A22A	76LP8050A22A	77LB8050A22A	77LP8050A22A	79LB8050A22A	79LP8050A22A
	Low	18x7.0	Frt/Rear	10	3.7	70LB8070A37A	70LP8070A37A	71LB8070A37A	71LP8070A37A	72LB8070A37A	72LP8070A37A	76LB8070A37A	76LP8070A37A	77LB8070A37A	77LP8070A37A	79LB8070A37A	79LP8070A37A
	Low	18x8.0	Rear only	3	4.7	70LB8080A47A	70LP8080A47A	71LB8080A47A	71LP8080A47A	72LB8080A47A	72LP8080A47A	76LB8080A47A	76LP8080A47A	77LB8080A47A	77LP8080A47A	79LB8080A47A	79LP8080A47A

This fitment guide applies to vehicles with O.E. suspension/wheel wells and brakes unless otherwise noted.

Other sizes and offsets are available/please call the Sales and Tech Department for more information

WELD

FORD 4LUG

This fitment guide applies to vehicles with O.E. suspension, wheel wells, and brakes unless otherwise noted. There more S71 sizes and applications available, please call the Sales and Tech Department for more information

Mustang FOX Base, GT, LX, Cobra Pace Car & Capri

1979-1993

Conical Lugs required, 4x4.25 (P) bolt circle, 1/2"-RH20 Studs

	Wheel Style	Pad Height	Size	Vehicle Location	Weld Offset	Back Space	Black Center Part Number	All Polished Part Number
15"	S71	Low	15x4	Front	0	2.5	71LB-504P25C	71LP-504P25C
	S71	Low	15x5	Front	13	2.5	71LB-505P35C	71LP-505P35C
	S71	Low	15x6.33	Front	-4	3.5	71LB-506P35C	71LP-506P35C
	S71	Low	15x7.33	Front	9	4.5	71LB-507P45C	71LP-507P45C
	S71	Low	15x8.33	Rear only	21	5.5	71LB-508P55C	71LP-508P55C
	S71	Low	15x9.33	Rear only	34	6.5	71LB-509P55C	71LP-509P55C
	S71	Low	15x10.33	Rear only	21	6.5	71LB-510P65C	71LP-510P65C

Requires exhaust modification and removal of quad shocks. Requires fender roll, exhaust mods, & removal of quad shocks.

Thunderbird, Fox Base, LX, Turbo Coupe, Cougar

1983-1988

Conical Lugs required, 4x4.25 (P) bolt circle, 1/2"-RH20 Studs

15"	S71	Low	15x4	Front	0	2.5	71LB-504P25C	71LP-504P25C
	S71	Low	15x5	Front	13	2.5	71LB-505P35C	71LP-505P35C
	S71	Low	15x6.33	Front	-4	3.5	71LB-506P35C	71LP-506P35C
	S71	Low	15x7.33	Front	9	4.5	71LB-507P45C	71LP-507P45C
	S71	Low	15x8.33	Both	21	5.5	71LB-508P55C	71LP-508P55C
	S71	Low	15x9.33	Rear only	34	6.5	71LB-509P65C	71LP-509P65C

Requires exhaust modification and removal of quad shocks

LTD LX, Fox

1984-1985

Conical Lugs required, 4x4.25 (P) bolt circle, 4x4.25 (P) bolt circle, 1/2"-RH20 Studs

15"	S71	Low	15x4	Front	0	2.5	71LB-504P25C	71LP-504P25C
	S71	Low	15x5	Front	13	2.5	71LB-505P35C	71LP-505P35C
	S71	Low	15x6.33	Front	-4	3.5	71LB-506P35C	71LP-506P35C
	S71	Low	15x7.33	Front	9	4.5	71LB-507P45C	71LP-507P45C
	S71	Low	15x8.33	Both	21	5.5	71LB-508P55C	71LP-508P55C
	S71	Low	15x9.33	Rear only	34	6.5	71LB-509P65C	71LP-509P65C

Requires exhaust modification and removal of quad shocks

WELD

RT-S Application Guide HONDA S2000

This fitment guide applies to vehicles with O.E. suspension, wheel wells, and brakes unless otherwise noted.

1999-2009 S2000

5x4.5 [A] bolt circle. Conical Lugs req'd - 17"/18"/20". 15" Rear wheel fitments: Medium Pad will clear brakes, but there is not a wheel available at this time with enough positive offset to keep the wheel in the qtr.

	Pad Height	Size	Vehicle Location	Offset	Back Space	S70 Black Ctr Part Number	S70 All Polished Part Number	S71 Black Ctr Part Number	S71 All Polished Part Number	S72 Black Ctr Part Number	S72 All Polished Part Number	S76 Black Ctr Part Number	S76 All Polished Part Number	S77 Black Ctr Part Number	S77 All Polished Part Number	S79 Black Ctr Part Number
17"	Medium	17x5.0	Front	8	3.3	70MB7050A33A	70MP7050A33A	71MB7050A33A	71MP7050A33A	72MB7050A33A	72MP7050A33A	76MB7050A33A	76MP7050A33A	77MB7050A33A	77MP7050A33A	79MB7050A33A
	Medium	17x7.0	Front	33	5.3	70MB7070A53A	70MP7070A53A	71MB7070A53A	71MP7070A53A	72MB7070A53A	72MP7070A53A	76MB7070A53A	76MP7070A53A	77MB7070A53A	77MP7070A53A	79MB7070A53A
	Medium	17x8.0	Front	46	6.3	70MB7080A63A	70MP7080A63A	71MB7080A63A	71MP7080A63A	72MB7080A63A	72MP7080A63A	76MB7080A63A	76MP7080A63A	77MB7080A63A	77MP7080A63A	79MB7080A63A
	Medium	17x9.0	Rear Only	58	7.3	70MB7090A73A	70MP7090A73A	71MB7090A73A	71MP7090A73A	72MB7090A73A	72MP7090A73A	76MB7090A73A	76MP7090A73A	77MB7090A73A	77MP7090A73A	79MB7090A73A
	Medium	17x9.5	Rear Only	65	7.8	70MB7095A78A	70MP7095A78A	71MB7095A78A	71MP7095A78A	72MB7095A78A	72MP7095A78A	76MB7095A78A	76MP7095A78A	77MB7095A78A	77MP7095A78A	79MB7095A78A
	Medium	17x10.0	Rear Only	71	8.3	70MB7100A83A	70MP7100A83A	71MB7100A83A	71MP7100A83A	72MB7100A83A	72MP7100A83A	76MB7100A83A	76MP7100A83A	77MB7100A83A	77MP7100A83A	79MB7100A83A

Fender lip must be rolled for all wheel fitments listed

18"	Medium	18x5.0	Front	5	3.2	70MB8050A32A	70MP8050A32A	71MB8050A32A	71MP8050A32A	72MB8050A32A	72MP8050A32A	76MB8050A32A	76MP8050A32A	77MB8050A32A	77MP8050A32A	79MB8050A32A
	Medium	18x7.0	Front	30	5.2	70MB8070A52A	70MP8070A52A	71MB8070A52A	71MP8070A52A	72MB8070A52A	72MP8070A52A	76MB8070A52A	76MP8070A52A	77MB8070A52A	77MP8070A52A	79MB8070A52A
	Medium	18x8.0	Front	43	6.2	70MB8080A62A	70MP8080A62A	71MB8080A62A	71MP8080A62A	72MB8080A62A	72MP8080A62A	76MB8080A62A	76MP8080A62A	77MB8080A62A	77MP8080A62A	79MB8080A62A
	Medium	18x9.0	Rear Only	56	7.2	70MB8090A72A	70MP8090A72A	71MB8090A72A	71MP8090A72A	72MB8090A72A	72MP8090A72A	76MB8090A72A	76MP8090A72A	77MB8090A72A	77MP8090A72A	79MB8090A72A
	Medium	18x10.0	Rear Only	69	8.2	70MB8100A82A	70MP8100A82A	71MB8100A82A	71MP8100A82A	72MB8100A82A	72MP8100A82A	76MB8100A82A	76MP8100A82A	77MB8100A82A	77MP8100A82A	79MB8100A82A

Fender lip must be rolled for all wheel fitments listed

RT-S Application Guide

NISSAN GT-R

2012+ GT-R

5x4.5 (A) bolt circle

20"	High	20x9.5	Front	27	6.3	70HB0095A63A*	70HP0095A63A*	71HB0095A63A*	71HB0095A63A*	72HB0095A63A*	72HP0095A63A*	76HB0095A63A*	76HP0095A63A*	77HB0095A63A*	77HP0095A63A*	79HB0095A63A*	79HP0095A63A*
	High	20X10.5	Front/Rear	27	6.8	70HB0105A68A*	70HP0105A68A*	71HB0105A68A*	71HB0105A68A*	72HB0105A68A*	72HP0105A68A*	76HB0105A68A*	76HP0105A68A*	77HB0105A68A*	77HP0105A68A*	79HB0105A68A*	79HP0105A68A*
	High	20X11.5	Rear	27	7.1	70HB0115A71A	70HP0115A71A	71HB0115A71A	71HB0115A71A	72HB0115A71A	72HP0115A71A	76HB0115A71A	76HP0115A71A	77HB0115A71A	77HP0115A71A	79HB0115A71A	79HP0115A71A
	High	20X12.5	Rear	27	7.8	70HB0125A78A	70HP0125A78A	71HB0125A78A	71HB0125A78A	72HB0125A78A	72HP0125A78A	76HB0125A78A	76HP0125A78A	77HB0125A78A	77HP0125A78A	79HB0125A78A	79HP0125A78A

*Needs 6mm spacer to clear face of front brake caliper

2009-2011 GT-R

5x4.5 (A) bolt circle

18"	High	18x5.0	Front	-23	2.1	70HB8050A21A*	70HP8050A21A*	71HB8050A21A*	71HP8050A21A*	72HB8050A21A*	72HP8050A21A*	76HB8050A21A*	76HP8050A21A*	77HB8050A21A*	77HP8050A21A*	79HB8050A21A*	79HP8050A21A*
	High	18x9.5	Front	22	6.1	70HB8095A61A*	70HP8095A61A*	71HB8095A61A*	71HP8095A61A*	72HB8095A61A*	72HP8095A61A*	76HB8095A61A*	76HP8095A61A*	77HB8095A61A*	77HP8095A61A*	79HB8095A61A*	79HP8095A61A*
	High	18x10.5	Front/Rear	22	6.6	70HB8105A66A	70HP8105A66A	71HB8105A66A	71HP8105A66A	72HB8105A66A	72HP8105A66A	76HB8105A66A	76HP8105A66A	77HB8105A66A	77HP8105A66A	79HB8105A66A	79HP8105A66A

*Needs 3mm spacer for proper front brake caliper clearance.

20"	High	20x9.5	Front	27	6.3	70HB0095A63A*	70HP0095A63A*	71HB0095A63A*	71HB0095A63A*	72HB0095A63A*	72HP0095A63A*	76HB0095A63A*	76HP0095A63A*	77HB0095A63A*	77HP0095A63A*	79HB0095A63A*	79HP0095A63A*
	High	20X10.5	Front/Rear	27	6.8	70HB0105A68A*	70HP0105A68A*	71HB0105A68A*	71HB0105A68A*	72HB0105A68A*	72HP0105A68A*	76HB0105A68A*	76HP0105A68A*	77HB0105A68A*	77HP0105A68A*	79HB0105A68A*	79HP0105A68A*
	High	20X11.5	Rear	27	7.1	70HB0115A71A	70HP0115A71A	71HB0115A71A	71HB0115A71A	72HB0115A71A	72HP0115A71A	76HB0115A71A	76HP0115A71A	77HB0115A71A	77HP0115A71A	79HB0115A71A	79HP0115A71A
	High	20X12.5	Rear	27	7.8	70HB0125A78A	70HP0125A78A	71HB0125A78A	71HB0125A78A	72HB0125A78A	72HP0125A78A	76HB0125A78A	76HP0125A78A	77HB0125A78A	77HP0125A78A	79HB0125A78A	79HP0125A78A

*Needs 3mm spacer for proper front brake caliper clearance.

1993-1998 Skyline (R33)

5x4.5 (A) bolt circle [5x114.3]

15"	Med	15x10	Front/Rear	25	6.5	70MB5100A65A	70MP5100A65A	71MB5100A65A	72MP5100A65A	72MB5100A65A	71MP5100A65A	76MB5100A65A	76MP5100A65A	77MB5100A65A	77MP5100A65A	79MB5100A65A	79MP5100A65A
-----	-----	-------	------------	----	-----	--------------	--------------	--------------	--------------	--------------	--------------	--------------	--------------	--------------	--------------	--------------	--------------

17"	Med	17x9	Front/Rear	8	5.3	70MB7090A53A	70MP7090A53A	71MB7090A53A	71MP7090A53A	72MB7090A53A	72MP7090A53A	76MB7090A53A	76MP7090A53A	77MB7090A53A	77MP7090A53A	79MB7090A53A	79MP7090A53A
	Med	17x9.5	Front/Rear	14	5.8	70MB7095A58A	70MP7095A58A	71MB7095A58A	71MP7095A58A	72MB7095A58A	72MP7095A58A	76MB7095A58A	76MP7095A58A	77MB7095A58A	77MP7095A58A	79MB7095A58A	79MP7095A58A
	Med	17x10	Front/Rear	20	6.3	70MB7100A63A	70MP7095A58A	71MB7100A63A	71MP7100A63A	72MB7100A63A	72MP7100A63A	76MB7100A63A	76MP7100A63A	77MB7100A63A	77MP7100A63A	79MB7100A63A	79MP7095A58A

2009-2019 370Z

5x4.5 (A) Bolt circle, 66.1mm ID Bore

12mm x 1.25 Lug nut

See 18x6 Front runner for front wheel fitments

17"	High	17x9.5	Rear	37	6.7	70MB7095A67A	70MP7095A67A	71MB7095A67A	71MP7095A67A	72MB7095A67A	72MP7095A67A	76MB7095A67A	76MP7095A67A	77MB7095A67A	77MP7095A67A	79MB7095A67A	79MP7095A67A
-----	------	--------	------	----	-----	--------------	--------------	--------------	--------------	--------------	--------------	--------------	--------------	--------------	--------------	--------------	--------------

2002-2008 350Z

5x4.5 (A) Bolt circle, 66.1mm ID Bore

12mm x 1.25 Lug nut

See 18x6 Front runner for front wheel fitments

15"	Low	15x4	Front	-23	1.6	70MB504A65A*	70MP504A65A*	71MB504A65A*	71MP504A65A*	72MB504A65A*	72MP504A65A*	76MB504A65A*	76MP504A65A*	77MB504A65A*	77MP504A65A*	79MB504A65A*	79MP504A65A*
	Low	15x8	Rear	25	5.5	70MB508A55A*	70MP508A55A*	71MB508A55A*	71MP508A55A*	72MB508A55A*	72MP508A55A*	76MB508A55A*	76MP508A55A*	77MB508A55A*	77MP508A55A*	79MB508A55A*	79MP508A55A*

*Only Fits 2002-2004 base brakes, ie. Non-Brembo brake

17"	High	17x5.0	Front	-21	2.2	70HB7050A22A	70HP7050A22A	71HB7050A22A	71HP7050A22A	72HB7050A22A	72HP7050A22A	76HB7050A22A	76HP7050A22A	77HB7050A22A	77HP7050A22A	79HB7050A22A	79HP7050A22A
	High	17x7.0	Front	5	4.2	70HB7070A42A	70HP7070A42A	71HB7070A42A	71HP7070A42A	72HB7070A42A	72HP7070A42A	76HB7070A42A	76HP7070A42A	77HB7070A42A	77HP7070A42A	79HB7070A42A	79HP7070A42A
	High	17x8.0	Front/Rear	18	5.2	70HB7080A52A	70HP7080A52A	71HB7080A52A	71HP7080A52A	72HB7080A52A	72HP7080A52A	76HB7080A52A	76HP7080A52A	77HB7080A52A	77HP7080A52A	79HB7080A52A	79HP7080A52A
	High	17x9.5	Front/Rear	37	6.7	70HB7095A67A	70HP7095A67A	71HB7095A67A	71HP7095A67A	72HB7095A67A	72HP7095A67A	76HB7095A67A	76HP7095A67A	77HB7095A67A	77HP7095A67A	79HB7095A67A	79HP7095A67A

18"	Med	18x9	Front/Rear	30	6.2	70MB7090A53A	70MP7090A53A	71MB7090A53A	71MP7090A53A	72MB7090A53A	72MP7090A53A	76MB7090A53A	76MP7090A53A	77MB7090A53A	77MP7090A53A	79MB7100A63A	79MP7090A53A
	Med	18x9.5	Rear*	24	6.2	70MB7095A58A	70MP7095A58A	71MB7095A58A	71MP7095A58A	72MB7095A58A	72MP7095A58A	76MB7095A58A	76MP7095A58A	77MB7095A58A	77MP7095A58A	79MB7095A58A	79MP7095A58A
	Med	18x10	Rear*	30	6.7	70MB7100A63A	70MP7100A63A	71MB7100A63A	71MP7100A63A	72MB7100A63A	72MP7100A63A	76MB7100A63A	76MP7100A63A	77MB7100A63A	77MP7100A63A	79MB7100A63A	79MP7100A63A

*Aggressive fitment

☎ 800-788-9353

📍 6600 Stadium Drive, Kansas City, MO 64129

weldwheels.com

RELEASED - May 2021

WELD

PONTIAC

This fitment guide applies to vehicles with O.E. suspension, wheel wells, and brakes unless otherwise noted.
Other sizes and offsets are available, please call the Sales and Tech Department for more information.

2004-2006 GTO

5x120mm [N] - 12mmx1.5 lugs

15" RT-S - Short mag shank lug & 5/8 drive stud acceptable. Conical Lugs req'd 17"/18"/20"

	Pad Height	Size	Vehicle Location	Offset	Back Space	S70 Black Ctr Part Number	S70 All Polished Part Number	S71 Black Ctr Part Number	S71 All Polished Part Number	S72 Black Ctr Part Number	S72 All Polished Part Number	S76 Black Ctr Part Number	S76 All Polished Part Number	S77 Black Center Part Number	S77 All Polished Part Number	S79 Black Ctr Part Number	S79 All Polished Part Number
15"	Low	15x4	Front		2.50	70LB-504N25A	70LP-504N25A	71LB-504N25A	71LP-504N25A	72LB-504N25A	72LP-504N25A	76LB-504N25A	76LP-504N25A	77LB-504N25A	77LP-504N25A	79LB-504N25A	79LP-504N25A
	Low	15x9	Rear Only	37	6.50	70LB-509N65A*	70LP-509N65A*	71LB-509N65A*	71LP-509N65A*	72LB-509N65A*	72LP-509N65A*	76LB-509N65A*	76LP-509N65A*	77LB-509N65A*	77LP-509N65A*	79LB-509N65A*	79LP-509N65A*
	Low	15x10	Rear Only	53	7.50	70LB-510N75A*	70LP-510N75A*	71LB-510N75A*	71LP-510N75A*	72LB-510N75A*	72LP-510N75A*	76LB-510N75A*	76LP-510N75A*	77LB-510N75A*	77LP-510N75A*	79LB-510N75A*	79LP-510N75A*

A 15x4 wheel is the only option, any wider will hit the caliper

* Rear brake tube at the rear caliper has to be bent slightly for clearance of the rim shell

17"	Medium	17x5.0	Front	8	3.30	70MB7050N33A	70MP7050N33A	71MB7050N33A	71MP7050N33A	72MB7050N33A	72MP7050N33A	76MB7050N33A	76MP7050N33A	77MB7050N33A	77MP7050N33A	79MB7050N33A	79MP7050N33A
	Medium	17x7.0	Front	33	5.30	70MB7070N53A	70MP7070N53A	71MB7070N53A	71MP7070N53A	72MB7070N53A	72MP7070N53A	76MB7070N53A	76MP7070N53A	77MB7070N53A	77MP7070N53A	79MB7070N53A	79MP7070N53A
	Medium	17x8.0	Frt/Rear	46	6.30	70MB7080N63A*	70MP7080N63A*	71MB7080N63A*	71MP7080N63A*	72MB7080N63A*	72MP7080N63A*	76MB7080N63A*	76MP7080N63A*	77MB7080N63A*	77MP7080N63A*	79MB7080N63A*	79MP7080N63A*
	Medium	17x8.5	Rear Only	39	6.30	70MB7085N63A	70MP7085N63A	71MB7085N63A	71MP7085N63A	72MB7085N63A	72MP7085N63A	76MB7085N63A	76MP7085N63A	77MB7085N63A	77MP7085N63A	79MB7085N63A	79MP7085N63A
	Medium	17x9.0	Rear Only	46	6.80	70MB7090N68A	70MP7090N68A	71MB7090N68A	71MP7090N68A	72MB7090N68A	72MP7090N68A	76MB7090N68A	76MP7090N68A	77MB7090N68A	77MP7090N68A	79MB7090N68A	79MP7090N68A

* watch tire size

18"	Medium	18x5.0	Front	5	3.20	70MB8050N32A	70MP8050N32A	71MB8050N32A	71MP8050N32A	72MB8050N32A	72MP8050N32A	76MB8050N32A	76MP8050N32A	77MB8050N32A	77MP8050N32A	79MB8050N32A	79MP8050N32A
	Medium	18x7.0	Front	30	5.20	70MB8070N52A	70MP8070N52A	71MB8070N52A	71MP8070N52A	72MB8070N52A	72MP8070N52A	76MB8070N52A	76MP8070N52A	77MB8070N52A	77MP8070N52A	79MB8070N52A	79MP8070N52A
	Medium	18x8.0	Frt/Rear	43	6.20	70MB8080N62A	70MP8080N62A	71MB8080N62A	71MP8080N62A	72MB8080N62A	72MP8080N62A	76MB8080N62A	76MP8080N62A	77MB8080N62A	77MP8080N62A	79MB8080N62A	79MP8080N62A
	Medium	18x9.0	Rear Only	56	7.20	70MB8090N72A	70MP8090N72A	71MB8090N72A	71MP8090N72A	72MB8090N72A	72MP8090N72A	76MB8090N72A	76MP8090N72A	77MB8090N72A	77MP8090N72A	79MB8090N72A	79MP8090N72A
	Medium	18x9.5	Rear Only	62	7.70	70MB8095N77A	70MP8095N77A	71MB8095N77A	71MP8095N77A	72MB8095N77A	72MP8095N77A	76MB8095N77A	76MP8095N77A	77MB8095N77A	77MP8095N77A	79MB8095N77A	79MP8095N77A

* 6-9mm (.250"-.375") spacer may be needed to clear shock mount

2008-2009 Pontiac G8 & G8 GT

5x120mm [N] - 12mmx1.5 lugs

Conical Lugs req'd 17"/18"/20"

	Pad Height	Size	Vehicle Location	Offset	Back Space	S70 Black Ctr Part Number	S70 All Polished Part Number	S71 Black Ctr Part Number	S71 All Polished Part Number	S72 Black Ctr Part Number	S72 All Polished Part Number	S76 Black Ctr Part Number	S76 All Polished Part Number	S77 Black Center Part Number	S77 All Polished Part Number	S79 Black Ctr Part Number	S79 All Polished Part Number
15"	Medium	15x10	Rear only		7.5	70MB-510N75C*	70MP-510N75C*	71MB-510N75C*	71MP-510N75C*	72MB-510N75C*	72MP-510N75C*	76MB-510N75C*	76MP-510N75C*	77MB-510N75C*	77MP-510N75C*	79MB-510N75C*	79MP-510N75C*

*Requires Carlyle Racing 15" Conversion Kit 15-209-G8-88

17"	Medium	17x5.0	Front	8	3.30	70MB7050N33A	70MP7050N33A	71MB7050N33A	71MP7050N33A	72MB7050N33A	72MP7050N33A	76MB7050N33A	76MP7050N33A	77MB7050N33A	77MP7050N33A	79MB7050N33A	79MP7050N33A
	Medium	17x7.0	Front	33	5.30	70MB7070N53A	70MP7070N53A	71MB7070N53A	71MP7070N53A	72MB7070N53A	72MP7070N53A	76MB7070N53A	76MP7070N53A	77MB7070N53A	77MP7070N53A	79MB7070N53A	79MP7070N53A
	Medium	17x8.0	Frt/Rear	46	6.30	70MB7080N63A*	70MP7080N63A*	71MB7080N63A*	71MP7080N63A*	72MB7080N63A*	72MP7080N63A*	76MB7080N63A*	76MP7080N63A*	77MB7080N63A*	77MP7080N63A*	79MB7080N63A*	79MP7080N63A*
	Medium	17x8.5	Rear Only	39	6.30	70MB7085N63A	70MP7085N63A	71MB7085N63A	71MP7085N63A	72MB7085N63A	72MP7085N63A	76MB7085N63A	76MP7085N63A	77MB7085N63A	77MP7085N63A	79MB7085N63A	79MP7085N63A
	Medium	17x9.0	Rear Only	46	6.80	70MB7090N68A	70MP7090N68A	71MB7090N68A	71MP7090N68A	72MB7090N68A	72MP7090N68A	76MB7090N68A	76MP7090N68A	77MB7090N68A	77MP7090N68A	79MB7090N68A	79MP7090N68A

* watch tire size

18"	Medium	18x5.0	Front	5	3.20	70MB8050N32A	70MP8050N32A	71MB8050N32A	71MP8050N32A	72MB8050N32A	72MP8050N32A	76MB8050N32A	76MP8050N32A	77MB8050N32A	77MP8050N32A	79MB8050N32A	79MP8050N32A
	Medium	18x7.0	Front	30	5.20	70MB8070N52A	70MP8070N52A	71MB8070N52A	71MP8070N52A	72MB8070N52A	72MP8070N52A	76MB8070N52A	76MP8070N52A	77MB8070N52A	77MP8070N52A	79MB8070N52A	79MP8070N52A
	Medium	18x8.0	Frt/Rear	43	6.20	70MB8080N62A	70MP8080N62A	71MB8080N62A	71MP8080N62A	72MB8080N62A	72MP8080N62A	76MB8080N62A	76MP8080N62A	77MB8080N62A	77MP8080N62A	79MB8080N62A	79MP8080N62A
	Medium	18x9.0	Rear Only	56	7.20	70MB8090N72A	70MP8090N72A	71MB8090N72A	71MP8090N72A	72MB8090N72A	72MP8090N72A	76MB8090N72A	76MP8090N72A	77MB8090N72A	77MP8090N72A	79MB8090N72A	79MP8090N72A
	Medium	18x9.5	Rear Only	62	7.70	70MB8095N77A	70MP8095N77A	71MB8095N77A	71MP8095N77A	72MB8095N77A	72MP8095N77A	76MB8095N77A	76MP8095N77A	77MB8095N77A	77MP8095N77A	79MB8095N77A	79MP8095N77A

* 6-9mm (.250"-.375") spacer may be needed to clear shock mount

2009 Pontiac G8 GXP

Brembo front brakes

5x120mm [N] - 14mmx1.5 lugs. Conical Lugs req'd 17"/18"/20"

	Pad Height	Size	Vehicle Location	Offset	Back Space	S70 Black Ctr Part Number	S70 All Polished Part Number	S71 Black Ctr Part Number	S71 All Polished Part Number	S72 Black Ctr Part Number	S72 All Polished Part Number	S76 Black Ctr Part Number	S76 All Polished Part Number	S77 Black Center Part Number	S77 All Polished Part Number	S79 Black Ctr Part Number	S79 All Polished Part Number
17"	Medium	17x9.0	Rear Only	46	6.80	70MB7090N68A	70MP7090N68A	71MB7090N68A	71MP7090N68A	72MB7090N68A	72MP7090N68A	76MB7090N68A	76MP7090N68A	77MB7090N68A	77MP7090N68A	79MB7090N68A	79MP7090N68A
	Medium	17x9.5	Rear Only	52	7.30	70MB7095N73A	70MP7095N73A	71MB7095N73A	71MP7095N73A	72MB7095N73A	72MP7095N73A	76MB7095N73A	76MP7095N73A	77MB7095N73A	77MP7095N73A	79MB7095N73A	79MP7095N73A
18"	Medium	18x9.0	Rear Only	43	6.70	70MB8090N67A	70MP8090N67A	71MB8090N67A	71MP8090N67A	72MB8090N67A	72MP8090N67A	76MB8090N67A	76MP8090N67A	77MB8090N67A	77MP8090N67A	79MB8090N67A	79MP8090N67A
	Medium	18x9.5	Rear Only	50	7.20	70MB8095N72A	70MP8095N72A	71MB8095N72A	71MP8095N72A	72MB8095N72A	72MP8095N72A	76MB8095N72A	76MP8095N72A	77MB8095N72A	77MP8095N72A	79MB8095N72A	79MP8095N72A
20"	Medium	20x9.0	Rear Only	48	6.90	70MB0090N69A	70MP0090N69A	71MB0090N69A	71MP0090N69A	72MB0090N69A	72MP0090N69A	76MB0090N69A	76MP0090N69A	77MB0090N69A	77MP0090N69A	79MB0090N69A	79MP0090N69A
	Medium	20x9.5	Rear Only	55	7.40	70MB0095N74A	70MP0095N74A	71MB0095N74A	71MP0095N74A	72MB0095N74A	72MP0095N74A	76MB0095N74A	76MP0095N74A	77MB0095N74A	77MP0095N74A	79MB0095N74A	79MP0095N74A

800-788-9353

6600 Stadium Drive, Kansas City, MO 64129

weldwheels.com

RELEASED - October 2020

WELD

1993-2002 Firebird (4th Gen)

5x4.75" [B] 12mmx1.5 lugs

15" RT-S - Short mag shank lug & 5/8 drive stud acceptable, AlumaStar, Magnum, & V-Series, 17x4.5 will also work (shank lug) Conical Lugs req'd
17"/18"/20"

	Pad Height	Size	Vehicle Location	Offset	Back Space	570 Black Ctr Part Number	570 All Polished Part Number	571 Black Ctr Part Number	571 All Polished Part Number	572 Black Ctr Part Number	572 All Polished Part Number	576 Black Ctr Part Number	576 All Polished Part Number	577 Black Ctr Part Number	577 All Polished Part Number	579 Black Ctr Part Number	579 All Polished Part Number
15"	Medium	15x4	Front	-26	1.50	70MB-504B15A	70MP-504B15A	71MB-504B15A	71MP-504B15A	72MB-504B15A	72MP-504B15A	76MB-504B15A	76MP-504B15A	77MB-504B15A	77MP-504B15A	79MB-504B15A	79MP-504B15A
	Low	15x4	Front		2.50	70LB-504B25A**	70LP-504B25A**	71LB-504B25A**	71LP-504B25A**	72LB-504B25A**	72LP-504B25A**	76LB-504B25A**	76LP-504B25A**	77LB-504B25A**	77LP-504B25A**	79LB-504B25A**	79LP-504B25A**
	Medium	15x8	Rear Only	25	5.50	70MB-508B55A	70MP-508B55A	71MB-508B55A	71MP-508B55A	72MB-508B55A	72MP-508B55A	76MB-508B55A	76MP-508B55A	77MB-508B55A	77MP-508B55A	79MB-508B55A	79MP-508B55A
	Medium	15X9	Rear Only	37	6.50	70MB-509B65A	70MP-509B65A	71MB-509B65A	71MP-509B65A	72MB-509B65A	72MP-509B65A	76MB-509B65A	76MP-509B65A	77MB-509B65A	77MP-509B65A	79MB-509B65A	79MP-509B65A
	Medium	15X10	Rear Only	50	7.50	70MB-510B75A	70MP-510B75A	71MB-510B75A	71MP-510B75A	72MB-510B75A	72MP-510B75A	76MB-510B75A	76MP-510B75A	77MB-510B75A	77MP-510B75A	79MB-510B75A	79MP-510B75A

15x4 is the widest wheel allowed on stock front brakes. A wider wheel can only be used in a 17" dia.

** 1998-2002 Models: 1/4" spacer req'd, will "tuck" wheel under fender well 1/4" more than Med pad wheel

** 1993-1997 Models: 1/8" spacer req'd, will "tuck" wheel under fender well 7/8" more than Med pad wheel

17"	Medium	17x4.5	Front	-14	2.20	70MB7045B22A	70MP7045B22A	71MB7045B22A	71MP7045B22A	72MB7045B22A	72MP7045B22A	76MB7045B22A	76MP7045B22A	77MB7045B22A	77MP7045B22A	79MB7045B22A	79MP7045B22A
	Medium	17x7.0	Front	20	4.80	70MB7070B48A	70MP7070B48A	71MB7070B48A	71MP7070B48A	72MB7070B48A	72MP7070B48A	76MB7070B48A	76MP7070B48A	77MB7070B48A	77MP7070B48A	79MB7070B48A	79MP7070B48A
	Medium	17x8.0	Frt/Rear	33	5.80	70MB7080B58A	70MP7080B58A	71MB7080B58A	71MP7080B58A	72MB7080B58A	72MP7080B58A	76MB7080B58A	76MP7080B58A	77MB7080B58A	77MP7080B58A	79MB7080B58A	79MP7080B58A
	Medium	17x9.0	Frt/Rear	46	6.80	70MB7090B68A	70MP7090B68A	71MB7090B68A	71MP7090B68A	72MB7090B68A	72MP7090B68A	76MB7090B68A	76MP7090B68A	77MB7090B68A	77MP7090B68A	79MB7090B68A	79MP7090B68A
	Medium	17x9.5	Frt/Rear	52	7.30	70MB7095B73A	70MP7095B73A	71MB7095B73A	71MP7095B73A	72MB7095B73A	72MP7095B73A	76MB7095B73A	76MP7095B73A	77MB7095B73A	77MP7095B73A	79MB7095B73A	79MP7095B73A
	Medium	17x10.0	Rear Only	46	7.30	70MB7100B73A	70MP7100B73A	71MB7100B73A	71MP7100B73A	72MB7100B73A	72MP7100B73A	76MB7100B73A	76MP7100B73A	77MB7100B73A	77MP7100B73A	79MB7100B73A	79MP7100B73A
15"	Medium	17x10.5	Rear Only	52	7.80	70MB7105B78A	70MP7105B78A	71MB7105B78A	71MP7105B78A	72MB7105B78A	72MP7105B78A	76MB7105B78A	76MP7105B78A	77MB7105B78A	77MP7105B78A	79MB7105B78A	79MP7105B78A
	Medium	17x11.0	Rear Only	46	7.80	70MB7110B78A*	70MP7110B78A*	71MB7110B78A*	71MP7110B78A*	72MB7110B78A*	72MP7110B78A*	76MB7110B78A*	76MP7110B78A*	77MB7110B78A*	77MP7110B78A*	79MB7110B78A*	79MP7110B78A*
	Medium	18x5.0	Front	-8	2.70	70MB8050B27A	70MP8050B27A	71MB8050B27A	71MP8050B27A	72MB8050B27A	72MP8050B27A	76MB8050B27A	76MP8050B27A	77MB8050B27A	77MP8050B27A	79MB8050B27A	79MP8050B27A
	Medium	18x7.0	Front	18	4.70	70MB8070B47A	70MP8070B47A	71MB8070B47A	71MP8070B47A	72MB8070B47A	72MP8070B47A	76MB8070B47A	76MP8070B47A	77MB8070B47A	77MP8070B47A	79MB8070B47A	79MP8070B47A
	Medium	18x8.0	Frt/Rear	30	5.70	70MB8080B57A	70MP8080B57A	71MB8080B57A	71MP8080B57A	72MB8080B57A	72MP8080B57A	76MB8080B57A	76MP8080B57A	77MB8080B57A	77MP8080B57A	79MB8080B57A	79MP8080B57A
15"	Medium	18x9.0	Frt/Rear	43	6.70	70MB8090B67A	70MP8090B67A	71MB8090B67A	71MP8090B67A	72MB8090B67A	72MP8090B67A	76MB8090B67A	76MP8090B67A	77MB8090B67A	77MP8090B67A	79MB8090B67A	79MP8090B67A
	Medium	18x10.0	Rear Only	43	7.20	70MB8100B72A	70MP8100B72A	71MB8100B72A	71MP8100B72A	72MB8100B72A	72MP8100B72A	76MB8100B72A	76MP8100B72A	77MB8100B72A	77MP8100B72A	79MB8100B72A	79MP8100B72A
	Medium	18x10.5	Rear Only	50	7.70	70MB8105B77A	70MP8105B77A	71MB8105B77A	71MP8105B77A	72MB8105B77A	72MP8105B77A	76MB8105B77A	76MP8105B77A	77MB8105B77A	77MP8105B77A	79MB8105B77A	79MP8105B77A
	Medium	18x11.0	Rear Only	43	7.70	70MB8110B77A*	70MP8110B77A*	71MB8110B77A*	71MP8110B77A*	72MB8110B77A*	72MP8110B77A*	76MB8110B77A*	76MP8110B77A*	77MB8110B77A*	77MP8110B77A*	79MB8110B77A*	79MP8110B77A*

* Tire brands vary in width, the jounce snubber may need trimming, the rear axle may need centered with an aftermarket adjustable panhard rod. It depends on the car.

20"	Medium	20x9.5	Rear Only	29	6.40	70LB0095B64A	70LP0095B64A	71LB0095B64A	71LP0095B64A	72LB0095B64A	72LP0095B64A	76LB0095B64A	76LP0095B64A	77LB0095B64A	77LP0095B64A	79LB0095B64A	79LP0095B64A
	Medium	20x10.0	Rear Only	36	6.90	70LB0100B69A	70LP0100B69A	71LB0100B69A	71LP0100B69A	72LB0100B69A	72LP0100B69A	76LB0100B69A	76LP0100B69A	77LB0100B69A	77LP0100B69A	79LB0100B69A	79LP0100B69A
	Medium	20x11.0	Rear Only	49	7.90	70LB0110B79A	70LP0110B79A	71LB0110B79A	71LP0110B79A	72LB0110B79A	72LP0110B79A	76LB0110B79A	76LP0110B79A	77LB0110B79A	77LP0110B79A	79LB0110B79A	79LP0110B79A

1982-92 Firebird (3rd Gen) & 1LE

5x4.75" [B] 12mmx1.5 lugs

15" RT-S - Short mag shank lug & 5/8 drive stud acceptable, AlumaStar, Magnum, & V-Series 17x4.5 will also work (shank lug). Conical Lugs req'd
17"/18"/20"

	Pad Height	Size	Vehicle Location	Offset	Back Space	570 Black Ctr Part Number	570 All Polished Part Number	571 Black Ctr Part Number	571 All Polished Part Number	572 Black Ctr Part Number	572 All Polished Part Number	576 Black Ctr Part Number	576 All Polished Part Number	577 Black Ctr Part Number	577 All Polished Part Number	579 Black Ctr Part Number	579 All Polished Part Number
15"	Low	15x4	Front	-23	1.63	70LB-504B16A	70LP-504B16A	71LB-504B16A	71LP-504B16A	72LB-504B16A	72LP-504B16A	76LB-504B16A	76LP-504B16A	77LB-504B16A	77LP-504B16A	79LB-504B16A	79LP-504B16A
	Low	15X5.3	Front	-36	2.50	70LB-505B25A	70LP-505B25A	71LB-505B25A	71LP-505B25A	72LB-505B25A	72LP-505B25A	76LB-505B25A	76LP-505B25A	77LB-505B25A	77LP-505B25A	79LB-505B25A	79LP-505B25A
	Low	15x6.3	Front	-3	3.50	70LB-506B35A	70LP-506B35A	71LB-506B35A	71LP-506B35A	72LB-506B35A	72LP-506B35A	76LB-506B35A	76LP-506B35A	77LB-506B35A	77LP-506B35A	79LB-506B35A	79LP-506B35A
	Low	15x7.3	Front	10	4.50	70LB-507B45A	70LP-507B45A	71LB-507B45A	71LP-507B45A	72LB-507B45A	72LP-507B45A	76LB-507B45A	76LP-507B45A	77LB-507B45A	77LP-507B45A	79LB-507B45A	79LP-507B45A
	Low	15x8.3	Frt/Rear	-4	4.50	70LB-508B45A	70LP-508B45A	71LB-508B45A	71LP-508B45A	72LB-508B45A	72LP-508B45A	76LB-508B45A	76LP-508B45A	77LB-508B45A	77LP-508B45A	79LB-508B45A	79LP-508B45A
	Low	15X9.3	Rear Only	10	5.50	70LB-509B55A	70LP-509B55A	71LB-509B55A	71LP-509B55A	72LB-509B55A	72LP-509B55A	76LB-509B55A	76LP-509B55A	77LB-509B55A	77LP-509B55A	79LB-509B55A	79LP-509B55A
	Low	15x10.3	Rear Only	-4	5.50	70LB-510B55A	70LP-510B55A	71LB-510B55A	71LP-510B55A	72LB-510B55A	72LP-510B55A	76LB-510B55A	76LP-510B55A	77LB-510B55A	77LP-510B55A	79LB-510B55A	79LP-510B55A

17"	Low	17x4.5	Front	-27	1.70	70LB7045B17A	70LP7045B17A	71LB7045B17A	71LP7045B17A	72LB7045B17A	72LP7045B17A	76LB7045B17A	76LP7045B17A	77LB7045B17A	77LP7045B17A	79LB7045B17A	79LP7045B17A
	Low	17x7.0	Front	30	4.40	70LB7070B45A	70LP7070B45A	71LB7070B45A	71LP7070B45A	72LB7070B45A	72LP7070B45A	76LB7070B45A	76LP7070B45A	77LB7070B45A	77LP7070B45A	79LB7070B45A	79LP7070B45A
	Low	17x8.0	Frt/Rear	10	4.90	70LB7080B50A	70LP7080B50A	71LB7080B50A	71LP7080B50A	72LB7080B50A	72LP7080B50A	76LB7080B50A	76LP7080B50A	77LB7080B50A	77LP7080B50A	79LB7080B50A	79LP7080B50A
	Low	17x9.0	Frt/Rear	10	5.40	70LB7090B55A	70LP7090B55A	71LB7090B55A	71LP7090B55A	72LB7090B55A	72LP7090B55A	76LB7090B55A	76LP7090B55A	77LB7090B55A	77LP7090B55A	79LB7090B55A	79LP7090B55A
	Low	17x9.5	Frt/Rear	4	5.40	70LB7095B55A*	70LP7095B55A*	71LB7095B55A*	71LP7095B55A*	72LB7095B55A*	72LP7095B55A*	76LB7095B55A*	76LP7095B55A*	77LB7095B55A*	77LP7095B55A*	79LB7095B55A*	79LP7095B55A*
	Low	17x10.0	Rear Only	-3	5.40	70LB7100B55A	70LP7100B55A	71LB7100B55A	71LP7100B55A	72LB7100B55A	72LP7100B55A	76LB7100B55A	76LP7100B55A	77LB7100B55A	77LP7100B55A	79LB7100B55A	79LP7100B55A
15"	Low	17x10.5	Rear Only	4	5.90	70LB7105B60A	70LP7105B60A	71LB7105B60A	71LP7105B60A	72LB7105B60A	72LP7105B60A	76LB7105B60A	76LP7105B60A	77LB7105B60A	77LP7105B60A	79LB7105B60A	79LP7105B60A
	Low	17x11.0	Rear Only	10	6.40	70LB7110B65A*	70LP7110B65A*	71LB7110B65A*	71LP7110B65A*	72LB7110B65A*	72LP7110B65A*	76LB7110B65A*	76LP7110B65A*	77LB7110B65A*	77LP7110B65A*	79LB7110B65A*	79LP7110B65A*

* Test fit wheel on car before mounting tire * Tire brands vary in width, the jounce snubber may need trimming, the rear axle may need centered with an aftermarket adjustable panhard rod. It depends on the car.

15"	Low	18x5.0	Front	-8	2.70	70LB8050B27A	70LP8050B27A	71LB8050B27A	71LP8050B27A	72LB8050B27A	72LP8050B27A	76LB8050B27A	76LP8050B27A	77LB8050B27A	77LP8050B27A	79LB8050B27A	79LP8050B27A
	Low	18x7.0	Front	-8	3.70	70LB8070B37A	70LP8070B37A	71LB8070B37A	71LP8070B37A	72LB8070B37A	72LP8070B37A	76LB8070B37A	76LP8070B37A	77LB8070B37A	77LP8070B37A	79LB8070B37A	79LP8070B37A
	Low	18x8.0	Frt/Rear	5	4.70	70LB8080B47A	70LP8080B47A	71LB8080B47A	71LP8080B47A	72LB8080B47A	72LP8080B47A	76LB8080B47A	76LP8080B47A	77LB8080B47A	77LP8080B47A	79LB8080B47A	79LP8080B47A
	Low	18x9.0	Frt/Rear	5	5.20	70LB8090B52A	70LP8090B52A	71LB8090B52A	71LP8090B52A	72LB8090B52A	72LP8090B52A	76LB8090B52A	76LP8090B52A	77LB8090B52A	77LP8090B52A	79LB8090B52A	79LP8090B52A
	Low	18x10.0	Rear Only	5	5.70	70LB8100B57A	70LP8100B57A	71LB8100B57A	71LP8100B57A	72LB8100B57A	72LP8100B57A	76LB8100B57A	76LP8100B57A	77LB8100B57A	77LP8100B57A	79LB8100B57A	79LP8100B57A
	Low	18x10.5	Rear Only	11	6.20	70LB8105B62A	70LP8105B62A	71LB8105B62A	71LP8105B62A	72LB8105B62A	72LP8105B62A	76LB8105B62A	76LP8105B62A	77LB8105B62A	77LP8105B62A	79LB8105B62A	79LP8105B62A
	Low	18x11.0	Rear Only	18	6.70	70LB8110B67A*	70LP8110B67A*	71LB8110B67A*	71LP8110B67A*	72LB8110B67A*	72LP8110B67A*	76LB8110B67A*	76LP8110B67A*	77LB8110B67A	77LP8110B67A	79LB8110B67A*	79LP8110B67A*

WELD

1970.5-1981 Firebird (2nd Gen)

5x4.75" [B] 7/16 lugs

15" RT-S - Short mag shank lug & 5/8 drive stud acceptable. Conical Lugs req'd 17"/18"/20"

	Pad Height	Size	Vehicle Location	Offset	Back Space	S70 Black Ctr Part Number	S70 All Polished Part Number	S71 Black Ctr Part Number	S71 All Polished Part Number	S72 Black Ctr Part Number	S72 All Polished Part Number	S76 Black Ctr Part Number	S76 All Polished Part Number	S77 Black Center Part Number	S77 All Polished Part Number	S79 Black Ctr Part Number	S79 All Polished Part Number
15"	Low	15x4	Front	-22	1.63	70L-B-504816A	70L-P-504816A	71L-B-504816A	71L-P-504816A	72L-B-504816A	72L-P-504816A	76L-B-504816A	76L-P-504816A	77L-B-504816A	77L-P-504816A	79L-B-504816A	79L-P-504816A
	Low	15X5.3	Front	-16	2.50	70L-B-505825A	70L-P-505825A	71L-B-505825A	71L-P-505825A	72L-B-505825A	72L-P-505825A	76L-B-505825A	76L-P-505825A	77L-B-505825A	77L-P-505825A	79L-B-505825A	79L-P-505825A
	Low	15X6.3	Front	-3	3.50	70L-B-506835A	70L-P-506835A	71L-B-506835A	71L-P-506835A	72L-B-506835A	72L-P-506835A	76L-B-506835A	76L-P-506835A	77L-B-506835A	77L-P-506835A	79L-B-506835A	79L-P-506835A
	Low	15X7.3	Front	-16	3.50	70L-B-507835A	70L-P-507835A	71L-B-507835A	71L-P-507835A	72L-B-507835A	72L-P-507835A	76L-B-507835A	76L-P-507835A	77L-B-507835A	77L-P-507835A	79L-B-507835A	79L-P-507835A
	Low	15x8.3	Frt/Rear	-3	4.50	70L-B-508845A	70L-P-508845A	71L-B-508845A	71L-P-508845A	72L-B-508845A	72L-P-508845A	76L-B-508845A	76L-P-508845A	77L-B-508845A	77L-P-508845A	79L-B-508845A	79L-P-508845A
	Low	15x9.3	Rear Only	10	5.50	70L-B-509855A	70L-P-509855A	71L-B-509855A	71L-P-509855A	72L-B-509855A	72L-P-509855A	76L-B-509855A	76L-P-509855A	77L-B-509855A	77L-P-509855A	79L-B-509855A	79L-P-509855A
	Low	15x10	Rear Only	-1	5.50	70L-B-510855A	70L-P-510855A	71L-B-510855A	71L-P-510855A	72L-B-510855A	72L-P-510855A	76L-B-510855A	76L-P-510855A	77L-B-510855A	77L-P-510855A	79L-B-510855A	79L-P-510855A
17"	Low	17x4.5	Front	-27	1.70	70L-B-7045817A	70L-P-7045817A	71L-B-7045817A	71L-P-7045817A	72L-B-7045817A	72L-P-7045817A	76L-B-7045817A	76L-P-7045817A	77L-B-7045817A	77L-P-7045817A	79L-B-7045817A	79L-P-7045817A
	Low	17x7.0	Front	-3	3.90	70L-B-7070840A	70L-P-7070840A	71L-B-7070840A	71L-P-7070840A	72L-B-7070840A	72L-P-7070840A	76L-B-7070840A	76L-P-7070840A	77L-B-7070840A	77L-P-7070840A	79L-B-7070840A	79L-P-7070840A
	Low	17x8.0	Frt/Rear	-3	4.40	70L-B-7080845A	70L-P-7080845A	71L-B-7080845A	71L-P-7080845A	72L-B-7080845A	72L-P-7080845A	76L-B-7080845A	76L-P-7080845A	77L-B-7080845A	77L-P-7080845A	79L-B-7080845A	79L-P-7080845A
	Low	17x9.0	Frt/Rear	10	5.40	70L-B-7090855A*	70L-P-7090855A*	71L-B-7090855A*	71L-P-7090855A*	72L-B-7090855A*	72L-P-7090855A*	76L-B-7090855A*	76L-P-7090855A*	77L-B-7090855A*	77L-P-7090855A*	79L-B-7090855A*	79L-P-7090855A*
	Low	17x10.0	Rear Only	-3	5.40	70L-B-7100855A	70L-P-7100855A	71L-B-7100855A	71L-P-7100855A	72L-B-7100855A	72L-P-7100855A	76L-B-7100855A	76L-P-7100855A	77L-B-7100855A	77L-P-7100855A	79L-B-7100855A	79L-P-7100855A
	Low	17x10.5	Rear Only	4	5.90	70L-B-7105860A*	70L-P-7105860A*	71L-B-7105860A*	71L-P-7105860A*	72L-B-7105860A*	72L-P-7105860A*	76L-B-7105860A*	76L-P-7105860A*	77L-B-7105860A*	77L-P-7105860A*	79L-B-7105860A*	79L-P-7105860A*

* May require upper a-arm modification or tubular upper a-arm to prevent inside wheel lip contact at full turning angle of front wheels
* Measure tire under vehicle before mounting tire. 1973-1981 Cans may require removal of rear seat belt retractors to allow flattening of bulge in wheel well for clearance

18"	Low	18x5.0	Front	-20	2.20	70L-B8050822A	70L-P8050822A	71L-B8050822A	71L-P8050822A	72L-B8050822A	72L-P8050822A	76L-B8050822A	76L-P8050822A	77L-B8050822A	77L-P8050822A	79L-B8050822A	79L-P8050822A
	Low	18x7.0	Front	-20	3.20	70L-B8070832A	70L-P8070832A	71L-B8070832A	71L-P8070832A	72L-B8070832A	72L-P8070832A	76L-B8070832A	76L-P8070832A	77L-B8070832A	77L-P8070832A	79L-B8070832A	79L-P8070832A
	Low	18x8.0	Frt/Rear	-8	4.20	70L-B8080842A	70L-P8080842A	71L-B8080842A	71L-P8080842A	72L-B8080842A	72L-P8080842A	76L-B8080842A	76L-P8080842A	77L-B8080842A	77L-P8080842A	79L-B8080842A	79L-P8080842A
	Low	18x9.0	Frt/Rear	5	5.20	70L-B8090852A	70L-P8090852A	71L-B8090852A	71L-P8090852A	72L-B8090852A	72L-P8090852A	76L-B8090852A	76L-P8090852A	77L-B8090852A	77L-P8090852A	79L-B8090852A	79L-P8090852A
	Low	18x9.5	Frt/Rear	11	5.70	70L-B8095857A*	70L-P8095857A*	71L-B8095857A*	71L-P8095857A*	72L-B8095857A*	72L-P8095857A*	76L-B8095857A*	76L-P8095857A*	77L-B8095857A*	77L-P8095857A*	79L-B8095857A*	79L-P8095857A*
	Low	18x10.0	Rear Only	18	6.20	70L-B8100862A	70L-P8100862A	71L-B8100862A	71L-P8100862A	72L-B8100862A	72L-P8100862A	76L-B8100862A	76L-P8100862A	77L-B8100862A	77L-P8100862A	79L-B8100862A	79L-P8100862A
	Low	18x10.5	Rear Only	11	6.20	70L-B8105862A*	70L-P8105862A*	71L-B8105862A*	71L-P8105862A*	72L-B8105862A*	72L-P8105862A*	76L-B8105862A*	76L-P8105862A*	77L-B8105862A*	77L-P8105862A*	79L-B8105862A*	79L-P8105862A*

* May require upper a-arm modification or tubular upper a-arm to prevent inside wheel lip contact at full turning angle of front wheels
* Measure tire under vehicle before mounting tire. 1973-1981 Cans may require removal of rear seat belt retractors to allow flattening of bulge in wheel well for clearance

20"	Low	20x8.0	Front	0	4.50	70L-B0080845A	70L-P0080845A	71L-B0080845A	71L-P0080845A	72L-B0080845A	72L-P0080845A	76L-B0080845A	76L-P0080845A	77L-B0080845A	77L-P0080845A	79L-B0080845A	79L-P0080845A
	Low	20x9.0	Front	0	5.00	70L-B0090850A	70L-P0090850A	71L-B0090850A	71L-P0090850A	72L-B0090850A	72L-P0090850A	76L-B0090850A	76L-P0090850A	77L-B0090850A	77L-P0090850A	79L-B0090850A	79L-P0090850A
	Low	20x9.5	Front	6	5.50	70L-B0095855A	70L-P0095855A	71L-B0095855A	71L-P0095855A	72L-B0095855A	72L-P0095855A	76L-B0095855A	76L-P0095855A	77L-B0095855A	77L-P0095855A	79L-B0095855A	79L-P0095855A
	Low	20x10.0	Rear Only	0	5.50	70L-B0100855A	70L-P0100855A	71L-B0100855A	71L-P0100855A	72L-B0100855A	72L-P0100855A	76L-B0100855A	76L-P0100855A	77L-B0100855A	77L-P0100855A	79L-B0100855A	79L-P0100855A
	Low	20x10.5	Rear Only	6	6.00	70L-B0105860A	70L-P0105860A	71L-B0105860A	71L-P0105860A	72L-B0105860A	72L-P0105860A	76L-B0105860A	76L-P0105860A	77L-B0105860A	77L-P0105860A	79L-B0105860A	79L-P0105860A

* May require upper a-arm modification or tubular upper a-arm to prevent inside wheel lip contact at full turning angle of front wheels * Measure tire under vehicle before mounting tire. 1973-1981 Cans may require removal of rear seat belt retractors to allow flattening of bulge in wheel well for clearance

1967-1969 Firebird (1st Gen)

5x4.75" [B] 7/16 lugs

15" RT-S - Short mag shank lug & 5/8 drive stud acceptable. Conical Lugs req'd 17"/18"/20"

	Pad Height	Size	Vehicle Location	Offset	Back Space	S70 Black Ctr Part Number	S70 All Polished Part Number	S71 Black Ctr Part Number	S71 All Polished Part Number	S72 Black Ctr Part Number	S72 All Polished Part Number	S76 Black Ctr Part Number	S76 All Polished Part Number	S77 Black Center Part Number	S77 All Polished Part Number	S79 Black Ctr Part Number	S79 All Polished Part Number
15"	Low	15x4	Front	-21	1.63	70L-B-504816A	70L-P-504816A	71L-B-504816A	71L-P-504816A	72L-B-504816A	72L-P-504816A	76L-B-504816A	76L-P-504816A	77L-B-504816A	77L-P-504816A	79L-B-504816A	79L-P-504816A
	Low	15X5.3	Front	-16	2.50	70L-B-505825A	70L-P-505825A	71L-B-505825A	71L-P-505825A	72L-B-505825A	72L-P-505825A	76L-B-505825A	76L-P-505825A	77L-B-505825A	77L-P-505825A	79L-B-505825A	79L-P-505825A
	Low	15X6.3	Front	-3	3.50	70L-B-506835A	70L-P-506835A	71L-B-506835A	71L-P-506835A	72L-B-506835A	72L-P-506835A	76L-B-506835A	76L-P-506835A	77L-B-506835A	77L-P-506835A	79L-B-506835A	79L-P-506835A
	Low	15X7.3	Front	-16	3.50	70L-B-507835A	70L-P-507835A	71L-B-507835A	71L-P-507835A	72L-B-507835A	72L-P-507835A	76L-B-507835A	76L-P-507835A	77L-B-507835A	77L-P-507835A	79L-B-507835A	79L-P-507835A
	Low	15x8.3	Frt/Rear	-3	4.50	70L-B-508845A	70L-P-508845A	71L-B-508845A	71L-P-508845A	72L-B-508845A	72L-P-508845A	76L-B-508845A	76L-P-508845A	77L-B-508845A	77L-P-508845A	79L-B-508845A	79L-P-508845A
	Low	15x9.3	Rear Only	10	5.50	70L-B-509855A	70L-P-509855A	71L-B-509855A	71L-P-509855A	72L-B-509855A	72L-P-509855A	76L-B-509855A	76L-P-509855A	77L-B-509855A	77L-P-509855A	79L-B-509855A	79L-P-509855A
20"	Medium	20x7.0	Rear Only	23	4.90	70L-B0070W49A	70L-P0070W49A	71L-B0070W49A	71L-P0070W49A	72L-B0070W49A	72L-P0070W49A	76L-B0070W49A	76L-P0070W49A	77L-B0070W49A	77L-P0070W49A	79L-B0070W49A	79L-P0070W49A
	Medium	20x8.0	Frt/Rear	36	5.90	70L-B0080W59A	70L-P0080W59A	71L-B0080W59A	71L-P0080W59A	72L-B0080W59A	72L-P0080W59A	76L-B0080W59A	76L-P0080W59A	77L-B0080W59A	77L-P0080W59A	79L-B0080W59A	79L-P0080W59A
	Medium	20x8.5	Frt/Rear	42	6.40	70L-B0085W64A	70L-P0085W64A	71L-B0085W64A	71L-P0085W64A	72L-B0085W64A	72L-P0085W64A	76L-B0085W64A	76L-P0085W64A	77L-B0085W64A	77L-P0085W64A	79L-B0085W64A	79L-P0085W64A

*May require relocating rear shocks inbound

17"	Low	17x4.5	Front	-27	1.70	70L-B7045817A	70L-P7045817A	71L-B7045817A	71L-P7045817A	72L-B7045817A	72L-P7045817A	76L-B7045817A	76L-P7045817A	77L-B7045817A	77L-P7045817A	79L-B7045817A	79L-P7045817A
	Low	17x7.0	Front	-3	3.90	70L-B7070840A	70L-P7070840A	71L-B7070840A	71L-P7070840A	72L-B7070840A	72L-P7070840A	76L-B7070840A	76L-P7070840A	77L-B7070840A	77L-P7070840A	79L-B7070840A	79L-P7070840A
	Low	17x8.0	Frt/Rear	-3	4.40	70L-B7080845A	70L-P7080845A	71L-B7080845A	71L-P7080845A	72L-B7080845A	72L-P7080845A	76L-B7080845A	76L-P7080845A	77L-B7080845A	77L-P7080845A	79L-B7080845A	79L-P7080845A
	Low	17x9.0	Rear Only	10	5.40	70L-B7090855A~	70L-P7090855A~	71L-B7090855A~	71L-P7090855A~	72L-B7090855A~	72L-P7090855A~	76L-B7090855A~	76L-P7090855A~	77L-B7090855A~	77L-P7090855A~	79L-B7090855A~	79L-P7090855A~

*May require relocating rear shocks inbound

18"	Low	18x5.0	Front	-8	2.70	70L-B8050822A	70L-P8050822A	71L-B8050822A	71L-P8050822A	72L-B8050822A	72L-P8050822A	76L-B8050822A	76L-P8050822A	77L-B8050822A	77L-P8050822A	79L-B8050822A	79L-P8050822A
	Low	18x7.0	Front	5	4.20	70L-B8070842A	70L-P8070842A	71L-B8070842A	71L-P8070842A	72L-B8070842A	72L-P8070842A	76L-B8070842A	76L-P8070842A	77L-B8070842A	77L-P8070842A	79L-B8070842A	79L-P8070842A
	Low	18x8.0	Front	5	4.70	70L-B8080847A	70L-P8080847A	71L-B8080847A	71L-P8080847A	72L-B8080847A	72L-P8080847A	76L-B8080847A	76L-P8080847A	77L-B8080847A	77L-P8080847A	79L-B8080847A	79L-P8080847A
	Low	18x9.0	Rear Only	18	5.70	70L-B8090857A~	70L-P8090857A~	71L-B8090857A~	71L-P8090857A~	72L-B8090857A~	72L-P8090857A~	76L-B8090857A~	76L-P8090857A~	77L-B8090857A~	77L-P8090857A~	79L-B8090857A~	79L-P8090857A~

*May require relocating rear shocks inbound

20"	Low	20x8.0	Rear Only	0	4.50	70L-B0080845A	70L-P0080845A	71L-B0080845A	71L-P0080845A</
-----	-----	--------	-----------	---	------	---------------	---------------	---------------	-----------------

WELD

1978-87 LeMans/Grand Am/Grand Prix

2nd Gen G-body 5x4.75" [B], LeMans RWD 7/16 lugs, 1982-87 Grand Prix RWD 12mmX1.5,

1970-81 Grand Am RWD 7/16 lugs

15" RT-S - Short mag shank lug & 5/8 drive stud acceptable. Conical Lugs req'd 17"/18"/20"

	Pad Height	Size	Vehicle Location	Offset	Back Space	S70 Black Ctr Part Number	S70 All Polished Part Number	S71 Black Ctr Part Number	S71 All Polished Part Number	S72 Black Ctr Part Number	S72 All Polished Part Number	S76 Black Ctr Part Number	S76 All Polished Part Number	S77 Black Center Part Number	S77 All Polished Part Number	S79 Black Ctr Part Number	S79 All Polished Part Number
15"	Low	15x4	Front	-21	1.63	70LB-504B16A	70LP-504B16A	71LB-504B16A	71LP-504B16A	72LB-504B16A	72LP-504B16A	76LB-504B16A	76LP-504B16A	77LB-504B16A	77LP-504B16A	79LB-504B16A	79LP-504B16A
	Low	15x5.3	Front	-16	2.50	70LB-505B25A	70LP-505B25A	71LB-505B25A	71LP-505B25A	72LB-505B25A	72LP-505B25A	76LB-505B25A	76LP-505B25A	77LB-505B25A	77LP-505B25A	79LB-505B25A	79LP-505B25A
	Low	15x6.3	Front	-3	3.50	70LB-506B35A	70LP-506B35A	71LB-506B35A	71LP-506B35A	72LB-506B35A	72LP-506B35A	76LB-506B35A	76LP-506B35A	77LB-506B35A	77LP-506B35A	79LB-506B35A	79LP-506B35A
	Low	15x7.3	Frt/Rear	10	4.50	70LB-507B45A	70LP-507B45A	71LB-507B45A	71LP-507B45A	72LB-507B45A	72LP-507B45A	76LB-507B45A	76LP-507B45A	77LB-507B45A	77LP-507B45A	79LB-507B45A	79LP-507B45A
17"	Low	15x8.3	Rear Only	-4	4.50	70LB-508B45A	70LP-508B45A	71LB-508B45A	71LP-508B45A	72LB-508B45A	72LP-508B45A	76LB-508B45A	76LP-508B45A	77LB-508B45A	77LP-508B45A	79LB-508B45A	79LP-508B45A
	Low	17x4.5	Front	-27	1.70	70LB7045B17A	70LP7045B17A	71LB7045B17A	71LP7045B17A	72LB7045B17A	72LP7045B17A	76LB7045B17A	76LP7045B17A	77LB7045B17A	77LP7045B17A	79LB7045B17A	79LP7045B17A
	Low	17x6.0	Front	-15	2.90	70LB7060B30A	70LP7060B30A	71LB7060B30A	71LP7060B30A	72LB7060B30A	72LP7060B30A	76LB7060B30A	76LP7060B30A	77LB7060B30A	77LP7060B30A	79LB7060B30A	79LP7060B30A
	Low	17x7.0	Frt/Rear	-3	3.90	70LB7070B40A	70LP7070B40A	71LB7070B40A	71LP7070B40A	72LB7070B40A	72LP7070B40A	76LB7070B40A	76LP7070B40A	77LB7070B40A	77LP7070B40A	79LB7070B40A	79LP7070B40A
18"	Low	17x8.0	Rear Only	10	4.50	70LB7080B50A	70LP7080B50A	71LB7080B50A	71LP7080B50A	72LB7080B50A	72LP7080B50A	76LB7080B50A	76LP7080B50A	77LB7080B50A	77LP7080B50A	79LB7080B50A	79LP7080B50A
	Low	18x5.0	Front	-20	2.20	70LB8050B22A	70LP8050B22A	71LB8050B22A	71LP8050B22A	72LB8050B22A	72LP8050B22A	76LB8050B22A	76LP8050B22A	77LB8050B22A	77LP8050B22A	79LB8050B22A	79LP8050B22A
	Low	18x6.0	Front	-8	3.20	70LB8060B32A	70LP8060B32A	71LB8060B32A	71LP8060B32A	72LB8060B32A	72LP8060B32A	76LB8060B32A	76LP8060B32A	77LB8060B32A	77LP8060B32A	79LB8060B32A	79LP8060B32A
	Low	18x7.0	Frt/Rear	5	4.20	70LB8070B42A	70LP8070B42A	71LB8070B42A	71LP8070B42A	72LB8070B42A	72LP8070B42A	76LB8070B42A	76LP8070B42A	77LB8070B42A	77LP8070B42A	79LB8070B42A	79LP8070B42A
20"	Low	18x8.0	Rear Only	5	4.70	70LB8080B47A	70LP8080B47A	71LB8080B47A	71LP8080B47A	72LB8080B47A	72LP8080B47A	76LB8080B47A	76LP8080B47A	77LB8080B47A	77LP8080B47A	79LB8080B47A	79LP8080B47A
	Low	20x7.0	Frt/Rear	0	4.00	70LB0070B40A	70LP0070B40A	71LB0070B40A	71LP0070B40A	72LB0070B40A	72LP0070B40A	76LB0070B40A	76LP0070B40A	77LB0070B40A	77LP0070B40A	79LB0070B40A	79LP0070B40A
	Low	20x8.0	Rear Only	0	4.50	70LB0080B45A	70LP0080B45A	71LB0080B45A	71LP0080B45A	72LB0080B45A	72LP0080B45A	76LB0080B45A	76LP0080B45A	77LB0080B45A	77LP0080B45A	79LB0080B45A	79LP0080B45A

1973-77 LeMans/GTO/Grand Am/Grand Prix

3rd Gen A-body 7/16 lugs 5x4.75 [B]

15" RT-S - Short mag shank lug & 5/8 drive stud acceptable. Conical Lugs req'd 17"/18"/20"

	Pad Height	Size	Vehicle Location	Offset	Back Space	S70 Black Ctr Part Number	S70 All Polished Part Number	S71 Black Ctr Part Number	S71 All Polished Part Number	S72 Black Ctr Part Number	S72 All Polished Part Number	S76 Black Ctr Part Number	S76 All Polished Part Number	S77 Black Center Part Number	S77 All Polished Part Number	S79 Black Ctr Part Number	S79 All Polished Part Number
15"	Low	15x4	Front	-21	1.63	70LB-504B16A	70LP-504B16A	71LB-504B16A	71LP-504B16A	72LB-504B16A	72LP-504B16A	76LB-504B16A	76LP-504B16A	77LB-504B16A	77LP-504B16A	79LB-504B16A	79LP-504B16A
	Low	15x5.3	Front	-16	2.50	70LB-505B25A	70LP-505B25A	71LB-505B25A	71LP-505B25A	72LB-505B25A	72LP-505B25A	76LB-505B25A	76LP-505B25A	77LB-505B25A	77LP-505B25A	79LB-505B25A	79LP-505B25A
	Low	15x6.3	Front	-3	3.50	70LB-506B35A	70LP-506B35A	71LB-506B35A	71LP-506B35A	72LB-506B35A	72LP-506B35A	76LB-506B35A	76LP-506B35A	77LB-506B35A	77LP-506B35A	79LB-506B35A	79LP-506B35A
	Low	15x7.3	Frt/Rear	-4	4.50	70LB-507B35A	70LP-507B35A	71LB-507B35A	71LP-507B35A	72LB-507B35A	72LP-507B35A	76LB-507B35A	76LP-507B35A	77LB-507B35A	77LP-507B35A	79LB-507B35A	79LP-507B35A
17"	Low	15x8.3	Rear Only	-16	4.50	70LB-508B45A	70LP-508B45A	71LB-508B45A	71LP-508B45A	72LB-508B45A	72LP-508B45A	76LB-508B45A	76LP-508B45A	77LB-508B45A	77LP-508B45A	79LB-508B45A	79LP-508B45A
	Low	15x9.3	Rear Only	-16	4.50	70LB-509B45A	70LP-509B45A	71LB-509B45A	71LP-509B45A	72LB-509B45A	72LP-509B45A	76LB-509B45A	76LP-509B45A	77LB-509B45A	77LP-509B45A	79LB-509B45A	79LP-509B45A
	Low	15x10.3	Rear Only	-4	5.50	70LB-510B55A	70LP-510B55A	71LB-510B55A	71LP-510B55A	72LB-510B55A	72LP-510B55A	76LB-510B55A	76LP-510B55A	77LB-510B55A	77LP-510B55A	79LB-510B55A	79LP-510B55A
	Low	17x4.5	Front	-27	1.70	70LB7045B17A	70LP7045B17A	71LB7045B17A	71LP7045B17A	72LB7045B17A	72LP7045B17A	76LB7045B17A	76LP7045B17A	77LB7045B17A	77LP7045B17A	79LB7045B17A	79LP7045B17A
18"	Low	17x7.0	Front	-15	3.40	70LB7070B35A	70LP7070B35A	71LB7070B35A	71LP7070B35A	72LB7070B35A	72LP7070B35A	76LB7070B35A	76LP7070B35A	77LB7070B35A	77LP7070B35A	79LB7070B35A	79LP7070B35A
	Low	17x8.0	Frt/Rear	-3	4.40	70LB7080B45A	70LP7080B45A	71LB7080B45A	71LP7080B45A	72LB7080B45A	72LP7080B45A	76LB7080B45A	76LP7080B45A	77LB7080B45A	77LP7080B45A	79LB7080B45A	79LP7080B45A
	Low	17x9.0	Rear Only	-15	4.40	70LB7090B45A	70LP7090B45A	71LB7090B45A	71LP7090B45A	72LB7090B45A	72LP7090B45A	76LB7090B45A	76LP7090B45A	77LB7090B45A	77LP7090B45A	79LB7090B45A	79LP7090B45A
	Low	17x10.0	Rear Only	-3	5.40	70LB7100B55A	70LP7100B55A	71LB7100B55A	71LP7100B55A	72LB7100B55A	72LP7100B55A	76LB7100B55A	76LP7100B55A	77LB7100B55A	77LP7100B55A	79LB7100B55A	79LP7100B55A
19"	Low	18x5.0	Front	-20	2.20	70LB8050B22A	70LP8050B22A	71LB8050B22A	71LP8050B22A	72LB8050B22A	72LP8050B22A	76LB8050B22A	76LP8050B22A	77LB8050B22A	77LP8050B22A	79LB8050B22A	79LP8050B22A
	Low	18x7.0	Front	-8	3.70	70LB8070B37A	70LP8070B37A	71LB8070B37A	71LP8070B37A	72LB8070B37A	72LP8070B37A	76LB8070B37A	76LP8070B37A	77LB8070B37A	77LP8070B37A	79LB8070B37A	79LP8070B37A
	Low	18x8.0	Frt/Rear	5	4.70	70LB8080B47A	70LP8080B47A	71LB8080B47A	71LP8080B47A	72LB8080B47A	72LP8080B47A	76LB8080B47A	76LP8080B47A	77LB8080B47A	77LP8080B47A	79LB8080B47A	79LP8080B47A
	Low	18x9.0	Rear Only	-8	4.70	70LB8090B47A	70LP8090B47A	71LB8090B47A	71LP8090B47A	72LB8090B47A	72LP8090B47A	76LB8090B47A	76LP8090B47A	77LB8090B47A	77LP8090B47A	79LB8090B47A	79LP8090B47A
20"	Low	18x10.0	Rear Only	5	5.70	70LB8100B57A	70LP8100B57A	71LB8100B57A	71LP8100B57A	72LB8100B57A	72LP8100B57A	76LB8100B57A	76LP8100B57A	77LB8100B57A	77LP8100B57A	79LB8100B57A	79LP8100B57A
	Low	20x7.0	Front	-13	3.50	70LB0070B35A	70LP0070B35A	71LB0070B35A	71LP0070B35A	72LB0070B35A	72LP0070B35A	76LB0070B35A	76LP0070B35A	77LB0070B35A	77LP0070B35A	79LB0070B35A	79LP0070B35A
	Low	20x8.0	Frt/Rear	0	4.50	70LB0080B45A	70LP0080B45A	71LB0080B45A	71LP0080B45A	72LB0080B45A	72LP0080B45A	76LB0080B45A	76LP0080B45A	77LB0080B45A	77LP0080B45A	79LB0080B45A	79LP0080B45A
	Low	20x9.0	Rear Only	-13	4.50	70LB0090B45A	70LP0090B45A	71LB0090B45A	71LP0090B45A	72LB0090B45A	72LP0090B45A	76LB0090B45A	76LP0090B45A	77LB0090B45A	77LP0090B45A	79LB0090B45A	79LP0090B45A
22"	Low	20x10.0	Rear Only	0	5.50	70LB0100B55A	70LP0100B55A	71LB0100B55A	71LP0100B55A	72LB0100B55A	72LP0100B55A	76LB0100B55A	76LP0100B55A	77LB0100B55A	77LP0100B55A	79LB0100B55A	79LP0100B55A

1968-72 Tempest/LeMans/GTO

2nd Gen A-body 5x4.75" [B] 7/16 lugs

15" RT-S - Short mag shank lug & 5/8 drive stud acceptable. Conical Lugs req'd 17"/18"/20"

	Pad Height	Size	Vehicle Location	Offset	Back Space	S70 Black Ctr Part Number	S70 All Polished Part Number	S71 Black Ctr Part Number	S71 All Polished Part Number	S72 Black Ctr Part Number	S72 All Polished Part Number	S76 Black Ctr Part Number	S76 All Polished Part Number	S77 Black Center Part Number	S77 All Polished Part Number	S79 Black Ctr Part Number	S79 All Polished Part Number	
15"	Low	15x4	Front	-21	1.63	70LB-504B16A	70LP-504B16A	71LB-504B16A	71LP-504B16A	72LB-504B16A	72LP-504B16A	76LB-504B16A	76LP-504B16A	77LB-504B16A	77LP-504B16A	79LB-504B16A	79LP-504B16A	
	Low	15x5.3	Front	-16	2.50	70LB-505B25A	70LP-505B25A	71LB-505B25A	71LP-505B25A	72LB-505B25A	72LP-505B25A	76LB-505B25A	76LP-505B25A	77LB-505B25A	77LP-505B25A	79LB-505B25A	79LP-505B25A	
	Low	15x6.3	Front	-3	3.50	70LB-506B35A	70LP-506B35A	71LB-506B35A	71LP-506B35A	72LB-506B35A	72LP-506B35A	76LB-506B35A	76LP-506B35A	77LB-506B35A	77LP-506B35A	79LB-506B35A	79LP-506B35A	
	Low	15x7.3	Front	-16	3.50	70LB-507B35A	70LP-507B35A	71LB-507B35A	71LP-507B35A	72LB-507B35A	72LP-507B35A	76LB-507B35A	76LP-507B35A	77LB-507B35A	77LP-507B35A	79LB-507B35A	79LP-507B35A	
	Low	15x8.3	Frt/Rear	-4	4.50	70LB-508B45A	70LP-508B45A	71LB-508B45A	71LP-508B45A	72LB-508B45A	72LP-508B45A	76LB-508B45A	76LP-508B45A	77LB-508B45A	77LP-508B45A	79LB-508B45A	79LP-508B45A	
	Low	15x9.3	Rear Only	-16	4.50	70LB-509B45A	70LP-509B45A	71LB-509B45A	71LP-509B45A	72LB-509B45A	72LP-509B45A	76LB-509B45A	76LP-509B45A	77LB-509B45A	77LP-509B45A	79LB-509B45A	79LP-509B45A	
	Low	15x10.3	Rear Only	-4	5.50	70LB-510B55A	70LP-510B55A	71LB-510B55A	71LP-510B55A	72LB-510B55A	72LP-510B55A	76LB-510B55A	76LP-510B55A	77LB-510B55A	77LP-510B55A	79LB-510B55A	79LP-510B55A	
17"	Low	17x4.5	Front	-27	1.70	70LB7045B17A	70LP7045B17A	71LB7045B17A	71LP7045B17A	72LB7045B17A	72LP7045B17A	76LB7045B17A	76LP7045B17A	77LB7045B17A	77LP7045B17A	79LB7045B17A	79LP7045B17A	
	Low	17x7.0	Front	-15	3.40	70LB7070B35A	70LP7070B35A	71LB7070B35A	71LP7070B35A	72LB7070B35A	72LP7070B35A	76LB7070B35A	76LP7070B35A	77LB7070B35A	77LP7070B35A	79LB7070B35A	79LP7070B35A	
	Low	17x8.0	Frt/Rear	-3	4.40	70LB7080B45A	70LP7080B45A	71LB7080B45A	71LP7080B45A	72LB7080B45A	72LP7080B45A	76LB7080B45A	76LP7080B45A	77LB7080B45A	77LP7080B45A	79LB7080B45A	79LP7080B45A	
	Low	17x9.0	Rear Only	-15	4.40	70LB7090B45A	70LP7090B45A	71LB7090B45A	71LP7090B45A	72LB7090B45A	72LP7090B45A	76LB7090B45A	76LP7090B45A	77LB7090B45A	77LP7090B45A	79LB7090B45A	79LP7090B45A	
	Low	17x10.0	Rear Only	-3	5.40	70LB7100B55A	70LP7100B55A	71LB7100B55A	71LP7100B55A	72LB7100B55A	72LP7100B55A	76LB7100B55A	76LP7100B55A	77LB7100B55A	77LP7100B55A	79LB7100B55A	79LP7100B55A	
	18"	Low	18x5.0	Front	-20	2.20	70LB8050B22A	70LP8050B22A	71LB8050B22A	71LP8050B22A	72LB8050B22A	72LP8050B22A	76LB8050B22A	76LP8050B22A	77LB8050B22A	77LP8050B22A	79LB8050B22A	79LP8050B22A
		Low	18x7.0	Front	-8	4.70	70LB8080B47A	70LP8080B47A	71LB8080B47A	71LP8080B47A	72LB8080B47A	72LP8080B47A	76LB8080B47A	76LP8080B47A	77LB8080B47A	77LP8080B47A	79LB8080B47A	79LP8080B47A
Low		18x8.0	Frt/Rear	5	4.70	70LB8080B47A	70LP8080B47A	71LB8080B47A	71LP8080B47A	72LB8080B47A	72LP8080B47A	76LB8080B47A	76LP8080B47A	77LB8080B47A	77LP8080B47A	79LB8080B47A	79LP8080B47A	
Low		18x9.0	Rear Only	-8	4.70	70LB8090B47A	70LP8090B47A	71LB8090B47A	71LP8090B47A	72LB8090B47A	72LP8090B47A	76LB8090B47A	76LP8090B47A	77LB8090B47A	77LP8090B47A	79LB8090B47A	79LP8090B47A	
Low		18x10.0	Rear Only	5	5.70	70LB8100B57A	70LP8100B57A	71LB8100B57A	71LP8100B57A	72LB8100B57A	72LP8100B57A	76LB8100B57A	76LP8100B57A	77LB8100B57A	77LP8100B57A	79LB8100B57A	79LP8100B57A	
20"		Low	20x7.0	Front	-13	3.50	70LB0700B35A	70LP0700B35A	71LB0700B35A	71LP0700B35A	72LB0700B35A	72LP0700B35A	76LB0700B35A	76LP0700B35A	77LB0700B35A	77LP0700B35A	79LB0700B35A	79LP0700B35A
		Low	20x8.0	Frt/Rear	0	4.50	70LB0800B45A	70LP0800B45A	71LB0800B45A	71LP0800B45A	72LB0800B45A	72LP0800B45A	76LB0800B45A	76LP0800B45A	77LB0800B45A	77LP0800B45A	79LB0800B45A	79LP0800B45A
	Low	20x9.0	Rear Only	13	4.50	70LB0900B45A	70LP0900B45A	71LB0900B45A	71LP0900B45A	72LB0900B45A	72LP0900B45A	76LB0900B45A	76LP0900B45A	77LB0900B45A	77LP0900B45A	79LB0900B45A	79LP0900B45A	
	Low	20x10.0	Rear Only	0	5.50	70LB1000B55A	70LP1000B55A	71LB1000B55A	71LP1000B55A	72LB1000B55A	72LP1000B55A	76LB1000B55A	76LP1000B55A	77LB1000B55A	77LP1000B55A	79LB1000B55A	79LP1000B55A	
	Low	20x10.0	Rear Only	0	5.50	70LB1000B55A	70LP1000B55A	71LB1000B55A	71LP1000B55A	72LB1000B55A	72LP1000B55A	76LB1000B55A	76LP1000B55A	77LB1000B55A	77LP1000B55A	79LB1000B55A	79LP1000B55A	

WELD

1964-67 Tempest/LeMans/GTO

1st Gen A-body 5x4.75" [B] 7/16 lugs

15" RT-S - Short mag shank lug & 5/8 drive stud acceptable. Conical Lugs req'd 17"/18"/20"

	Pad Height	Size	Vehicle Location	Offset	Back Space	S70 Black Ctr Part Number	S70 All Polished Part Number	S71 Black Ctr Part Number	S71 All Polished Part Number	S72 Black Ctr Part Number	S72 All Polished Part Number	S76 Black Ctr Part Number	S76 All Polished Part Number	S77 Black Center Part Number	S77 All Polished Part Number	S79 Black Ctr Part Number	S79 All Polished Part Number
15"	Low	15x4	Front	-21	1.63	70L8-504816A	70L9-504816A	71L8-504816A	71L9-504816A	72L8-504816A	72L9-504816A	76L8-504816A	76L9-504816A	77L8-504816A	77L9-504816A	79L8-504816A	79L9-504816A
	Low	15x5.3	Front	-16	2.50	70L8-505825A	70L9-505825A	71L8-505825A	71L9-505825A	72L8-505825A	72L9-505825A	76L8-505825A	76L9-505825A	77L8-505825A	77L9-505825A	79L8-505825A	79L9-505825A
	Low	15x6.3	Front	-3	3.50	70L8-506835A	70L9-506835A	71L8-506835A	71L9-506835A	72L8-506835A	72L9-506835A	76L8-506835A	76L9-506835A	77L8-506835A	77L9-506835A	79L8-506835A	79L9-506835A
	Low	15x7.3	Frt/Rear	-16	3.50	70L8-507835A	70L9-507835A	71L8-507835A	71L9-507835A	72L8-507835A	72L9-507835A	76L8-507835A	76L9-507835A	77L8-507835A	77L9-507835A	79L8-507835A	79L9-507835A
	Low	15x8.3	Rear Only	-4	4.50	70L8-508845A	70L9-508845A	71L8-508845A	71L9-508845A	72L8-508845A	72L9-508845A	76L8-508845A	76L9-508845A	77L8-508845A	77L9-508845A	79L8-508845A	79L9-508845A
17"	Low	17x4.5	Front	-27	1.70	70L7045817A	70L7045817A	71L7045817A	71L7045817A	72L7045817A	72L7045817A	76L7045817A	76L7045817A	77L7045817A	77L7045817A	79L7045817A	79L7045817A
	Low	17x7.0	Frt/Rear	-3	3.90	70L7070840A	70L7070840A	71L7070840A	71L7070840A	72L7070840A	72L7070840A	76L7070840A	76L7070840A	77L7070840A	77L7070840A	79L7070840A	79L7070840A
	Low	17x7.5	Rear Only	4	4.40	70L7075845A	70L7075845A	71L7075845A	71L7075845A	72L7075845A	72L7075845A	76L7075845A	76L7075845A	77L7075845A	77L7075845A	79L7075845A	79L7075845A
	Low	17x8.0	Rear Only	10	4.90	70L7080850A	70L7080850A	71L7080850A	71L7080850A	72L7080850A	72L7080850A	76L7080850A	76L7080850A	77L7080850A	77L7080850A	79L7080850A	79L7080850A
18"	Low	18x5.0	Front	-8	2.70	70L8805827A	70L8805827A	71L8805827A	71L8805827A	72L8805827A	72L8805827A	76L8805827A	76L8805827A	77L8805827A	77L8805827A	79L8805827A	79L8805827A
	Low	18x7.0	Frt/Rear	5	4.20	70L88070842A	70L88070842A	71L88070842A	71L88070842A	72L88070842A	72L88070842A	76L88070842A	76L88070842A	77L88070842A	77L88070842A	79L88070842A	79L88070842A
	Low	18x7.5	Rear Only	11	4.70	70L88075847A	70L88075847A	71L88075847A	71L88075847A	72L88075847A	72L88075847A	76L88075847A	76L88075847A	77L88075847A	77L88075847A	79L88075847A	79L88075847A
	Low	18x8.0	Rear Only	18	5.20	70L88080852A	70L88080852A	71L88080852A	71L88080852A	72L88080852A	72L88080852A	76L88080852A	76L88080852A	77L88080852A	77L88080852A	79L88080852A	79L88080852A
20"	Low	20x7.0	Frt/Rear	0	4.00	70L80070840A	70L80070840A	71L80070840A	71L80070840A	72L80070840A	72L80070840A	76L80070840A	76L80070840A	77L80070840A	77L80070840A	79L80070840A	79L80070840A
	Low	20x7.5	Rear Only	6	4.50	70L80075845A	70L80075845A	71L80075845A	71L80075845A	72L80075845A	72L80075845A	76L80075845A	76L80075845A	77L80075845A	77L80075845A	79L80075845A	79L80075845A
	Low	20x8.0	Rear Only	13	5.00	70L80080850A	70L80080850A	71L80080850A	71L80080850A	72L80080850A	72L80080850A	76L80080850A	76L80080850A	77L80080850A	77L80080850A	79L80080850A	79L80080850A

1969-72 Grand Prix

1st Gen G-Body 5x4.75" [B] 7/16 Lugs

15" RT-S - Short mag shank lug & 5/8 drive stud acceptable. Conical Lugs req'd 17"/18"/20"

	Pad Height	Size	Vehicle Location	Offset	Back Space	S70 Black Ctr Part Number	S70 All Polished Part Number	S71 Black Ctr Part Number	S71 All Polished Part Number	S72 Black Ctr Part Number	S72 All Polished Part Number	S76 Black Ctr Part Number	S76 All Polished Part Number	S77 Black Center Part Number	S77 All Polished Part Number	S79 Black Ctr Part Number	S79 All Polished Part Number
15"	Low	15x4	Front	-21	1.63	70L8-504816A	70L9-504816A	71L8-504816A	71L9-504816A	72L8-504816A	72L9-504816A	76L8-504816A	76L9-504816A	77L8-504816A	77L9-504816A	79L8-504816A	79L9-504816A
	Low	15x5.3	Front	-16	2.50	70L8-505825A	70L9-505825A	71L8-505825A	71L9-505825A	72L8-505825A	72L9-505825A	76L8-505825A	76L9-505825A	77L8-505825A	77L9-505825A	79L8-505825A	79L9-505825A
	Low	15x6.3	Front	-3	3.50	70L8-506835A	70L9-506835A	71L8-506835A	71L9-506835A	72L8-506835A	72L9-506835A	76L8-506835A	76L9-506835A	77L8-506835A	77L9-506835A	79L8-506835A	79L9-506835A
	Low	15x7.3	Front	-16	3.50	70L8-507835A	70L9-507835A	71L8-507835A	71L9-507835A	72L8-507835A	72L9-507835A	76L8-507835A	76L9-507835A	77L8-507835A	77L9-507835A	79L8-507835A	79L9-507835A
	Low	15x8.3	Frt/Rear	-4	4.50	70L8-508845A	70L9-508845A	71L8-508845A	71L9-508845A	72L8-508845A	72L9-508845A	76L8-508845A	76L9-508845A	77L8-508845A	77L9-508845A	79L8-508845A	79L9-508845A
	Low	15x9.3	Rear Only	-16	4.50	70L8-509845A	70L9-509845A	71L8-509845A	71L9-509845A	72L8-509845A	72L9-509845A	76L8-509845A	76L9-509845A	77L8-509845A	77L9-509845A	79L8-509845A	79L9-509845A
17"	Low	15x10.3	Rear Only	-4	5.50	70L8-510855A	70L9-510855A	71L8-510855A	71L9-510855A	72L8-510855A	72L9-510855A	76L8-510855A	76L9-510855A	77L8-510855A	77L9-510855A	79L8-510855A	79L9-510855A
	Low	17x4.5	Front	-27	1.70	70L7045817A	70L7045817A	71L7045817A	71L7045817A	72L7045817A	72L7045817A	76L7045817A	76L7045817A	77L7045817A	77L7045817A	79L7045817A	79L7045817A
	Low	17x7.0	Front	-15	3.40	70L7070835A	70L7070835A	71L7070835A	71L7070835A	72L7070835A	72L7070835A	76L7070835A	76L7070835A	77L7070835A	77L7070835A	79L7070835A	79L7070835A
	Low	17x8.0	Frt/Rear	-3	4.40	70L7080845A	70L7080845A	71L7080845A	71L7080845A	72L7080845A	72L7080845A	76L7080845A	76L7080845A	77L7080845A	77L7080845A	79L7080845A	79L7080845A
	Low	17x9.0	Rear Only	-15	4.40	70L7090845A	70L7090845A	71L7090845A	71L7090845A	72L7090845A	72L7090845A	76L7090845A	76L7090845A	77L7090845A	77L7090845A	79L7090845A	79L7090845A
	Low	17x10.0	Rear Only	-3	5.40	70L7100855A	70L7100855A	71L7100855A	71L7100855A	72L7100855A	72L7100855A	76L7100855A	76L7100855A	77L7100855A	77L7100855A	79L7100855A	79L7100855A
18"	Low	18x5.0	Front	-8	2.70	70L8805827A	70L8805827A	71L8805827A	71L8805827A	72L8805827A	72L8805827A	76L8805827A	76L8805827A	77L8805827A	77L8805827A	79L8805827A	79L8805827A
	Low	18x7.0	Front	-8	3.70	70L88070837A	70L88070837A	71L88070837A	71L88070837A	72L88070837A	72L88070837A	76L88070837A	76L88070837A	77L88070837A	77L88070837A	79L88070837A	79L88070837A
	Low	18x8.0	Frt/Rear	5	4.70	70L88080847A	70L88080847A	71L88080847A	71L88080847A	72L88080847A	72L88080847A	76L88080847A	76L88080847A	77L88080847A	77L88080847A	79L88080847A	79L88080847A
	Low	18x9.0	Rear Only	-8	4.70	70L88090847A	70L88090847A	71L88090847A	71L88090847A	72L88090847A	72L88090847A	76L88090847A	76L88090847A	77L88090847A	77L88090847A	79L88090847A	79L88090847A
20"	Low	18x10.0	Rear Only	5	5.70	70L88100857A	70L88100857A	71L88100857A	71L88100857A	72L88100857A	72L88100857A	76L88100857A	76L88100857A	77L88100857A	77L88100857A	79L88100857A	79L88100857A
	Low	20x7.0	Front	-13	3.50	70L80070835A	70L80070835A	71L80070835A	71L80070835A	72L80070835A	72L80070835A	76L80070835A	76L80070835A	77L80070835A	77L80070835A	79L80070835A	79L80070835A
	Low	20x8.0	Frt/Rear	0	4.50	70L80080845A	70L80080845A	71L80080845A	71L80080845A	72L80080845A	72L80080845A	76L80080845A	76L80080845A	77L80080845A	77L80080845A	79L80080845A	79L80080845A
	Low	20x9.0	Rear Only	-13	4.50	70L80090845A	70L80090845A	71L80090845A	71L80090845A	72L80090845A	72L80090845A	76L80090845A	76L80090845A	77L80090845A	77L80090845A	79L80090845A	79L80090845A
20"	Low	20x10.0	Rear Only	0	5.50	70L80100855A	70L80100855A	71L80100855A	71L80100855A	72L80100855A	72L80100855A	76L80100855A	76L80100855A	77L80100855A	77L80100855A	79L80100855A	79L80100855A

1975-79 Ventura/Phoenix

3rd Gen X-Body 5x4.75[B] 7/16 lugs

15" RT-S - Short mag shank lug & 5/8 drive stud acceptable. Conical Lugs req'd 17"/18"/20"

	Pad Height	Size	Vehicle Location	Offset	Back Space	S70 Black Ctr Part Number	S70 All Polished Part Number	S71 Black Ctr Part Number	S71 All Polished Part Number	S72 Black Ctr Part Number	S72 All Polished Part Number	S76 Black Ctr Part Number	S76 All Polished Part Number	S77 Black Center Part Number	S77 All Polished Part Number	S79 Black Ctr Part Number	S79 All Polished Part Number
15"	Low	15x4	Front	-21	1.63	70L8-504816A	70L9-504816A	71L8-504816A	71L9-504816A	72L8-504816A	72L9-504816A	76L8-504816A	76L9-504816A	77L8-504816A	77L9-504816A	79L8-504816A	79L9-504816A
	Low	15x5.3	Front	-16	2.50	70L8-505825A	70L9-505825A	71L8-505825A	71L9-505825A	72L8-505825A	72L9-505825A	76L8-505825A	76L9-505825A	77L8-505825A	77L9-505825A	79L8-505825A	79L9-505825A
	Low	15x6.3	Front	-3	3.50	70L8-506835A	70L9-506835A	71L8-506835A	71L9-506835A	72L8-506835A	72L9-506835A	76L8-506835A	76L9-506835A	77L8-506835A	77L9-506835A	79L8-506835A	79L9-506835A
	Low	15x7.3	Frt/Rear	10	4.50	70L8-507845A	70L9-507845A	71L8-507845A	71L9-507845A	72L8-507845A	72L9-507845A	76L8-507845A	76L9-507845A	77L8-507845A	77L9-507845A	79L8-507845A	79L9-507845A
	Low	15x8.3	Rear Only	21	5.50	70L8-508855A	70L9-508855A	71L8-508855A	71L9-508855A	72L8-508855A	72L9-508855A	76L8-508855A	76L9-508855A	77L8-508855A	77L9-508855A	79L8-508855A	79L9-508855A
*May require relocating rear shocks inbound																	
17"	Low	17x4.5	Front	-27	1.70	70L7045817A	70L7045817A	71L7045817A	71L7045817A	72L7045817A	72L7045817A	76L7045817A	76L7045817A	77L7045817A	77L7045817A	79L7045817A	79L7045817A
	Low	17x7.0	Front	-3	3.90	70L7070840A	70L7070840A	71L7070840A	71L7070840A	72L7070840A	72L7070840A	76L7070840A	76L7070840A	77L7070840A	77L7070840A	79L7070840A	79L7070840A
	Low	17x7.5	Front	10	4.40	70L7075845A	70L7075845A	71L7075845A	71L7075845A	72L7075845A	72L7075845A	76L7075845A	76L7075845A	77L7075845A	77L7075845A	79L7075845A	79L7075845A
	Low	17x8.0	Frt/Rear	10	4.90	70L7080850A	70L7080850A	71L7080850A	71L7080850A	72L7080850A	72L7080850A	76L7080850A	76L7080850A	77L7080850A	77L7080850A	79L7080850A	79L7080850A
*May require relocating rear shocks inbound																	
18"	Low	18x5.0	Front	-20	2.20	70L88050822A	70L88050822A	71L88050822A	71L88050822A	72L88050822A	72L88050822A	76L88050822A	76L88050822A	77L88050822A	77L88050822A	79L88050822A	79L88050822A
	Low	18x7.0	Front	-8	3.70	70L88070837A	70L88070837A	71L88070837A	71L88070837A	72L88070837A	72L88070837A	76L88070837A	76L88070837A	77L88070837A	77L88070837A	79L88070837A	79L88070837A
	Low	18x8.0	Front	5	4.70	70L88080847A	71L88080847A	71L88080847A	72L88080847A	72L88080847A	76L88080847A	76L88080847A	77L88080847A	77L88080847A	79L88080847A	79L88080847A	
	Low	18x8.5	Rear Only	11	5.20	70L88090852A	70L88090852A	71L88090852A	71L88090852A	72L88090852A	72L88090852A	76L88090852A	76L88090852A	77L88090852A	77L88090852A	79L88090852A	79L88090852A
	Low	18x9.0	Rear Only	11	5.70	70L88090857A	70L88090857A	71L88090857A	71L88090857A	72L88090857A	72L88090857A	76L88090857A	76L88090857A	77L88090857A	77L88090857A	79L88090857A	79L88090857A
*May require relocating rear shocks inbound																	
20"	Low	20x7.0	Front	-13	3.50	70L80070835A	70L80070835A	71L80070835A	71L80070835A	72L80070835A	72L80070835A	76L80070835A	76L80070835A	77L80070835A	77L80070835A	79L80070835A	79L80070835A
	Low	20x8.0	Front	0	4.50	70L80080845A	70L80080845A	71L80080845A	71L80080845A	72L80080845A	72L80080845A	76L80080845A	76L80080845A	77L80080845A	77L80080845A	79L80080845A	79L80080845A
	Low	20x8.5	Rear Only	19	5.50	70L80090855A	70L80090855A	71L80090855A	71L80090855A	72L80090855A	72L80090855A	76L80090855A	76L80090855A	77L80090855A	77L80090855A	79L80090855A	79L80090855A
	Low	20x9.0	Rear Only	25	6.00	70L80090860A	70L80090860A	71L80090860A	71L80090860A	72L80090860A	72L80090860A	76L80090860A	76L80090860A	77L80090860A	77L80090860A	79L80090860A	79L80090860A

WELD

1971-74 Ventura II/Ventura/1974 GTO

2nd Gen X-Body 5x4.75" [B] 7/16 Lugs

15" RT-S - Short mag shank lug & 5/8 drive stud acceptable. Conical Lugs req'd 17"/18"/20"

	Pad Height	Size	Vehicle Location	Offset	Back Space	S70 Black Ctr Part Number	S70 All Polished Part Number	S71 Black Ctr Part Number	S71 All Polished Part Number	S72 Black Ctr Part Number	S72 All Polished Part Number	S76 Black Ctr Part Number	S76 All Polished Part Number	S77 Black Center Part Number	S77 All Polished Part Number	S79 Black Ctr Part Number	S79 All Polished Part Number
15"	Low	15x4	Front	-21	1.63	70LB-504B16A	70LP-504B16A	71LB-504B16A	71LP-504B16A	72LB-504B16A	72LP-504B16A	76LB-504B16A	76LP-504B16A	77LB-504B16A	77LP-504B16A	79LB-504B16A	79LP-504B16A
	Low	15x5.3	Front	-16	2.50	70LB-505B25A	70LP-505B25A	71LB-505B25A	71LP-505B25A	72LB-505B25A	72LP-505B25A	76LB-505B25A	76LP-505B25A	77LB-505B25A	77LP-505B25A	79LB-505B25A	79LP-505B25A
	Low	15x6.3	Front	-3	3.50	70LB-506B35A	70LP-506B35A	71LB-506B35A	71LP-506B35A	72LB-506B35A	72LP-506B35A	76LB-506B35A	76LP-506B35A	77LB-506B35A	77LP-506B35A	79LB-506B35A	79LP-506B35A
	Low	15x7.3	Frt/Rear	10	4.50	70LB-507B45A	70LP-507B45A	71LB-507B45A	71LP-507B45A	72LB-507B45A	72LP-507B45A	76LB-507B45A	76LP-507B45A	77LB-507B45A	77LP-507B45A	79LB-507B45A	79LP-507B45A
	Low	15x8.3	Rear Only	21	5.50	70LB-508B55A~	70LP-508B55A~	71LB-508B55A~	71LP-508B55A~	72LB-508B55A~	72LP-508B55A~	76LB-508B55A~	76LP-508B55A~	77LB-508B55A~	77LP-508B55A~	79LB-508B55A~	79LP-508B55A~

~May require relocating rear shocks inboard

17"	Low	17x4.5	Front	-27	1.70	70LB7045B17A	70LP7045B17A	71LB7045B17A	71LP7045B17A	72LB7045B17A	72LP7045B17A	76LB7045B17A	76LP7045B17A	77LB7045B17A	77LP7045B17A	79LB7045B17A	79LP7045B17A
	Low	17x7.0	Frt/Rear	11	4.40	70LB7070B45A	70LP7070B45A	71LB7070B45A	71LP7070B45A	72LB7070B45A	72LP7070B45A	76LB7070B45A	76LP7070B45A	77LB7070B45A	77LP7070B45A	79LB7070B45A	79LP7070B45A
	Low	17x8.0	Rear Only	10	4.90	70LB7080B50A	70LP7080B50A	71LB7080B50A	71LP7080B50A	72LB7080B50A	72LP7080B50A	76LB7080B50A	76LP7080B50A	77LB7080B50A	77LP7080B50A	79LB7080B50A	79LP7080B50A
	Low	17x8.5	Rear Only	17	5.40	70LB7085B55A~	70LP7085B55A~	71LB7085B55A~	71LP7085B55A~	72LB7085B55A~	72LP7085B55A~	76LB7085B55A~	76LP7085B55A~	77LB7085B55A~	77LP7085B55A~	79LB7085B55A~	79LP7085B55A~

~May require relocating rear shocks inboard

18"	Low	18x5.0	Front	-8	2.70	70LB8050B27A	70LP8050B27A	71LB8050B27A	71LP8050B27A	72LB8050B27A	72LP8050B27A	76LB8050B27A	76LP8050B27A	77LB8050B27A	77LP8050B27A	79LB8050B27A	79LP8050B27A
	Low	18x7.0	Front	18	4.70	70LB8070B47A	70LP8070B47A	71LB8070B47A	71LP8070B47A	72LB8070B47A	72LP8070B47A	76LB8070B47A	76LP8070B47A	77LB8070B47A	77LP8070B47A	79LB8070B47A	79LP8070B47A
	Low	18x8.0	Rear Only	5	4.70	70LB8080B47A	70LP8080B47A	71LB8080B47A	71LP8080B47A	72LB8080B47A	72LP8080B47A	76LB8080B47A	76LP8080B47A	77LB8080B47A	77LP8080B47A	79LB8080B47A	79LP8080B47A
	Low	18x9.0	Rear Only	18	5.70	70LB8090B57A~	70LP8090B57A~	71LB8090B57A~	71LP8090B57A~	72LB8090B57A~	72LP8090B57A~	76LB8090B57A~	76LP8090B57A~	77LB8090B57A~	77LP8090B57A~	79LB8090B57A~	79LP8090B57A~

~May require relocating rear shocks inboard

20"	Low	20x6.0	Front	0	3.50	70LB0060B35A	70LP0060B35A	71LB0060B35A	71LP0060B35A	72LB0060B35A	72LP0060B35A	76LB0060B35A	76LP0060B35A	77LB0060B35A	77LP0060B35A	79LB0060B35A	79LP0060B35A
	Low	20x7.0	Rear Only	13	4.50	70LB0070B45A	70LP0070B45A	71LB0070B45A	71LP0070B45A	72LB0070B45A	72LP0070B45A	76LB0070B45A	76LP0070B45A	77LB0070B45A	77LP0070B45A	79LB0070B45A	79LP0070B45A

RT-S Application Guide TOYOTA SUPRA - TURBO

This fitment guide applies to vehicles with O.E. suspension, wheel wells, and brakes unless otherwise noted.

2020+ Supra

5x112 [J] bolt circle

14mm x 1.25, Conical Lug Bolt

	Pad Height	Size	Vehicle Location	Offset	Back Space	S70 Black Ctr Part Number	S70 All Polished Part Number	S71 Black Ctr Part Number	S71 All Polished Part Number	S72 Black Ctr Part Number	S72 All Polished Part Number	S76 Black Ctr Part Number	S76 All Polished Part Number	S77 Black Ctr Part Number	S77 All Polished Part Number	S79 Black Ctr Part Number
17"	High	17x5.0	Front	-20	2.2	70HB7050J22A	70HP7050J22A	71HB7050J22A	71HP7050J22A	72HB7050J22A	72HP7050J22A	76HB7050J22A	76HP7050J22A	77HB7050J22A	77HP7050J22A	79HB7050J22A
	High	17x9.0	Front	31	6.2	70HB7090J62A	70HP7090J62A	71HB7090J62A	71HP7090J62A	72HB7090J62A	72HP7090J62A	76HB7090J62A	76HP7090J62A	77HB7090J62A	77HP7090J62A	79HB7090J62A
	Medium	17x10.0	Rear Only	46	7.3	70MB7100J73A	70MP7100J73A	71MB7100J73A	71MP7100J73A	72MB7100J73A	72MP7100J73A	76MB7100J73A	76MP7100J73A	77MB7100J73A	77MP7100J73A	79MB7100J73A
	Medium	17x10.5	Rear Only	39	7.3	70MB7105J73A	70MP7105J73A	71MB7105J73A	71MP7105J73A	72MB7105J73A	72MP7105J73A	76MB7105J73A	76MP7105J73A	77MB7105J73A	77MP7105J73A	79MB7105J73A
18"	High	18x5.0	Front	-23	2.1	70HB8050J21A	70HP8050J21A	71HB8050J21A	71HP8050J21A	72HB8050J21A	72HP8050J21A	76HB8050J21A	76HP8050J21A	77HB8050J21A	77HP8050J21A	79HB8050J21A
	High	18x9.0	Front	28	6.1	70HB8090J61A	70HP8090J61A	71HB8090J61A	71HP8090J61A	72HB8090J61A	72HP8090J61A	76HB8090J61A	76HP8090J61A	77HB8090J61A	77HP8090J61A	79HB8090J61A
	Medium	18x10.0	Rear Only	43	7.2	70MB8105J72A	70MP8105J72A	71MB8105J72A	71MP8105J72A	72MB8105J72A	72MP8105J72A	76MB8105J72A	76MP8105J72A	77MB8105J72A	77MP8105J72A	79MB8105J72A
	Medium	18x10.5	Rear Only	37	7.2	70MB8105J72A	70MP8105J72A	71MB8105J72A	71MP8105J72A	72MB8105J72A	72MP8105J72A	76MB8105J72A	76MP8105J72A	77MB8105J72A	77MP8105J72A	79MB8105J72A
20"	High	20x7.0	Front	-5	3.8	70HB0070J38A	70HP0070J38A	71HB0070J38A	71HP0070J38A	72HB0070J38A	72HP0070J38A	76HB0070J38A	76HP0070J38A	77HB0070J38A	77HP0070J38A	79HB0070J38A
	High	20x9.0	Front	19	5.75	70HB0090J58A	70HP0090J58A	71HB0090J58A	71HP0090J58A	72HB0090J58A	72HP0090J58A	76HB0090J58A	76HP0090J58A	77HB0090J58A	77HP0090J58A	79HB0090J58A
	Medium	20x10.5	Rear only	29	6.9	70MB0105J69A	70MP0105J69A	71MB0105J69A	71MP0105J69A	72MB0105J69A	72MP0105J69A	76MB0105J69A	76MP0105J69A	77MB0105J69A	77MP0105J69A	79MB0105J69A

1993-1998 Supra Turbo

5x4.5 [A] bolt circle, MKIV

15" RT-S -12mm x 1.5 Short mag shank lug. Conical Lugs req'd - 17" / 18" / 20".

	Pad Height	Size	Vehicle Location	Offset	Back Space	S70 Black Ctr Part Number	S70 All Polished Part Number	S71 Black Ctr Part Number	S71 All Polished Part Number	S72 Black Ctr Part Number	S72 All Polished Part Number	S76 Black Ctr Part Number	S76 All Polished Part Number	S77 Black Ctr Part Number	S77 All Polished Part Number	S79 Black Ctr Part Number
15"	Medium	15x9	Rear Only	37	6.5	70MB-509A65A	70MP-509A65A	71MB-509A65A	71MP-509A65A	72MB-509A65A	72MP-509A65A	76MB-509A65A	76MP-509A65A	77MB-509A65A	77MP-509A65A	79MB-509A65A
	Medium	15x10	Rear Only	50	7.5	70MB-510A75A	70MP-510A75A	71MB-510A75A	71MP-510A75A	72MB-510A75A	72MP-510A75A	76MB-510A75A	76MP-510A75A	77MB-510A75A	77MP-510A75A	79MB-510A75A
	Low	15x11.33	Rear Only	34	7.5	70LB-511A75A~	70LP-511A75A~	71LB-511A75A~	71LP-511A75A~	72LB-511A75A~	72LP-511A75A~	76LB-511A75A~	76LP-511A75A~	77LP-511A75A~	77LP-511A75A~	79LB-511A75A~

~TRD wide body kit required

17"	High	17x5.0	Front	-20	2.2	70HB7050A22A	70HP7050A22A	71HB7050A22A	71HP7050A22A	72HB7050A22A	72HP7050A22A	76HB7050A22A	76HP7050A22A	77HB7050A22A	77HP7050A22A	79HB7050A22A
	Medium	17x5.0	Front	8	3.3	70MB7050A33A*	70MP7050A33A*	71MB7050A33A*	71MP7050A33A*	72MB7050A33A*	72MP7050A33A*	76MB7050A33A*	76MP7050A33A*	77MB7050A33A*	77MP7050A33A*	79MB7050A33A*
	High	17x8.0	Front	18	5.2	70HB7080A52A	70HP7080A52A	71HB7080A52A	71HP7080A52A	72HB7080A52A	72HP7080A52A	76HB7080A52A	76HP7080A52A	77HB7080A52A	77HP7080A52A	79HB7080A52A
	Medium	17x8.0	Front	45	6.3	70MB7080A63A*	70MP7080A63A*	71MB7080A63A*	71MP7080A63A*	72MB7080A63A*	72MP7080A63A*	76MB7080A63A*	76MP7080A63A*	77MB7080A63A*	77MP7080A63A*	79MB7080A63A*
	High	17x9.0	Front	30	6.2	70HB7090A62A	70HP7090A62A	71HB7090A62A	71HP7090A62A	72HB7090A62A	72HP7090A62A	76HB7090A62A	76HP7090A62A	77HB7090A62A	77HP7090A62A	79HB7090A62A
	Medium	17x9.0	Front	58	7.3	70MB7090A73A*	70MP7090A73A*	71MB7090A73A*	71MP7090A73A*	72MB7090A73A*	72MP7090A73A*	76MB7090A73A*	76MP7090A73A*	77MB7090A73A*	77MP7090A73A*	79MB7090A73A*
	Medium	17x10.0	Rear Only	58	7.8	70MB7100A78A	70MP7100A78A	71MB7100A78A	71MP7100A78A	72MB7100A78A	72MP7100A78A	76MB7100A78A	76MP7100A78A	77MB7100A78A	77MP7100A78A	79MB7100A78A
	Medium	17x10.5	Rear Only	52	7.8	70MB7105A78A	70MP7105A78A	71MB7105A78A	71MP7105A78A	72MB7105A78A	72MP7105A78A	76MB7105A78A	76MP7105A78A	77MB7105A78A	77MP7105A78A	79MB7105A78A

*Alternative fitment to "tuck" the wheel more into the wheel well. A .500" (13mm) spacer will be required to clear brake caliper. High pad height front wheel fitments will not require a wheel spacer, but the fender lip will need to be rolled.

18"	High	18x5.0	Front	-23	2.1	70HB8050A21A	70HP8050A21A	71HB8050A21A	71HP8050A21A	72HB8050A21A	72HP8050A21A	76HB8050A21A	76HP8050A21A	77HB8050A21A	77HP8050A21A	79HB8050A21A
	Medium	18x5.0	Front	5	3.2	70MB8050A32A*	70MP8050A32A*	71MB8050A32A*	71MP8050A32A*	72MB8050A32A*	72MP8050A32A*	76MB8050A32A*	76MP8050A32A*	77MB8050A32A*	77MP8050A32A*	79MB8050A32A*
	High	18x9.0	Front	28	6.1	70HB8090A61A	70HP8090A61A	71HB8090A61A	71HP8090A61A	72HB8090A61A	72HP8090A61A	76HB8090A61A	76HP8090A61A	77HB8090A61A	77HP8090A61A	79HB8090A61A
	Medium	18x9.0	Front	56	7.2	70MB8090A72A*	70MP8090A72A*	71MB8090A72A*	71MP8090A72A*	72MB8090A72A*	72MP8090A72A*	76MB8090A72A*	76MP8090A72A*	77MB8090A72A*	77MP8090A72A*	79MB8090A72A*
	High	18x10.0	Front	41	7.1	70HB8100A71A	70HP8100A71A	71HB8100A71A	71HP8100A71A	72HB8100A71A	72HP8100A71A	76HB8100A71A	76HP8100A71A	77HB8100A71A	77HP8100A71A	79HB8100A71A
	Medium	18x10.0	Front	69	8.2	70MB8100A82A*	70MP8100A82A*	71MB8100A82A*	71MP8100A82A*	72MB8100A82A*	72MP8100A82A*	76MB8100A82A*	76MP8100A82A*	77MB8100A82A*	77MP8100A82A*	79MB8100A82A*
	Medium	18x10.0	Rear Only	56	7.7	70MB8100A77A	70MP8100A77A	71MB8100A77A	71MP8100A77A	72MB8100A77A	72MP8100A77A	76MB8100A77A	76MP8100A77A	77MB8100A77A	77MP8100A77A	79MB8100A77A
	Medium	18x10.5	Rear Only	50	7.7	70MB8105A77A	70MP8105A77A	71MB8105A77A	71MP8105A77A	72MB8105A77A	72MP8105A77A	76MB8105A77A	76MP8105A77A	77MB8105A77A	77MP8105A77A	79MB8105A77A

*Alternative fitment to "tuck" the wheel more into the wheel well. A .500" (13mm) spacer will be required to clear brake caliper. High pad height front wheel fitments will not require a wheel spacer, but the fender lip will need to be rolled.

20"	High	20x7.0	Front	8	4.3	70HB0070A43A	70HP0070A43A	71HB0070A43A	71HP0070A43A	72HB0070A43A	72HP0070A43A	76HB0070A43A	76HP0070A43A	77HB0070A43A	77HP0070A43A	79HB0070A43A
	High	20x8.5	Front	24	5.7	70HB0085A57A	70HP0085A57A	71HB0085A57A	71HP0085A57A	72HB0085A57A	72HP0085A57A	76HB0085A57A	76HP0085A57A	77HB0085A57A	77HP0085A57A	79HB0085A57A
	Medium	20x9.0	Rear only	48	6.9	70MB0090A69A	70MP0090A69A	71MB0090A69A	71MP0090A69A	72MB0090A69A	72MP0090A69A	76MB0090A69A	76MP0090A69A	77MB0090A69A	77MP0090A69A	79MB0090A69A
	Medium	20x9.5	Rear only	55	7.4	70MB0095A74A	70MP0095A74A	71MB0095A74A	71MP0095A74A	72MB0095A74A	72MP0095A74A	76MB0095A74A	76MP0095A74A	77MB0095A74A	77MP0095A74A	79MB0095A74A
Medium	Medium	20x10.0	Rear only	61	7.9	70MB0100A79A	70MP0100A79A	71MB0100A79A	71MP0100A79A	72MB0100A79A	72MP0100A79A	76MB0100A79A	76MP0100A79A	77MB0100A79A	77MP0100A79A	79MB0100A79A

High pad height front wheel fitments do not require a wheel spacer, but the fender lip will need to be rolled. Medium Pad alternative fitments are not available in 20" that will "tuck" the wheel more into the wheel well.